
ERRATUM

Hopea odorata Extract Inhibits Hepatocellular Carcinoma via Induction of Caspase-Dependent Apoptosis [Erratum]

Nguyen ST, Huynh KL, Nguyen HL, et al. Onco Targets Ther. 2017;10:5765-5774.

An error during the preparation of Figure 1 for publishing led to the inadvertent creation of a duplicate region in figure part 1A on page 5767. The journal wishes to apologise for this error. The correct version of Figure 1 is shown below.



 $\textbf{Figure I} \ \ \text{Isolation of fibroblasts from skin tissue}.$

Notes: Skin tissue after collection from hospital was cut into small pieces and laid on the surface of culture roux. After 10 days, cells were grown from the edge of the skin fragment (A). After 15 days, cells proliferated and spread out on the surface of culture roux (B).

OncoTargets and Therapy

Dovepress

Publish your work in this journal

OncoTargets and Therapy is an international, peer-reviewed, open access journal focusing on the pathological basis of all cancers, potential targets for therapy and treatment protocols employed to improve the management of cancer patients. The journal also focuses on the impact of management programs and new therapeutic agents and protocols on patient perspectives such as quality of life, adherence and satisfaction. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit https://www.dovepress.com/testimonials.php to read real quotes from published authors.

Submit your manuscript here: https://www.dovepress.com/oncotargets-and-therapy-journal

https://doi.org/10.2147/OTT.S394039