LETTER

Associations Between Internet Addiction, Psychiatric Comorbidity, and Maternal Depression and Anxiety: Potential Underlying Mechanisms [Letter]

Alvaro Teixeira Filho¹, Alana Xavier de Almeida²

¹Department of Psychiatry and Behavioral Sciences, University of Miami Miller School of Medicine, Miami, FL, USA; ²Department of Pediatrics, University of Miami Miller School of Medicine, Miami, FL, USA

Correspondence: Alvaro Teixeira Filho, Department of Psychiatry and Behavioral Sciences, University of Miami Miller School of Medicine, 1695 NW 9th Ave, Miami, FL, 33136, USA, Email alvaro.teixeira@jhsmiami.org

Dear editor

We are writing to comment on the recent study by Sakamoto et al¹ which we found to be a significant contribution to the field of internet addiction (IA) research. The study sheds light on a compelling association between IA and maternal depression and anxiety, an area that warrants further investigation. As such, we would like to elaborate on some of the possible factors that could be involved in this association. By exploring these mechanisms, we hope to deepen our understanding of the complex relationship between maternal mental health and IA.

First, research has demonstrated that mothers experiencing depression or anxiety tend to withdraw from their parental duties, resulting in negative impacts on their child's development.^{2,3} Accordingly, this lack of parental involvement can also increase the risk of internet addiction^{4,5} indicating the importance of promoting active parental involvement to prevent negative outcomes.

Second, maternal depression is linked to reduced time spent closely supervising children.² Some studies have shown that active parental involvement, specifically parental mediation, can have a significant impact on reducing the risk of internet addiction^{6–9} and negative online experiences in children and adolescents¹⁰ emphasizing the importance of active parental involvement in reducing this risk of IA.

Third, children of mothers with depression often struggle with social competence and have challenges in social situations and relationships,² which may influence a child's preference for online interactions and their risk for internet addiction.^{11,12} Furthermore, excessive use of the internet may serve as a means for avoiding challenging domestic situations and the allure of virtual relationships can also contribute to the development of internet addiction.⁵ This reveals the role of the internet as a coping mechanism and a means of temporary escape from stress or negative emotions.

Fourth, children of mothers with depression are at a higher risk of developing mood disorders themselves, as well as exhibiting externalizing behaviors.² Individuals with IA often experience comorbidity with depression, anxiety, and impulse-control disorders.¹³ Consequently, this highlights the need for a comprehensive assessment and treatment plan that addresses all of the individual's mental health issues.

Nonetheless, we would like to draw your attention to a noteworthy observation we made during our examination of the scale used. The 6-Item Kessler Scale (K6) used in this study is a strong predictor of serious mental illness, including clinically significant depression or anxiety.¹⁴ However, the value of the K6 is primarily as a broad screener rather than a specific screener for any one mental disorder.¹⁴ In order to investigate the patterns and associations of specific disorders, we suggest that more specific screening scales should be preferred to the K6 such as the PHQ-9 scale for major depression and GAD-7 scale for anxiety.¹⁵

Furthermore, IA is a complex phenomenon that encompasses various subtypes, such as gaming addiction or social media addiction. These subtypes may possess distinct characteristics, risk factors, and comorbidities, which may have implications for the assessment and treatment of IA. Therefore, future studies should examine specific subtypes of IA to improve the effectiveness of preventive and therapeutic interventions¹⁶ and focus on developing targeted interventions for specific IA subtypes.

In conclusion, the study by Sakamoto et al is enlightening and provides valuable insights into the association between internet addiction (IA) and maternal depression and anxiety. Maternal depression and anxiety screening and treatment, along with family-based interventions focused on improving parent-child relationships, communication, and understanding, could be a promising direction for treating internet addiction in children and adolescents.¹⁷ This approach could also provide a more detailed guide and evidence on the effectiveness of interventions to reduce internet addiction.

Disclosure

The authors report no conflicts of interest in this communication.

References

- 1. Sakamoto S, Miyawaki D, Goto A, et al. Associations between internet addiction, psychiatric comorbidity, and maternal depression and anxiety in clinically referred children and adolescents. *Neuropsychiatr Dis Treat*. 2022;18:2421–2430. doi:10.2147/NDT.S383160
- 2. Psychosocial Paediatrics Committee. Maternal depression and child development. Paediatr Child Health. 2004;9(8):575-598. doi:10.1093/pch/ 9.8.575
- 3. Nicol-Harper R, Harvey AG, Stein A. Interactions between mothers and infants: impact of maternal anxiety. *Infant Behav Dev.* 2007;30 (1):161–167. doi:10.1016/j.infbeh.2006.08.005
- 4. Schneider LA, King DL, Delfabbro PH. Family factors in adolescent problematic Internet gaming: a systematic review. J Behav Addict. 2017;6 (3):321–333. doi:10.1556/2006.6.2017.035
- 5. Beranuy M, Carbonell X, Griffiths MD, Qualitative A. Analysis of online gaming addicts in treatment. Int J Ment Health Addict. 2013;11 (2):149-161. doi:10.1007/s11469-012-9405-2
- 6. Chang FC, Chiu CH, Chen PH, et al. Children's use of mobile devices, smartphone addiction and parental mediation in Taiwan. Comput Hum Behav. 2019;93:25–32. doi:10.1016/j.chb.2018.11.048
- 7. Bleakley A, Ellithorpe M, Romer D. The Role of Parents in Problematic Internet Use among US Adolescents. *Media Commun.* 2016;4(3):24–34. doi:10.17645/mac.v4i3.523
- Kalmus V, Blinka L, Ólafsson K. Does it matter what mama says: evaluating the role of parental mediation in European adolescents' excessive internet use. *Child Soc.* 2015;29(2):122–133. doi:10.1111/chso.12020
- Livingstone S, Ólafsson K, Helsper EJ, Lupiáñez-Villanueva F, Veltri GA, Folkvord F. Maximizing opportunities and minimizing risks for children online: the role of digital skills in emerging strategies of parental mediation: maximizing opportunities and minimizing risks. J Commun. 2017;67 (1):82–105. doi:10.1111/jcom.12277
- 10. Chandrima RM, Kircaburun K, Kabir H, et al. Adolescent problematic internet use and parental mediation: a Bangladeshi structured interview study. *Addict Behav Rep.* 2020;12:100288. doi:10.1016/j.abrep.2020.100288
- 11. Caplan SE. A social skill account of problematic internet use. J Commun. 2005;55(4):721-736. doi:10.1111/j.1460-2466.2005.tb03019.x
- 12. Romero-López M, Pichardo C, De Hoces I, García-Berbén T. Problematic Internet use among university students and its relationship with social skills. *Brain Sci.* 2021;11(10):1301. doi:10.3390/brainsci11101301
- 13. Kuss DJ, Lopez-Fernandez O. Internet addiction and problematic Internet use: a systematic review of clinical research. *World J Psychiatry*. 2016;6 (1):143–176. doi:10.5498/wjp.v6.i1.143
- 14. Kessler RC, Andrews G, Colpe LJ, et al. Short screening scales to monitor population prevalences and trends in non-specific psychological distress. *Psychol Med.* 2002;32(6):959–976. doi:10.1017/S0033291702006074
- 15. Staples LG, Dear BF, Gandy M, et al. Psychometric properties and clinical utility of brief measures of depression, anxiety, and general distress: the PHQ-2, GAD-2, and K-6. *Gen Hosp Psychiatry*. 2019;56:13–18. doi:10.1016/j.genhosppsych.2018.11.003
- Trumello C, Vismara L, Sechi C, Ricciardi P, Marino V, Babore A. Internet addiction: the role of parental care and mental health in adolescence. Int J Environ Res Public Health. 2021;18(24):12876. doi:10.3390/ijerph182412876
- 17. Lam LT. Parental mental health and Internet Addiction in adolescents. Addict Behav. 2015;42:20-23. doi:10.1016/j.addbeh.2014.10.033

Dove Medical Press encourages responsible, free and frank academic debate. The contentTxt of the Neuropsychiatric Disease and Treatment 'letters to the editor' section does not necessarily represent the views of Dove Medical Press, its officers, agents, employees, related entities or the Neuropsychiatric Disease and Treatment editors. While all reasonable steps have been taken to confirm the contentTxt of each letter, Dove Medical Press accepts no liability in respect of the contentTxt of any letter, nor is it responsible for the contentTxt and accuracy of any letter to the editor.

Neuropsychiatric Disease and Treatment

Dovepress

Publish your work in this journal

Neuropsychiatric Disease and Treatment is an international, peer-reviewed journal of clinical therapeutics and pharmacology focusing on concise rapid reporting of clinical or pre-clinical studies on a range of neuropsychiatric and neurological disorders. This journal is indexed on PubMed Central, the 'PsycINFO' database and CAS, and is the official journal of The International Neuropsychiatric Association (INA). The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit http://www.dovepress.com/testimonials.php to read real quotes from published authors.

Submit your manuscript here: https://www.dovepress.com/neuropsychiatric-disease-and-treatment-journal

69 I