

# Re: Study of the Distribution of Lumbar Modic Changes in Patients with Low Back Pain and Correlation with Lumbar Degeneration Diseases [Letter]

Francisco M Kovacs <sup>1,2</sup>, Estanislao Arana <sup>2,3</sup>

<sup>1</sup>Kovacs Back Pain Unit, HLA-Moncloa University Hospital, Madrid, 28009, Spain; <sup>2</sup>Spanish Back Pain Research Network, Madrid, Spain; <sup>3</sup>Department of Radiology, Fundación Instituto Valenciano de Oncología, Valencia, 46009, España

Correspondence: Francisco M Kovacs, Kovacs Back Pain Unit, HLA-Moncloa University Hospital, 67, Avenida Menéndez Pelayo, Madrid, 28009, Spain, Email fmkovacs@kovacs.org

## Dear editor

A recent paper states that “In conjunction with this study, more aggressive anti-inflammatory therapy should be given to patients with simple Modic changes” and concludes that “Modic changes ... are a very important factor in low back pain” (LBP).<sup>1</sup>

We believe that neither the methods nor the results of this study support these statements. In fact:

1. Bibliographical references appear to be biased. For instance, one of our studies is cited to support secondary results from this study,<sup>2</sup> while another, which contradicts its main conclusion, is overlooked.<sup>3</sup>
2. The study only describes Modic and other radiological findings in “500 randomly selected patients who visited the outpatient clinic for lumbar spine MRI for low back pain” (LBP), and assumes that the presence of a radiological finding (eg, Modic changes) implies that it is the cause of LBP. This is against the available evidence, which shows that most of the reported findings are incidental (not causal) and are equally present among healthy subjects and among patients with LBP.<sup>3–5</sup>
3. The paper does not describe how MRI findings were assessed,<sup>1</sup> while the interobserver agreement of most reported MRI findings has been shown to be moderate at best.<sup>6,7</sup>
4. Limitations derived from the absence of a control group and the rudimentary statistical methods used disqualify this study from being able to suggest any statistical association, let alone causal relationship, between LBP and any of the reported radiological findings. These limitations also imply that this study can neither support the notion that Modic changes are pathological or suggest any treatment for this hypothetical disease.

## Disclosure

All authors declare no conflict of interest in this communication.

## References

1. Wei B, Wu H. Study of the distribution of lumbar Modic changes in patients with low back pain and correlation with lumbar degeneration diseases. *J Pain Res.* 2023;16:3725–3733. doi:10.2147/JPR.S430792
2. Arana E, Kovacs FM, Royuela A, et al. Modic changes and associated features in Southern European chronic low back pain patients. *Spine J.* 2011;11:402–411. doi:10.1016/j.spinee.2011.03.019
3. Kovacs FM, Arana E, Royuela A, et al. Vertebral endplate changes are not associated with chronic low back pain among Southern European subjects: a case control study. *AJNR Am J Neuroradiol.* 2012;33(8):1519–1524. doi:10.3174/ajnr.A3087

4. Kasch R, Truthmann J, Hancock MJ, et al. Association of lumbar MRI findings with current and future back pain in a Population-based Cohort Study. *Spine*. 2022;47(3):201–211.
5. Chou R, Fu R, Carrino JA, Deyo RA. Imaging strategies for low back pain: systematic review and meta-analysis. *Lancet*. 2009;373(9662):463–472. doi:10.1016/S0140-6736(09)60172-0
6. Arana E, Royuela A, Kovacs FM, et al. Agreement in the interpretation of magnetic resonance images of the lumbar spine using the Nordic Modic consensus group classification form. *Radiology*. 2010;254:809–817. doi:10.1148/radiol.09090706
7. Kovacs FM, Royuela A, Jensen TS, et al. Agreement in the interpretation of magnetic resonance images of the lumbar spine. *Acta radiol*. 2009;5:497–506. doi:10.1080/02841850902838074

Dove Medical Press encourages responsible, free and frank academic debate. The content of the Journal of Pain Research 'letters to the editor' section does not necessarily represent the views of Dove Medical Press, its officers, agents, employees, related entities or the Journal of Pain Research editors. While all reasonable steps have been taken to confirm the content of each letter, Dove Medical Press accepts no liability in respect of the content of any letter, nor is it responsible for the content and accuracy of any letter to the editor.

Journal of Pain Research

Dovepress

## Publish your work in this journal

The Journal of Pain Research is an international, peer reviewed, open access, online journal that welcomes laboratory and clinical findings in the fields of pain research and the prevention and management of pain. Original research, reviews, symposium reports, hypothesis formation and commentaries are all considered for publication. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/journal-of-pain-research-journal>

<https://doi.org/10.2147/JPR.S452358>