

Diabetes Distress Among Patients Undergoing Surgery for Diabetic Retinopathy and Associated Factors: A Cross-Sectional Survey [Letter]

Song Wang^{1,*}, Jing Song^{2,*}, Xiaolian Jiang¹

¹West China School of Nursing/West China Hospital, Sichuan University, Chengdu, Sichuan, People's Republic of China; ²Bengbu Medical University, Bengbu, Anhui, People's Republic of China

*These authors contributed equally to this work

Correspondence: Xiaolian Jiang, West China School of Nursing/West China Hospital, Sichuan University, No. 37, Guoxue Lane, Wuhou District, Chengdu, Sichuan, 610041, People's Republic of China, Email jiangxialianhl@163.com

Dear editor

Recently, we have carefully read an original article entitled “Diabetes Distress Among Patients Undergoing Surgery for Diabetic Retinopathy and Associated Factors: A Cross-Sectional Survey” by Zhang et al.¹ This is a valuable observational study with the following advantages, namely: (1) This is a rare study investigating the prevalence of diabetes distress (DD) and its associated factors among patients undergoing surgery for diabetic retinopathy (DR) in China. Identifying the factors associated with DD among DR surgery patients and providing targeted psychological support and nursing care are the responsibility and mission of health care professionals. (2) The authors explicitly elaborated the basis for selecting the following predictive variables (eg, self-management, family support, social support, and partial demographic and disease-related factors) related to DD. (3) The authors used a comprehensive approach to conduct normality tests of the data,² such as kurtosis and skewness coefficients, histogram, Kolmogorov–Smirnov and Shapiro–Wilk tests. (4) The authors conducted an in-depth discussion regarding their research findings, fully compared them with previous studies performed in other countries (eg, USA, Canada, Vietnam, Bangladesh, Portugal, etc), and analyzed in detail the reasons for the differences between different results. In addition, the authors also provided some valuable recommendations for the disease management of DR surgery patients.

However, there are also some limitations that need to be improved in this study: (1) Page 1452, although the authors employed G*Power 3.1 software to calculate the sample size,³ the number of predictive variables in this study should be 18, not 6. When a significance level=0.05, statistical power (1- β)=0.85, and effect size=0.15, the minimum sample size should be 164, as shown in Figure 1. (2) In view of the cross-sectional study design, the relationship between predictive factors and DD is exploratory, so the causality should be interpreted with caution. (3) The variables included for multivariate analysis in this study are relatively limited. Some professionally significant factors related to DD were not included in multiple linear regression to identify independent predictors of DD, eg, gender, education level, diabetes duration and complications, coping style, and personality type, etc. In future study, when conducting multiple linear regression analysis, we suggest the authors not only include statistically significant factors, but also include professionally significant factors into the multivariate analysis.⁴

The implications of this study for future research directions: (1) Larger-scale and multi-center study exploring the DD in DR surgery patients is needed to draw more convincing conclusions. (2) The authors can explore the subjective experience of DR surgery patients regarding DD through qualitative research, in order to make the research results more vivid and rich. (3) The authors can identify different change trajectories of DD in DR surgery patients through longitudinal research and growth mixture model, and provide a basis for targeting the timing and measures of core interventions. (4) Understanding the modifiable factors of DD among DR surgery patients, and verifying the specific




Figure 1 Sample size calculation: using G*Power 3.1 software.

mechanisms by which these factors affect DD through structural equation modeling or mediating effect model can inform the development of tailored interventions and improve the quality of life and health prognosis of DR surgery patients.

Disclosure

The authors report no conflicts of interest in this communication.

References

1. Zhang M, Zhang X, Yang Y, et al. Diabetes distress among patients undergoing surgery for diabetic retinopathy and associated factors: a cross-sectional survey. *Psychol Res Behav Manag*. 2024;17:1451–1461. doi:10.2147/PRBM.S455535
2. Wang S, Jiang N, Song Y, et al. Correlates of cancer-related fatigue among colorectal cancer patients undergoing postoperative adjuvant therapy based on the theory of unpleasant symptoms. *Curr Oncol*. 2022;29(12):9199–9214. doi:10.3390/curroncol29120720
3. Faul F, Erdfelder E, Buchner A, Lang A-G. Statistical power analyses using g*power 3.1: tests for correlation and regression analyses. *Behav Res Methods*. 2009;41(4):1149–1160. doi:10.3758/BRM.41.4.1149
4. Wang S, Song J, Jiang X. Prevalence of depression and its associated factors among hemodialysis patients in Hodeida city, Yemen [letter]. *J Multidiscip Healthc*. 2024;17:1041–1042. doi:10.2147/JMDH.S466645

Dove Medical Press encourages responsible, free and frank academic debate. The content of the Psychology Research and Behavior Management 'letters to the editor' section does not necessarily represent the views of Dove Medical Press, its officers, agents, employees, related entities or the Psychology Research and Behavior Management editors. While all reasonable steps have been taken to confirm the content of each letter, Dove Medical Press accepts no liability in respect of the content of any letter, nor is it responsible for the content and accuracy of any letter to the editor.

Psychology Research and Behavior Management

Dovepress

Publish your work in this journal

Psychology Research and Behavior Management is an international, peer-reviewed, open access journal focusing on the science of psychology and its application in behavior management to develop improved outcomes in the clinical, educational, sports and business arenas. Specific topics covered in the journal include: Neuroscience, memory and decision making; Behavior modification and management; Clinical applications; Business and sports performance management; Social and developmental studies; Animal studies. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/psychology-research-and-behavior-management-journal>