

Examining Constraints: A Critical Appraisal of Autoimmune Diseases and Facial Aging Study [Letter]

Muhammad Hamza Shuja , Minal Hasan

Dow Medical College, Karachi, Sindh, Pakistan

Correspondence: Muhammad Hamza Shuja, Dow Medical College, Dow University of Health Sciences, Baba-e-Urdu Road, Karachi, 74200, Pakistan, Tel +923316079762, Email hamzashuja9825@gmail.com

Dear editor

We thoroughly reviewed the study titled “Genetically Proxied Autoimmune Diseases and the Risk of Facial Aging” by Zhang et al¹ in the esteemed journal “Clinical, Cosmetic and Investigational Dermatology”. The study offers valuable insights into the potential causal relationship between autoimmune diseases and facial skin aging through Mendelian randomization (MR) analyses. However, several limitations diminish the generalizability and reliability of the findings.

Firstly, the study relies heavily on publicly available summary data from genome-wide association studies (GWASs) and questionnaire-based assessments from the UK Biobank raises concerns about data quality and completeness. Without detailed individual-level data, the study lacks the ability to adequately control for various confounding variables that may influence facial aging. These variables include socioeconomic status, environmental factors like pollution and sunlight exposure, lifestyle parameters such as skincare routines, tobacco use, and dietary habits.² Moreover, focusing solely on 18 autoimmune diseases overlooks potential contributions from other autoimmune conditions, leading to an incomplete understanding of the overall relationship.

Secondly, subjective perception of facial aging through questionnaires introduces bias due to variations among individuals. Employing standardised objective measures, such as validated scales or advanced imaging technologies like 3D facial analysis,³ could mitigate this bias and enhance the reliability of assessments.

While attempts were made to adjust for confounding factors like smoking, alcohol consumption, and body mass index (BMI) in multivariable Mendelian randomization (MVMR) analyses, not all potential confounders were adequately addressed. Specific treatments for autoimmune diseases like psoriasis, eczema, and lupus like topical steroids, were not thoroughly addressed in the study, despite their known association with facial aging through skin thinning.⁴ Therefore, their exclusion limits the study’s ability to draw accurate conclusions regarding the impact of autoimmune diseases on facial ageing.

Furthermore, Mendelian randomization⁵ relies on assumptions like the absence of pleiotropy and linkage disequilibrium, which can bias results. Despite conducting sensitivity analyses, the complex nature of autoimmune diseases still poses concerns regarding potential violations of these assumptions. This uncertainty undermines the causal inference regarding the relationship between autoimmune diseases and facial aging.

Disclosure

The authors report no conflicts of interest in this communication.

References

1. Zhang Z, Li M, Geng Y, Wang W, Wang W, Shao Y. Genetically proxied autoimmune diseases and the risk of facial aging. *Clin Cosmet Invest Dermatol*. 2024;17:981–991. doi:10.2147/CCID.S456126
2. Lephart ED, Naftolin F. Factors influencing skin aging and the important role of estrogens and Selective Estrogen Receptor Modulators (SERMs). *Clin Cosmet Invest Dermatol*. 2022;15:1695–1709. doi:10.2147/CCID.S333663

3. Velemínská J, Jaklová LK, Kočandrlová K, et al. Three-dimensional analysis of modeled facial aging and sexual dimorphism from juvenile to elderly age. *Sci Rep*. 2022;12(1):21821. doi:10.1038/s41598-022-26376-8
4. Abraham A, Roga G. Topical steroid-damaged skin. *Indian J Dermatol*. 2014;59(5):456–459. doi:10.4103/0019-5154.139872
5. Boef AG, Dekkers OM, le Cessie S. Mendelian randomization studies: a review of the approaches used and the quality of reporting. *Int J Epidemiol*. 2015;44(2):496–511. doi:10.1093/ije/dyv071

Dove Medical Press encourages responsible, free and frank academic debate. The content of the Clinical, Cosmetic and Investigational Dermatology 'letters to the editor' section does not necessarily represent the views of Dove Medical Press, its officers, agents, employees, related entities or the Clinical, Cosmetic and Investigational Dermatology editors. While all reasonable steps have been taken to confirm the content of each letter, Dove Medical Press accepts no liability in respect of the content of any letter, nor is it responsible for the content and accuracy of any letter to the editor.

Clinical, Cosmetic and Investigational Dermatology

Dovepress

Publish your work in this journal

Clinical, Cosmetic and Investigational Dermatology is an international, peer-reviewed, open access, online journal that focuses on the latest clinical and experimental research in all aspects of skin disease and cosmetic interventions. This journal is indexed on CAS. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/clinical-cosmetic-and-investigational-dermatology-journal>

<https://doi.org/10.2147/CCID.S477365>