

Intrinsic Resistance: A Significant Characteristic in Evaluating Antibiotic Sensitivity Pattern [Letter]

Nitin Kumar ¹, Harit Kumar ²

¹Department of Microbiology, Symbiosis Medical College for Women, Symbiosis International (Deemed University), Lavale, Pune, Maharashtra, India;

²Department of Microbiology, Maharishi Markandeshwar Institute of Medical Science & Research, Maharishi Markandeshwar (Deemed to be) University, Mullana, Mullana, Haryana, India

Correspondence: Harit Kumar, Department of Microbiology, Maharishi Markandeshwar Institute of Medical Science & Research, Maharishi Markandeshwar (Deemed to be) University Mullana, Haryana, India, Email kumarharit4@gmail.com

Dear editor

We have read study titled “Antibiotic Susceptibility Pattern and Bacterial Spectrum Among Patients with External Eye Infections at Menelik II Referral Hospital in Addis Ababa, Ethiopia”¹ with keen interest for knowing antibiotic profile of organisms causing external eye infection at a referral hospital of Ethiopia as per Clinical and Laboratory standards Institute (CLSI) guidelines.

We would like to add some comments regarding antibiotic susceptibility pattern of isolates which need to be reviewed urgently in this study:

- (a) This study reported *Providencia stuartii* as 100% sensitive (only one strain isolated and tested) to Ampicillin, Gentamicin and Tobramycin whereas *P. stuartii* is considered intrinsically resistant to several antibiotics including Ampicillin, Gentamicin and Tobramycin.^{2,3} The bacteria with intrinsic resistance to antibiotic should be reported “Resistant” only.² Moreover, the intrinsic resistance is highly important as it along with other resistance mechanism may result in poor clinical outcome.^{4,5}
- (b) Further, this study reported 16.7% (1 out of 6 strains) resistance in *Streptococcus pneumoniae* to penicillin. However, CLSI guidelines have not recommended to report penicillin resistant *S. pneumoniae* strains on the basis of disk diffusion method(s).²
- (c) The study was started from January, 2019 but the authors had used CLSI M100 guidelines of 2017. In the modern world of increasing anti-microbial resistance, CLSI updates M100 guidelines on yearly basis introducing variety of antimicrobial combinations against multi-drug and pan-drug resistant isolates. Since the author is dealing with antibiotic susceptibility pattern, so the latest CLSI guidelines must have been used. If still authors want to adhere to old CLSI guidelines then a short explanation in published paper might be of great importance.

However, we thank to the authors to do a highly efficient work on one of the most concerning areas in medical science and making it available to all.

Disclosure

Nitin Kumar is first author, second & corresponding author is Harit Kumar. The authors declare no conflicts of interest in this communication.

References

1. Woreta AN, Kebede HB, Tilahun Y, Teklegiorgis SGS, Abegaz WE. Antibiotic susceptibility pattern and bacterial spectrum among patients with external eye infections at Menelik II referral hospital in Addis Ababa, Ethiopia. *Infect Drug Resist.* 2022;15:765–779. doi:10.2147/IDR.S352098

2. Clinical and Laboratory Standards Institute. Performance standards for antimicrobial susceptibility testing. 28th ed. *CLSI Supplement M100*. Wayne, PA: Clinical and Laboratory Standards Institute; 2018.
3. Hayakawa K, Marchaim D, Divine GW, et al. Growing prevalence of *Providencia stuartii* associated with the increased usage of colistin at a tertiary health care center. *Int J Infect Dis*. 2012;16(9):e646–e648. doi:10.1016/j.ijid.2012.05.1029
4. Al Hamdan AS, Alghamdi AA, Alyousif GF, et al. Evaluating the prevalence and the risk factors of gram-negative multi-drug resistant bacteria in Eastern Saudi Arabia. *Infect Drug Resist*. 2022;15:475–490. doi:10.2147/IDR.S350048
5. Rus M, Licker M, Musuroi C, et al. Distribution of NDM1 carbapenemase-producing protease strains on high-risk hospital wards. *Infect Drug Resist*. 2020;13:4751–4761. doi:10.2147/IDR.S280977

Dove Medical Press encourages responsible, free and frank academic debate. The content of the Infection and Drug Resistance ‘letters to the editor’ section does not necessarily represent the views of Dove Medical Press, its officers, agents, employees, related entities or the Infection and Drug Resistance editors. While all reasonable steps have been taken to confirm the content of each letter, Dove Medical Press accepts no liability in respect of the content of any letter, nor is it responsible for the content and accuracy of any letter to the editor.

Infection and Drug Resistance

Dovepress

Publish your work in this journal

Infection and Drug Resistance is an international, peer-reviewed open-access journal that focuses on the optimal treatment of infection (bacterial, fungal and viral) and the development and institution of preventive strategies to minimize the development and spread of resistance. The journal is specifically concerned with the epidemiology of antibiotic resistance and the mechanisms of resistance development and diffusion in both hospitals and the community. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/infection-and-drug-resistance-journal>

<https://doi.org/10.2147/IDR.S364959>