January 2020 Search Terms & Total Citations

PUBMED

MeSH Terms

- back pain
- · chronic pain
- low back pain
- manipulation, osteopathic
- · migraine disorders
- · musculoskeletal pain
- neck pain
- · osteopathic medicine

Text Word

- back pain
- · chronic pain
- low back pain
- · lower back pain
- migraine
- · migraine disorders
- musculoskeletal
- · musculoskeletal pain
- neck pain
- · osteopathic manipulation
- osteopathic manipulative medicine
- · osteopathic medicine
- osteopathy

Filters for Article Type

- · randomized controlled trial
- · controlled clinical trial
- clinical trial
- clinical study

COCHRANE & SCOPUS

Title, Abstract, Keyword Search Terms

- back pain
- · chronic pain
- low back pain
- lower back pain
- migraine
- migraine disorders
- · musculoskeletal pain
- neck pain
- osteopathic manual manipulation
- osteopathic manipulation
- osteopathic manipulative medicine
- · osteopathic medicine
- osteopathy

Search Terms Used to Filter Article Type

- · clinical trial
- · controlled trial
- · randomized controlled trial

EMBASE

Emtree Terms

- chronic pain
- low back pain
- · migraine
- · musculoskeletal pain
- neck pain
- · osteopathic manipulation
- · osteopathic medicine


General Terms

- back pain
- · lower back pain
- osteopathic manipulative medicine
- osteopathic manual manipulation
- osteopathy

Filters for Article Type

- controlled clinical trial
- randomized controlled trial

JANUARY 2020



January 2020 Database Search Entries

PUBMED SEARCH ENTRY

((("musculoskeletal pain"[MeSH Terms]
OR "musculoskeletal pain"[Text Word]
OR "musculoskeletal"[Text Word] OR
"migraine disorders"[MeSH Terms] OR
"migraine disorders"[Text Word] OR
"migraine"[Text Word] OR "neck pain"
[MeSH Terms] OR "neck pain"[Text
Word] OR "low back pain"[MeSH Terms]
OR "low back pain"[Text Word] OR
"lower back pain"[Text Word] OR "back
pain"[MeSH Terms] OR "back pain"[Text
Word] OR "chronic pain"[MeSH Terms]
OR "chronic pain"[Text Word]))) AND

(("osteopathic medicine"[MeSH Terms] OR "osteopathic medicine"[Text Word] OR "osteopathic manipulative medicine" [Text Word] OR "osteopathy"[Text Word] OR "manipulation, osteopathic"[MeSH Terms] OR "osteopathic manipulation" [Text Word]))

(**Filters**: clinical study; clinical trial; controlled clinical trial; randomized controlled trial)

COCHRANE & SCOPUS SEARCH ENTRIES

(musculoskeletal pain OR migraine disorders OR migraine OR neck pain OR low back pain OR lower back pain OR back pain OR chronic pain) **AND**

(osteopathic medicine OR osteopathic manual manipulation OR osteopathic manipulative medicine OR osteopathy OR osteopathic manipulation) AND

("randomized controlled trial" OR "clinical trial" OR "controlled trial")

EMBASE SEARCH ENTRY

('musculoskeletal pain':ti,ab,kw OR migraine:ti,ab,kw OR 'neck pain':ti,ab,kw OR 'lower back pain':ti,ab,kw OR 'back pain':ti,ab,kw OR 'back pain':ti,ab,kw OR chronic pain':ti,ab,kw)

AND

('osteopathic medicine':ti,ab,kw OR 'osteopathic manual manipulation':ti,ab,kw OR 'osteopathic manipulative medicine':ti,ab,kw OR osteopathy:ti,ab,kw OR 'osteopathic manipulation':ti,ab,kw) AND

([controlled clinical trial]/lim OR [randomized controlled trial]/lim)

February 2020 Search Terms & Total Citations

PUBMED

MeSH Terms

- fibromyalgia
- · headache disorders
- low back pain
- manipulation, osteopathic
- · migraine disorders
- neck pain
- · osteopathic medicine

All Fields

- · chronic headache
- chronic low back pain
- · chronic neck pain
- fibromyalgia
- headache disorders
- low back pain
- · lower back pain
- migraine
- · migraine disorders
- neck pain
- · osteopathic manipulation
- osteopathic manipulative medicine
- osteopathic manipulative treatment
- · osteopathic medicine

Filters for Article Type

- · systematic review
- meta-analysis

COCHRANE & SCOPUS & WEB OF SCIENCE

Title, Abstract, Keyword Search Terms

- · chronic headache
- chronic low back pain
- · chronic lower back pain
- · chronic neck pain
- · chronic migraine
- fibromyalgia
- · low back pain
- migraine
- migraine disorders
- neck pain
- OMT
- · osteopathic manipulation
- osteopathic manipulative medicine
- osteopathic manipulative treatment
- osteopathic manual manipulation

Search Terms Used to Filter Article Type in Scopus & Web of Science

- systematic review
- · meta-analysis

Filter for Article Type in Cochrane

· systematic review

EMBASE

Emtree Terms

- · chronic headache
- chronic neck pain
- fibromyalgia
- · low back pain
- migraine
- neck pain
- · osteopathic manipulation


General Terms

- · chronic low back pain
- · chronic lower back pain
- chronic migraine
- OMT
- osteopathic manipulative medicine
- osteopathic manipulative treatment
- osteopathic manual manipulation

Filters for Article Type

- systematic review
- meta analysis

FEBRUARY 2020



February 2020 Database Search Entries

PUBMED SEARCH ENTRY

(("low back pain"[MeSH Terms] OR "low back pain"[All Fields] OR "lower back pain"[All Fields] OR "chronic low back pain"[All Fields] OR "neck pain"[MeSH Terms] OR "neck pain"[All Fields] OR "chronic neck pain"[All Fields] OR "headache disorders"[MeSH Terms] OR "headache disorders"[All Fields] OR "chronic headache"[All Fields] OR "migraine disorders"[MeSH Terms] OR "migraine disorders"[All Fields] OR "migraine"[All Fields] OR "fibromyalgia" [MeSH Terms] OR "fibromyalgia"[All Fields])) AND

("osteopathic medicine"[MeSH Terms] OR
"osteopathic medicine"[All Fields] OR
"osteopathic manipulative medicine"[All
Fields] OR "manipulation, osteopathic"
[MeSH Terms] OR "osteopathic
manipulation"[All Fields] OR
"manipulation, osteopathic"[MeSH Terms]
OR "osteopathic manipulative treatment"
[All Fields])

(**Filters**: systematic reviews; metaanalysis)

COCHRANE & SCOPUS & WEB OF SCIENCE SEARCH ENTRIES

low back pain OR chronic low back pain OR chronic lower back pain OR neck pain OR chronic neck pain OR chronic neck pain OR chronic headache OR chronic headache OR migraine OR chronic migraine OR fibromyalgia OR fibromyalgia) AND

(osteopathic manipulative treatment OR osteopathic manipulative medicine OR osteopathic manipulation OR osteopathic manual manipulation OR OMT) **AND**

("systematic review" OR "meta analysis" OR "meta-analysis")

EMBASE SEARCH ENTRY

('low back pain':ti,ab,kw OR 'chronic low back pain':ti,ab,kw OR 'chronic lower back pain':ti,ab,kw OR 'neck pain':ti,ab,kw OR 'chronic neck pain':ti,ab,kw OR migraine:ti,ab,kw OR 'chronic migraine':ti,ab,kw OR fibromyalgia:ti,ab,kw OR 'fibromyalgia:ti,ab,kw OR 'chronic headache':ti,ab,kw) AND

('osteopathic manual manipulation':ti,ab,kw OR 'osteopathic manipulative medicine':ti,ab,kw OR 'osteopathic manipulation':ti,ab,kw OR 'osteopathic manipulative treatment':ti,ab,kw) AND

([systematic review]/lim OR [meta analysis]/lim)

ClinicalTrials.gov Search Results 03/01/2020

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
1	NCT00520039	Osteopathic Otitis Media Research Study	Title Acronym: OOMRS	Completed	Otitis Media With Effusion	Procedure: osteopathic manipulative	Study Type: Interventional	Enrollment: 52	 West Virginia School of Osteopathic 	•Other	Study Start: September 2007	 University of New England College of Osteopathic Medicine, Biddeford, Maine,
		Study Documents:	Other Ids: KS5172007			medicine (OMM)	Phase: Not Applicable	Age: 6 Months to 2 Years (Child)	Medicine •University of New England		Primary Completion: August 2009	United States •West Virginia School of Osteopathic Medicine,
							Study Design: •Allocation: Randomized	Sex:	American Academy of Osteopathy		Study Completion: August 2009	Lewisburg, West Virginia, United States
							Intervention Model: Parallel AssignmentMasking: Double (Care	/ W	Osteopathic Research Center		First Posted: August 23, 2007	
							Provider, Outcomes Assessor) • Primary Purpose:				Results First Posted: March 26, 2018	
							Treatment Outcome Measures:				Last Update Posted: March 26, 2018	
							 Change in Middle Ear Effusion Over Four Weeks Following an Episode of Acute Otitis Media 					
						 Change in Middle Ear Effusion Immediately After OMM at Study Visit 2 						
						Change in Middle Ear Effusion Immediately After OMM at Study Visit 3						
2	NCT01020591	The Effect of Osteopathic Manual Therapy on Vascular	Title Acronym:	Completed	•Knee Osteoarthritis	Other: Osteopathic evaluation	Study Type: Interventional	Enrollment: 30	Nova Scotia Health Authority	•Other	Study Start: December 2009	Capital District Health Authority, Halifax, Nova Scotia, Canada
		Study Documents:	Other Ids: CDHA- RS/2010-227			Other: Osteopathic evaluation with treatment	Phase: Not Applicable	Age: 50 Years to 75			Primary Completion: March 2010	
							Study Design: •Allocation: Randomized	Years (Adult, Older Adult)			Study Completion: March 2010	
							Intervention Model: Parallel AssignmentMasking: Double	Sex:			First Posted: November 25, 2009	
						(Participant, Outcomes Assessor) •Primary Purpose:				Results First Posted: May 4, 2017		
							Treatment Outcome Measures:				Last Update Posted: May 4, 2017	
							Resistive Index (RI) The Knee Flexion Active					
							Range of Motion, Balance and Pain (VAS)					

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
3	NCT03225599	Cranial Osteopathic Manipulative Medicine as an Adjunct Treatment for Concussion Study Documents:	Title Acronym: Other Ids: Concussion COMM	Completed	Concussion Injury of Cerebrum Cranial Osteopathic Medicine	Other: Cranial Osteopathic Manipulative Medicine	Study Type: Interventional Phase: Not Applicable Study Design: •Intervention Model: Single Group Assignment •Masking: None (Open Label) •Primary Purpose: Treatment Outcome Measures: Change in Concussive Symptoms on the Post Concussion Symptom Scale	Enrollment: 9 Age: 14 Years and older (Child, Adult, Older Adult) Sex: All	Northwell Health University of Pittsburgh Medical Center	•Other	Study Start: February 9, 2010 Primary Completion: June 30, 2010 Study Completion: January 26, 2013 First Posted: July 21, 2017 Results First Posted: June 6, 2019 Last Update Posted: June 25, 2019	

NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
4 NCT00315120	Osteopathic Health Outcomes in Chronic Low Back Pain (OSTEOPATHIC) Trial	Title Acronym: Other Ids:	Completed	•Low Back Pain	 Procedure: A. Active OMT and active UST 	Study Type: Interventional	Enrollment: 455	 University of North Texas Health Science 	•Other	Study Start: August 2006	•The Osteopathic Research Center, Fort Worth, Texas, United States
	Study Documents:	•06-02-20-1 •K24AT002422			Procedure: B. Sham OMT and active UST	Phase: Phase 3	Age: 21 Years to 69 Years (Adult,	Center •National Institutes of		Primary Completion: January 2011	
					Procedure: C. Active OMT and sham UST	Study Design: • Allocation: Randomized	Older Adult) Sex:	Health (NIH) Osteopathic Heritage		Study Completion: January 2011	
					Procedure: D. Sham OMT and sham UST	Intervention Model: Factorial Assignment Masking: Double	All	Foundations •National Center for		First Posted: April 17, 2006	
						(Participant, Outcomes Assessor) •Primary Purpose:		Complementary and Integrative Health (NCCIH)		Results First Posted: July 6, 2016	
						Treatment Outcome Measures: •Change in Visual Analogue Scale Score for Pain Over				Last Update Posted: July 6, 2016	
						12 Weeks (OMT vs Sham OMT) • Change in Visual Analogue					
						Scale Score for Pain Over 12 Weeks (Active UST vs Sham UST)					
						 Roland Morris Disability Questionnaire (OMT and Sham OMT - Week 4) 					
						 Roland Morris Disability Questionnaire (OMT and Sham OMT - Week 8) 					
						 Roland Morris Disability Questionnaire (OMT and Sham OMT - Week 12) 					
						Roland Morris Disability Questionnaire (UST and Sham UST - Week 4)					
						Roland Morris Disability Questionnaire (UST and Sham UST - Week 8)					
					Roland Morris Disability Questionnaire (UST and Sham UST - Week 12) Madical Outcomes Study						
						Medical Outcomes Study SF-36 Health Survey (OMT and Sham OMT - Week 4) Medical Outcomes Study					
						 Medical Outcomes Study SF-36 Health Survey (OMT and Sham OMT - Week 8) and 16 more 					

NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
5 NCT00637299	Osteopathy in Chronic Obstructive Pulmonary Disease (COPD) Rehabilitation Trial Study Documents:	Title Acronym: Other Ids: 01/2008	Completed	Chronic Obstructive Pulmonary Disease	Other: Active osteopathic treatment (OMT +PR): Active Comparator Other: sham osteopathic treatment (SOT +PR)	Study Type: Interventional Phase: Early Phase 1 Study Design: •Allocation: Randomized •Intervention Model: Parallel Assignment •Masking: None (Open Label) •Primary Purpose: Supportive Care Outcome Measures: •Walking Ability •Lung Function Test	Enrollment: 20 Age: 45 Years to 70 Years (Adult, Older Adult) Sex: All	•Fondazione Salvatore Maugeri	•Other	Study Start: January 2008 Primary Completion: July 2008 Study Completion: November 2008 First Posted: March 17, 2008 Results First Posted: April 20, 2009 Last Update Posted: October 24, 2011	Fondazione Salvatore Maugeri, Montescano, Pavia, Italy
6 NCT01312233	Collaborative Care for Older Adults With Back Pain (COCOA) Study Documents:	Title Acronym: COCOA Other Ids: 5R18HP15126-02	Completed	•Low Back Pain	Other: Medical Care Other: Dual Care Other: Shared Care Other: Shared Care	Study Type: Interventional Phase: Not Applicable Study Design: • Allocation: Randomized • Intervention Model: Parallel Assignment • Masking: Single (Investigator) • Primary Purpose: Treatment Outcome Measures: • Change From Baseline in Patient-Rated Low Back Pain (LBP), an 11 Point Numerical Rating Scale (NRS) • Change From Baseline in Patient-Rated Disability, the 24-item Roland Morris Disability Questionnaire (RMDQ) • Veterans-RAND 36-item Short-Form Health Survey (VR-36) • Change From Baseline in Bothersomeness of Low Back Pain Symptoms • Patient Satisfaction With Care	Enrollment: 131 Age: 65 Years and older (Older Adult) Sex: All	Palmer College of Chiropractic Health Resources and Services Administration (HRSA) Genesis Family Medical Center University of lowa Thomas Jefferson University	•Other •U.S. Fed	Study Start: March 2011 Primary Completion: November 2012 Study Completion: March 2013 First Posted: March 10, 2011 Results First Posted: March 28, 2019 Last Update Posted: September 12, 2019	Genesis Family Medical Center, Davenport, Iowa, United States Palmer College of Chiropractic, Davenport, Iowa, United States

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
7	NCT01190891	Physical Therapy Versus Steroid Injection for Shoulder Impingement Syndrome	Title Acronym: Other Ids:	Completed	•Shoulder Impingement Syndrome	Procedure: Manual Physical Therapy .	Study Type: Interventional	Enrollment: 104	Madigan Army Medical Center	•U.S. Fed	Study Start: May 2010	Madigan Army Medical Center, Tacoma, Washington, United States
		Study Documents:	111411-1			Procedure: Corticosteroid Injection	Phase: Not Applicable	Age: 18 Years and older	University of Puget SoundFranklin Pierce	•Other	Primary Completion: March 2013	
							Study Design: •Allocation: Randomized	(Adult, Older Adult) Sex:	University		Study Completion: August 2013	
							•Intervention Model: Parallel Assignment	All			First Posted: August 30, 2010	
							Masking: Single (Outcomes Assessor)Primary Purpose: Treatment				Results First Posted: April 29, 2016	
							Outcome Measures: •Shoulder Pain and Disability Index •Global Rating of Change				Last Update Posted: April 29, 2016	
8	NCT00423605	Safety and Efficacy Study of Xyrem® (Sodium Oxybate) in Subjects With Fibromyalgia.	Title Acronym: Other Ids:	Completed	•Fibromyalgia	•Drug: Xyrem®	Study Type: Interventional	Enrollment: 560	•Jazz Pharmaceuticals	•Industry	Study Start: December 2006	Pinnacle Research Group, LLC, Anniston, Alabama, United States
		Study Documents:	06-010				Phase: Phase 3	Age: 18 Years and older			Primary Completion: January 2010	Suncoast Internal Medicine Consultants, Auburn, Alabama, United States
							Study Design: •Allocation: Non-	(Adult, Older Adult)			Study Completion: January 2010	Arizona Research Center, Phoenix, Arizona, United States
							Randomized •Intervention Model: Single Group Assignment	Sex: All			First Posted: January 18, 2007	Advanced Clinical Research Institute, Anaheim, California, United States
							Masking: None (Open Label) Primary Burnage:				Results First Posted: October 20, 2011	Orange County Clinical Trials, Anaheim, California, United States
							Primary Purpose: Treatment Outcome Measures:				Last Update Posted: March 30, 2012	Northern California Research, Carmichael, California, United States
							Number of Subjects Reporting Adverse Events					Med Investigations Inc., Fair Oaks, California, United States
												Nerve Pro Research, Irvine, California, United States
												 Arroyo Medical Group, Inc., Pismo Beach, California, United States
												AppleMed Research, Miami, Florida, United States
												•and 81 more

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
9	NCT00371137	A Safety and Efficacy Study of Xyrem® in Subjects With Fibromyalgia	Title Acronym: Other Ids:	Completed	•Fibromyalgia	•Drug: Xyrem® •Drug: Placebo	Study Type: Interventional	Enrollment: 548	•Jazz Pharmaceuticals	•Industry	Study Start: August 2006	Pinnacle Research Group, LLC, Anniston, Alabama, United States
		Study Documents:	06-008				Phase: Phase 3	Age: 18 Years and older (Adult, Older			Primary Completion: September 2008	•Rheumatology Associates of N. AL, PC, Huntsville, Alabama, United States
						Study Design: •Allocation: Randomized	Adult) Sex:			Study Completion: December 2008	Xenoscience, Inc. dba 21st Century Neurology, Phoenix, Arizona, United States	
							Intervention Model: Parallel AssignmentMasking: Quadruple	All			First Posted: September 1, 2006	Arizona Research Center, Phoenix, Arizona, United States
							(Participant, Care Provider, Investigator, Outcomes Assessor)				Results First Posted: November 30, 2011	 Advanced Clinical Research Institute, Anaheim, California, United States
							Primary Purpose: Treatment				Last Update Posted: December 29, 2011	Providence Clinical Research, Burbank, California, United States
							Outcome Measures: Pain VAS (Visual Analog Scale) Response.					Northern California Research, Carmichael, California, United States
							Percentage of Subjects With a Greater Than or Equal to 30% Reduction in Pain VAS From Baseline					Pasadena Rehabilitation Institute, Pasadena, California, United States
							(BOCF).					Arroyo Medical Group, Pismo Beach, California, United States
												 Sacramento Research Medical Group, Sacramento, California, United States
												•and 60 more

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
10	NCT00507416	Velcade, Thalidomide, and Dexamethasone Versus Velcade and Dexamethasone Versus	Title Acronym: UPFRONT	Completed	•Multiple Myeloma	Drug: Bortezomib Drug:	Study Type: Interventional	Enrollment: 502	•Millennium Pharmaceuticals, Inc.	•Industry	Study Start: June 2007	Birmingham Hematology Oncology Assciates, LLC, Birmingham, Alabama, United
		Velcade, Melphalan, and Prednisone	Other Ids: C05009			DexamethasoneDrug: MelphalanDrug: Prednisone	Phase: Phase 3	Age: 18 Years and older (Adult, Older			Primary Completion: March 2013	States Desert Oasis Cancer Center, Casa Grande, Arizona, United
		Study Documents:				Prug: Thalidomide	Study Design: • Allocation: Randomized	Adult) Sex:			Study Completion: March 2013	States •Northern Arizona Hematology & Oncology Associates - AOA,
							Intervention Model: Parallel AssignmentMasking: None (Open	All			First Posted: July 26, 2007	 Sedona, Arizona, United States Arizona Oncology Associates, Tucson, Arizona, United States
							Label) •Primary Purpose: Treatment				Results First Posted: May 1, 2014	Heritage Physician Group Oncology, Hot Springs, Arkansas, United States
							Outcome Measures: •Progression Free Survival (PFS)				Last Update Posted: May 1, 2014	 Hematology Oncology Services of Arkansas, Little Rock, Arkansas, United States
							Percentage of Participants With an Overall Response					 Pacific Cancer Medical Centre, Anaheim, California, United States
							 Percentage of Participants With a Complete Response 					•Tower Cancer Research Foundation, Beverly Hills, California, United States
							Percentage of Participants With a Complete Response or a Very Good Partial Response					 Compassionate Cancer Care Medical Group, Corona, California, United States
							Duration of Response Overall Survival					 Compassionate Cancer Care Medical Group, Inc., Fountain Valley, California, United States
							•Time to Alternative Therapy					•and 225 more
							 Change From Baseline in EORTC QLQ-C30 - Global Health Status 					

1	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
	NCT Number	Title Cetuximab, Bevacizumab & 5FU/Leucovorin vs. Oxaliplatin, Bevacizumab & 5FU/Leucovorin in Metastatic Colorectal Cancer Study Documents:	Other Names Title Acronym: Other Ids: 05-041	Status Completed	Metastatic Colorectal Cancer	Interventions • Drug: Bevacizumab • Drug: Oxaliplatin • Drug: Leucovorin • Drug: Fluorouracil • Drug: Cetuximab	Study Type: Interventional Phase: Phase 3 Study Design: •Allocation: Randomized •Intervention Model: Parallel Assignment •Masking: None (Open Label) •Primary Purpose: Treatment Outcome Measures: •Progression-Free Survival (PFS) •Progression-free Survival (PFS) Rate at 1 Year. •Overall Survival (OS) •Objective Response Rate	Enrollment: 247 Age: 18 Years and older (Adult, Older Adult) Sex: All			Study Start: September 2005 Primary Completion: June 2007 Study Completion: June 2009 First Posted: November 11, 2005 Results First Posted: March 14, 2011 Last Update Posted: February 15, 2019	Brimingham Hematology and Oncology, Birmingham, Alabama, United States Hematology Oncology Associates, Phoenix, Arizona, United States Northern AZ Hematology & Oncology Assoc, Sedona, Arizona, United States Business Office - ACRC, Tucson, Arizona, United States Cancer Care Associates of Fresno Medical Group, Inc (aka California Cancer Care), Fresno, California, United States Monterey Bay Oncology, Monterey, California, United States Rocky Mountain Cancer Center-Midtown, Denver, Colorado, United States Greeley Medical Clinic Oncology Hematology, PC, Greeley, Colorado, United States Connecticut Oncology & Hematology, LLP, Torrington,
												Oncology Hematology, PC Greeley, Colorado, United States •Connecticut Oncology &

NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
12 NCT00948766	Effects of Rivastigmine Patch on Activities of Daily Living and Cognition	Title Acronym: ACTION	Completed	•Alzheimer's Disease	•Drug: Rivastigmine 4.6 mg/24 h (5 cm^2)	Study Type: Interventional	Enrollment: 716	•Novartis	•Industry	Study Start: July 2009	 Clinical Research Advantage Inc./Neurological. Physicians of Arizona, Inc, Tempe, Arizona,
	in Patients With Severe	Other Ids:			Drug: Rivastigmine	Phase:	Age:			Primary Completion:	United States
	Dementia of the Alzheimer's Type (ACTION) (Study	CENA713DUS44			9.5 mg/24 h (10 cm^2)	Phase 4	50 Years and older (Adult, Older			January 2012	Northwest Neuro Specialist, PLLC, Tucson, Arizona, United
	Protocol CENA713DUS44, NCT00948766) and a 24 Week Open-label Extension to Study CENA713DUS44				•Drug: Rivastigmine 13.3 mg/24 h (15	Study Design: •Allocation: Randomized	Adult) Sex:			Study Completion: June 2012	•IHS Research Center Inc.,
	<u>CENA7 13DUS44</u>				cm^2)	•Intervention Model: Parallel	All			First Posted:	Conway, Arkansas, United States
	Study Documents:				Drug: Placebo	Assignment •Masking: Quadruple				July 29, 2009	•East Bay Physicians Medical
						(Participant, Care Provider, Investigator, Outcomes				Results First Posted:	Group, Berkeley, California, United States
						Assessor)				February 11, 2013	•ATP Clinical Research, Inc.,
						Primary Purpose: Traction and				Last Update Posted:	Costa Mesa, California, United States
						Treatment				August 28, 2013	•Neuro Pain Medical Center,
						Outcome Measures: •Core Study: Change From					Fresno, California, United States
						Baseline in the Alzheimer's Disease Cooperative Study-Activities of Daily					Margolin Brain Institute, Fresno, California, United States
						Living-Severe Impairment Version (ADCS-ADL-SIV) Score at Week 24					Collaborative Neuroscience Network Inc., Garden Grove,
						•Core Study: Change From					California, United States •PCND Neuroscience Research
						Baseline in the Severity Impairment Battery (SIB) Score at Week 24					Institute Inc./The Center for Memory and Aging, Poway, California, United States
						Core Study: Alzheimer's Diagga Connective					Anderson Clinical Research,
						Disease Cooperative Study-Clinical Global					Redlands, California, United States
						Impression of Change (ADCS-CGIC) Score at Week 24					•and 85 more
						Core Study: Change					
						From Baseline in the Neuropsychiatric Inventory (NPI-12) Score at Week 24					
						 Extension Study: Change From Baseline in the 					
						Alzheimer's Disease					
						Cooperative Study- Activities of Daily Living-					
						Severe Impairment Version (ADCS-ADL-SIV) Score at Week 24					
						•Extension Study: Change					
						From Baseline in the Severity Impairment Battery (SIB) Score at Week 24					
					•Extension Study:						
						Alzheimer's Disease Cooperative Study-Clinical Global Impression of					
						Change (ADCS-CGIC) Score at Week 24					

NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
13 NCT01497938	Outpatient Study to Evaluate Safety and Effectiveness of the Low Glucose Suspend Feature	Title Acronym: ASPIRE	Completed	•Type 1 Diabetes	•Device: Medtronic MMT-754 Veo Insulin pump	Study Type: Interventional	Enrollment: 247	•Medtronic Diabetes	•Industry	Study Start: December 2011	 Arkansas Diabetes Clinic and Research Center, Little Rock, Arkansas, United States
	Study Documents:	Other Ids: CEP 237			testing Low Glucose Suspend (LGS) feature	Phase: Phase 3	Age: 16 Years to 70 Years (Child,			Primary Completion: June 2013	AMCR Institute, Inc, Escondido, California, United States
					•Device: Medtronic (NO LGS FEATURE)	Study Design: •Allocation: Randomized	Adult, Older Adult) Sex:			Study Completion: June 2013	 Frank Diabetes Research Institute/ Mills-Peninsula Health Center, San Mateo, California, United States
					using Paradigm® Revel™2.0 Pump	Intervention Model: Parallel AssignmentMasking: None (Open	All			First Posted: December 23, 2011	•University of Colorado Denver/ Barbara Davis Center for
						Label) •Primary Purpose: Treatment				Results First Posted: March 17, 2014	Childhood Diabetes, Aurora, Colorado, United States •Metabolic Research Institute,
						Outcome Measures: •Change in A1C From				Last Update Posted: March 17, 2014	West Palm Beach, Florida, United States •Atlanta Diabetes Associates,
						Baseline to End of Study Participation The Event Area Under					Atlanta, Georgia, United States •Physicians Research Associates, Lawrenceville,
						the Curve (AUC) Was Used to Demonstrate the Reduction of Nocturnal Hypoglycemia With the					Georgia, United States •Endocrine Research Solutions, Roswell, Georgia, United States
					Low Glucose Suspend (LGS) Feature (LGS ON)					 Rocky Mountains Diabetes and Osteoporosis Center, Idaho Falls, Idaho, United States 	
											 Iowa Diabetes and Endocrinology Research Center, Des Moines, Iowa, United States
											•and 7 more

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/	Funder	Dates	Locations
								·	Collaborators	Type		
14	NCT00724711	Safety and Efficacy Study of Switching From Epzicom to Truvada	Title Acronym: SWIFT	Completed	•HIV Infection	 Drug: emtricitabine (FTC)/tenofovir disoproxil fumarate 	Study Type: Interventional	Enrollment: 312	•Gilead Sciences	•Industry	Study Start: July 2008	Health For Life Clinic, PLLC, Little Rock, Arkansas, United States
		Study Documents:	Other Ids: GS-US-164-0216			(TDF)Drug: abacavir (ABC)/lamivudine	Phase: Phase 4	Age: 18 Years and older (Adult, Older			Primary Completion: March 2011	Vista Medical Partners, Beverly Hills, California, United States
						(3TC)	Study Design: •Allocation: Randomized	Adult) Sex:			Study Completion: April 2011	•AHF, Beverly Hills, California, United States •Pacific Oaks Medical Group,
							Intervention Model: Parallel AssignmentMasking: None (Open	All			First Posted: July 29, 2008	Beverly Hills, California, United States •Center for Special Immunology,
							Label) •Primary Purpose:				Results First Posted: April 19, 2012	Fountain Valley, California, United States
							Treatment Outcome Measures:				Last Update Posted:	Living Hope Clinical Foundation, Long Beach, California, United States
							Percentage of Participants With HIV-1 Ribonucleic Acid (RNA) < 200 Copies/ mL Through Week 48 Based on Time to Loss of Virologic Response (TLOVR) Algorithm				May 28, 2012	 Jeffrey Goodman Special Care Clinic, Los Angeles, California, United States Peter J. Ruane, MD, Inc., Los Angeles, California, United States
							 Percentage of Participants With Pure Virologic Response (PVR) for HIV-1 RNA Cutoff at 200 Copies/ mL Through Week 48 					 Anthony M Mills, MD, Los Angeles, California, United States Orange Coast Medical Group, Newport Beach, California,
							 Percentage of Participants With Pure Virologic Response (PVR) for HIV-1 RNA Cutoff at 50 Copies/ mL Through Week 48 					United States •and 70 more
							 Percentage of Participants With HIV-1 RNA < 200 Copies/mL at Week 48 					
							 Percentage of Participants With HIV-1 RNA < 50 Copies/mL at Week 48 					
							 Change From Baseline in Cluster Determinant 4 (CD4) Cell Count at Week 48 					
							Change From Baseline Calculated Creatinine Clearance (CLcr) Using Ideal Body Weight by Cockcroft-Gault Method at Week 48					
							 Change From Baseline Estimated Glomerular Filtration Rate (eGFR) by Modified Diet in Renal Disease (MDRD) at Week 					
					Change From Baseline Fasting Glucose at Week 48 1445							
						- Pa	ge 11 of 15 - • Change From Baseline Fasting Lipid Parameters					

NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
5 NCT00326898	Sunitinib Malate or Sorafenib Tosylate in Treating Patients With Kidney Cancer That Was Removed By Surgery Study Documents:	Title Acronym: ASSURE Other Ids: NCI-2009-00534 CAN-NCIC-E2805 SWOG-E2805 ECOG-E2805 CDR0000478976 CALGB-E2805 U10CA180820 U10CA021115	Completed	Clear Cell Renal Cell Carcinoma Stage I Renal Cell Cancer AJCC v6 and v7 Stage II Renal Cell Cancer AJCC v7 Stage III Renal Cell Cancer AJCC v7	Other: Laboratory Biomarker Analysis Other: Placebo Other: Quality-of-Life Assessment Drug: Sorafenib Tosylate Drug: Sunitinib Malate	Study Type: Interventional Phase: Phase 3 Study Design: •Allocation: Randomized •Intervention Model: Parallel Assignment •Masking: Double (Participant, Investigator) •Primary Purpose: Treatment Outcome Measures: •Disease-free Survival (DFS) •5-year Overall Survival Rate •Proportion of Patients With Cardiac Events •5-year Disease-free Survival (DFS) Rate Among Patients With Clear Cell Histology	Enrollment: 1943 Age: 18 Years and older (Adult, Older Adult) Sex: All	National Cancer Institute (NCI) Cancer and Leukemia Group B NCIC Clinical Trials Group Southwest Oncology Group	•NIH •Other	Study Start: April 24, 2006 Primary Completion: December 29, 2010 Study Completion: August 27, 2015 First Posted: May 17, 2006 Results First Posted: December 12, 2016 Last Update Posted: June 11, 2019	 University of Alabama at Birmingham Cancer Center, Birmingham, Alabama, United States Clearview Cancer Institute, Huntsville, Alabama, United States Mobile Infirmary Medical Center, Mobile, Alabama, United States Providence Hospital, Mobile, Alabama, United States University of South Alabama Mitchell Cancer Institute, Mobile, Alabama, United States Providence Alaska Medical Center, Anchorage, Alaska, United States Fairbanks Memorial Hospital, Fairbanks, Alaska, United States Banner Thunderbird Medical Center, Glendale, Arizona, United States Banner-University Medical Center Phoenix, Phoenix, Arizona, United States Western Regional CCOP, Phoenix, Arizona, United State and 977 more

		NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations	
•	16	NCT01358526	Oxycodone/Naloxone	Title Acronym:	Completed	•Low Back Pain	Drug: Oxycodone/ Naloxone Controlled-release	Study Type: Interventional	Enrollment: 1095	•Purdue Pharma LP	•Industry	Study Start: May 2011	Alabama Orthopaedic Center, PC, Birmingham, Alabama, United States	
			Oxycodone/Naloxone Controlled-release Tablets (OXN) Compared to Placebo in Opioid-experienced Subjects With Moderate to Severe Chronic Low Back Pain Study Documents:	Other Ids: ONU3701			Naloxone Controlled-release •Drug: Placebo	Interventional Phase: Phase 3 Study Design: • Allocation: Randomized • Intervention Model: Parallel Assignment • Masking: Double (Participant, Investigator) • Primary Purpose: Treatment Outcome Measures: • The "Average Pain Over the Last 24 Hours" at Week 12 of the Double-blind Period • The Sleep Disturbance Subscale of the MOS Sleep Scale at Weeks 4, 8, and 12 • Patient Global Impression of Change (PGIC)	Age: 18 Years and older (Adult, Older Adult) Sex: All	LP		May 2011 Primary Completion: October 2012 Study Completion: November 2012 First Posted: May 23, 2011 Results First Posted: September 3, 2014 Last Update Posted: November 11, 2015	 United States Alliance Clinical Research, Birmingham, Alabama, United States Winston Technology Research, LLC, Haleyville, Alabama, United States Monte Sano Clinical Research, LLC, Huntsville, Alabama, United States Research Facility, Mobile, Alabama, United States Radiant Research, Inc., Chandler, Arizona, United States Dedicated Clinical Research, Phoenix, Arizona, United States Arizona Research Center, Phoenix, Arizona, United States Clinical Research Advantage, Inc./Tatum Highlands Medical Associates, PLLC, Phoenix, Arizona, United States 	
														 Quality of Life Medical & Research Center, LLC, Tucsor Arizona, United States and 141 more

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
17	7 NCT00640926	of Oxazolidinone to Treat	Title Acronym:	Completed	Community- Acquired Pneumonia (CAP)		Study Type: Interventional	Enrollment: 158 Age: 18 Years to 65 Years (Adult, Older Adult) Sex: All	•Melinta Therapeutics, Inc.	•Industry	Study Start: October 2007	eStudySite, San Diego, California, United States Olive View- UCLA Center, Dept. Emergency Medicine, Sylmar, California, United States Wayne State University School of Medicine/Detroit Receiving
			RX-1741-201				Phase: Phase 2				Primary Completion: March 2009	
							Study Design: •Allocation: Randomized				Study Completion: April 2009	
							Intervention Model: Parallel Assignment Masking: Double (Participant, Investigator) Primary Purpose: Treatment Outcome Measures: Clinical Cure in the Clinically Evaluable (CE) Population at Test of Cure (TOC)				First Posted: March 21, 2008	Hospital, Detroit, Michigan, United States •Arnold Markowitz, MD, Keego
											Results First Posted:	Harbor, Michigan, United States •Mercury Street Medical Grou LLC, Butte, Montana, United States
											February 4, 2010 Last Update Posted:	
											May 12, 2016	Dr. John Bernard, Belvidere, New Jersey, United States
												 University of Medicine & Dentistry of New Jersey, School of Osteopathic Medicine (UMDNJ-SOM), Cherry Hill, New Jersey, United States
										Warminster Medical Associates, P.C., Warminster, Pennsylvania, United States		
											•Ronald Collette, MD, Burnaby, British Columbia, Canada	
												•The Medical Arts Health Research Group, Kelowna, British Columbia, Canada
												•and 20 more

	NCT Number	Title	Other Names	Status	Conditions	Interventions	Characteristics	Population	Sponsor/ Collaborators	Funder Type	Dates	Locations
18	NCT00050960	Evaluation of Efficacy, Safety and Tolerability of Targretin Capsules in Patients With Advanced or Metastatic Non- small Cell Lung Cancer	<u>/ith</u> Other Ids:	s:	Non-small Cell Lung Cancer	• Drug: bexarotene with carboplatin and paclitaxel • Drug: carboplatin and paclitaxel	Study Type: Interventional	Enrollment: 612	•Eisai Inc.	•Industry	Study Start: May 2002	 Montgomery Cancer Center, L.L.C., Montgomery, Alabama, United States Arizona Clinical Research Center, Inc., Tucson, Arizona, United States Bay Area Cancer Research Group, LLC, Concord, California, United States Compassionate Cancer Care Medical Group, Inc., Fountain Valley, California, United States Pacific Coast Hematology/ Oncology Medical Group, Inc., Fountain Valley, California, United States
							atin Phase:	Age: Child, Adult, Older			Primary Completion: July 2004	
		Study Documents:						Adult Sex: All			Study Completion: March 2005	
											First Posted: January 3, 2003	
											Results First Posted: August 24, 2010	
											Last Update Posted:	
											July 13, 2012	 California Cancer Care, Inc., Greenbrae, California, United States
												 Coast Hematology and Oncology Associates, Long Beach, California, United States
												 Metropolitan Hematology/ Oncology Medical Group, Los Angeles, California, United States
												 Sant P. Chawla, Inc., Los Angeles, California, United States
												 UCLA Medical Center, Los Angeles, California, United States

U.S. National Library of Medicine | U.S. National Institutes of Health | U.S. Department of Health & Human Services