

Supplement

Table S1 Full subgroup definitions

Survey question	Subgroup	n
Q6c: To the best of your knowledge, how many times (if any) has the patient attempted to commit suicide?	Number of suicide attempts	
◆ [Typed answer ≥ 1]	≥ 1	153
◆ [Typed answer 0]	0	204
◆ Don't know/unsure	Excluded	51
Q6a: Which of the following statements best describes this patient's experience regarding hospitalization?	Number of hospitalizations	
◆ Patient has been hospitalized for schizophrenia at least twice but is not currently hospitalized	≥ 2	296
◆ Patient is currently hospitalized (has been hospitalized in the past)	≥ 2	26
◆ Patient has never been hospitalized for schizophrenia	≤ 1	20
◆ Patient has been hospitalized for schizophrenia (one hospitalization only) but is not currently hospitalized	≤ 1	54
◆ Patient is currently hospitalized (first hospitalization)	≤ 1	5
◆ Don't know/unsure if patient has been hospitalized	Excluded	7
Q3a: To the best of your knowledge, what is this patient's occupational status?	Employed/in education	
◆ Unemployed	No	304
◆ Employed (full-time)	Yes	22
◆ Employed (part-time)	Yes	36
◆ In education/studying (full- or part-time)	Yes	20
◆ Working in a volunteer capacity	Yes	18
◆ Don't know/unsure	Excluded	8
Q5d: Which of the following best describes the onset of this patient's treatment-resistant schizophrenia (TRS)?	TRS onset	
◆ Patient responded to more than one treatment, but was classified as having TRS within the first 5 years of treatment	≤ 5 years	128
◆ Patient responded to more than one treatment, but was classified as having TRS after more than 5 years of treatment	> 5 years	122
◆ Patient was classified as having TRS from their first treatment trial (i.e., has never responded to therapy)	From first treatment	31
◆ Patient was classified as having TRS from their first relapse (i.e., responded to first treatment trial, then lost response)	≤ 5 years	46
◆ Don't know/unsure	Excluded	60

Supplement to: Christoph U. Correll, Thomas Brevig, Cecilia Brain. Exploration of treatment-resistant schizophrenia subtypes based on a survey of 204 US psychiatrists.