






Supplementary Figure 1



N = 1087

Figure legend

Supplementary Figure 1: Distribution chart of clinical factors. Significant bias of the distribution chart for age, LDH, and CRP, but not for albumin and BMI. Thresholds were set for age, LDH and CRP.

LDH, lactate dehydrogenase; CRP, C-reactive protein; BMI, body mass index.

Supplementary Table 1

Malignancies

Lung cancer	63*
Gastric cancer	39*
Colorectal cancer	33*
Prostatic cancer	32*
Breast cancer	26*
Urological cancer	15*
Head and neck cancer	14*
Gynecological cancer	13*
Pancreatic cancer	13*
Lymphoma	12*
Leukemia	10*
Hepatocellular cancer	9
Kidney cancer	9
Myelodysplastic syndrome	6
Esophageal cancer	6*
Biliary cancer	4
Cancer of unknown primary	1
Others	10
Total	315

* duplication

Supplementary

Table 2

Autoimmune diseases

Rheumatoid arthritis	27*
Scleroderma	4*
Granulomatosis with polyangiitis	4*
Polymyalgia rheumatica	4
Anti-neutrophil cytoplasmic antibody associated vasculitis	4
Polymyositis/dermatomyositis complex	3
Behcet disease	2
Sjögren's syndrome	2
IgG4-related disease	2
Mixed connective-tissue disease	2
Adult Still's disease	2
Systemic lupus erythematosus	1
Total	56

* duplication