CORRIGENDUM

Characteristics, treatment patterns, and unmet needs of Japanese patients with atrial fibrillation [Corrigendum]

Koretsune Y, Rossi B, Iwamoto K, et al. *Research Reports in Clinical Cardiology*. 2013;4:97–105.

On page 97, Background section “In Japan, AF is estimated to be present in 0.65% of the population.” should read “In Japan, AF is estimated to be present in 0.56% of the population.”

On page 100, second column, first paragraph, line seven, the text “(all $P < 0.0001$)” should read “(all $P < 0.001$)”.

Page 102, Table 3, it should be noted that the percentages of AF episodes reflect only those who had non-missing data (N=549).

Page 102, Figure 2, the CHADS₂ percentage for those with a risk score of 0 should read “46.19%” instead of “49.19%”.

Research Reports in Clinical Cardiology

Dovepress

Publish your work in this journal

Research Reports in Clinical Cardiology is an international, peer-reviewed, open access journal publishing original research, reports, editorials, reviews and commentaries on all areas of cardiology in the clinic and laboratory. The manuscript management system is completely online and includes a very quick and fair peer-review system.

Submit your manuscript here: <http://www.dovepress.com/research-reports-in-clinical-cardiology-journal>

Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.