Open Access Full Text Article

Acute respiratory infections in young Ethiopian children

Rebecca Arden Harris

Department of Family and Social Medicine, Montefiore Medical Center, Albert Einstein College of Medicine, Bronx, NY, USA

Dear editor

The identification of risk factors for acute respiratory infections (ARI) is crucial for designing interventions to both minimize transmission and augment the immune response, particularly in Sub-Saharan Africa where poverty-related ARI is still a major cause of preventable death in young children.¹ I therefore read with interest Geberetsadik et al's recent study of the factors associated with ARI in Ethiopian children.² Their study uses nationally representative data on households and individuals to build a model of the social, demographic, and anthropometric determinants of ARI. A precise understanding of their model, however, requires clarification of several items in their paper. I am grateful to the authors for their willingness to respond to the following: 1) the total number of observations reported in Table 1 (10,808) differs from the total reported in the text (11,645); 2) the percentage of missing values in some of the predictor variables seem substantial (eg, ~17% in weight-for-age Z-score) raising the possibility of biased estimates; 3) the 95% confidence interval reported in Table 2 for fathers with tertiary education (0.2-1.0) differs from the 95% confidence interval reported in the text (0.2-0.6); and 4) the note to Table 2 would seem to indicate a significance level set at P < 0.005 for the multivariable model whereas the text states P < 0.05.

The supplemental information will help ensure an accurate reading of the methods and findings of this valuable study.

Disclosure

The author has no conflicts of interest in this communication.

References

- Nair H, Simões EA, Rudan I, et al. Global and regional burden of hospital admissions for severe acute lower respiratory infections in young children in 2010: a systematic analysis. *Lancet*. 2013;381(9875):1380–1390.
- Geberetsadik A, Worku A, Berhane Y. Factors associated with acute respiratory infection in children under the age of 5 years: evidence from the 2011 Ethiopia Demographic and Health Survey. *Pediatric Health, Medicine and Therapeutics*. 2015;6:9–13.

Correspondence: Rebecca Arden Harris Department of Family and Social Medicine, Montefiore Medical Center, Albert Einstein College of Medicine, III East 210th Street, Bronx, NY 10467, USA Email rebecca.arden.harris@gmail.com

http://dx.doi.org/10.2147/PHMT.S85573

© 2015 Arden Harris. This work is published by Dove Medical Press Limited, and Licensed under Grative Commons Attribution — Non Commercial (unported, v3.0) permission from Dove Medical Press Limited, provided the work is properly attributed. Permissions beyond the scope of the License are administered by Dove Medical Press Limited. Information on how to request permission may be found at http://www.dovepress.com/permissions.php

121

Authors' reply

Achamyelesh Geberetsadik¹ Alemayehu Worku² Yemane Berhane³

¹School of Public and Environmental Health, Hawassa University, Hawassa, Ethiopia; ²School of Public Health, Addis Ababa University, Addis Ababa, Ethiopia; ³Addis Continental Institute of Public Health, Addis Ababa, Ethiopia

Correspondence: Achamyelesh Geberetsadik Hawassa University, PO Box 46, Hawassa, Ethiopia Tel +251 91 130 3128 Email agtsadik@gmail.com

Dear editor

Our response, using the same numbering, follows: 1) 11,645 is the total number of children included in the study but after excluding the missing data for some variables, 10,808 is the total size included in analysis. This is indicated in the text. 2) Since the sample size is very big, the bias introduced will be minimal. Moreover, there is no significant difference in the background characteristics of those children with missing values and without missing values. This ensures that the effect of the missing values on the result is insignificant. 3) This was a typing error, the 95% confidence interval is 0.2–1.0. 4) This was a typing error, the significant level is P < 0.05.

Disclosure

The authors report no competing interests in this communication.

Dove Medical Press encourages responsible, free and frank academic debate. The content of the Pediatric Health, Medicine and Therapeutics 'letters to the editor' section does not necessarily represent the views of Dove Medical Press, its officers, agents, employees, related entities or the Pediatric Health, Medicine and Therapeutics editors. While all reasonable steps have been taken to confirm the content of each letter, Dove Medical Press accepts no liability in respect of the content of any letter, nor is it responsible for the content and accuracy of any letter to the editor.

Pediatric Health, Medicine and Therapeutics

Dovepress

Publish your work in this journal

Pediatric Health, Medicine and Therapeutics is an international, peerreviewed, open access journal publishing original research, reports, editorials, reviews and commentaries. All aspects of health maintenance, preventative measures and disease treatment interventions are addressed within the journal. Practitioners from all disciplines are invited to submit their work as well as healthcare researchers and patient support groups. The manuscript management system is completely online and includes a very quick and fair peer-review system. Visit http://www.dovepress.com/testimonials.php to read real quotes from published authors.

Submit your manuscript here: http://www.dovepress.com/pediatric-health-medicine-and-therapeutics-journal