

Changing physician perspectives on complementary and alternative medicine: the need for a top-down approach

Thomas S MacKinnon¹
Norbert F Banhidý¹
Daniel R Tuite²

¹School of Medicine, Imperial College London, London, ²Faculty of Medicine, Brighton and Sussex Medical School, Brighton, UK

Dear editor

We read with great interest the article by Patel et al¹ discussing the changing perspectives towards complementary and alternative medicine (CAM), and an impetus for additional physician knowledge of the strengths and drawbacks of CAM. These findings are indeed relevant in the UK, with an estimated 41.1% one-year prevalence of CAM use, responsible for an annual out-of-pocket expenditure of £1.6 billion.² We agree that improved training and education in medical school and residencies – which can be thought of as a “bottom-up” approach – are fundamental in preparing the health care system for improved integration of CAM. However, we also suggest that “top-down” changes are required to optimize patient care.

The top-down approach suggests that to better clarify CAM’s role in conventional modern health care, changes must originate from governing bodies and organizations in the form of clearer guidelines. There is no clear consensus within the UK medical community regarding the efficacy of CAM therapies. As Ernst and Terry reported, interpreting recommendations made by the National Institute for Clinical Excellence (NICE) in the UK can be challenging.³ Using statements such as “some patients may find CAM useful” and “further research is needed”, guidelines often imply that patients should decide the value of CAM by “trial and error”. Nevertheless, the UK National Health Service (NHS) currently recommends and provides CAMs in specific circumstances, including the Alexander technique for Parkinson’s disease and acupressure for morning sickness.

The disconnect separating CAM from mainstream medicine is stark not only in the (lack of) physician training about CAM, but equally apparent in the contrast in clarity between NICE guidance for conventional treatments compared with CAM. Ernst et al reported in 2010 that the guidelines appear to exclude CAM in certain cases where there is evidence for its use, the example given being that of chronic back pain for which massage and acupuncture are recommended whilst other CAM modalities such as hydrotherapy and yoga are not mentioned despite having similar evidence bases.⁴ Similarly, the herbal remedy St John’s Wort is not recommended by NICE due to uncertainty about appropriate doses and interactions, despite being shown to be more effective than placebo for depression.⁵ This inconsistency suggests a lack of uniformity in the consideration of CAM when publishing these guidelines and may feed underlying negative perceptions of the validity of CAM within the medical community.

Correspondence: Thomas S MacKinnon
School of Medicine, Imperial College
London, Sir Alexander Fleming Building,
Prince Consort Road, Kensington,
London SW7 2BB, UK
Email thomas.mackinnon12@imperial.ac.uk

Public use of CAM therapies is increasing, and their gradual inclusion in national guidelines signals greater acceptance of their use alongside conventional therapy. Although a lack of understanding about CAM therapies can be rectified by improving physician education, we feel that unless guidelines change to gain more clarity and consistency, patient–physician miscommunication, confusion and skepticism will persist. Given the potential for CAM to cause harm, particularly through dangerous interactions with or neglect of conventional treatments, we feel that it is vital to have clearer and more consistent guidelines with which to educate physicians about CAM.

Disclosure

The authors report no conflicts of interest in this communication.

References

1. Patel SJ, Kemper KJ, Kitzmiller JP. Physician perspectives on education, training, and implementation of complementary and alternative medicine. *Adv Med Educ Pract*. 2017;8:499–503.
2. Posadzki P, Watson LK, Alotaibi A, Ernst E. Prevalence of use of complementary and alternative medicine (CAM) by patients/consumers in the UK: systematic review of surveys. *Clin Med*. 2013;13(2):126–131.
3. Ernst E, Terry R. NICE guidelines on complementary/alternative medicine: more consistency and rigour are needed. *Br J Gen Pract*. 2009;59(566):695.
4. Ernst E. Assessments of complementary and alternative medicine: the clinical guidelines from NICE. *Int J Clin Pract*. 2010;64(10):1350–1358.
5. Gaster B, Holroyd J. . St John's wort for depression: a systematic review. *Arch Intern Med*. 2000;160(2):152–156.

Authors' reply

Sejal J Patel¹

Kathi J Kemper²

Joseph P Kitzmiller³

¹College of Public Health, The Ohio State University, ²Center for Integrative Health and Wellness, The Ohio State Wexner University Medical Center, ³Department of Biological Chemistry and Pharmacology, College of Medicine, The Ohio State University, Columbus, OH, USA

Correspondence: Joseph P Kitzmiller
Department of Biological Chemistry and Pharmacology, College of Medicine, The Ohio State University, 5086 Graves Hall, 333 West Tenth Avenue, Columbus, OH 43210, USA
Tel +1 614 292 8438
Email joseph.kitzmiller@osumc.edu

Dear editor

We agree the letter is worthy of publication but have a little to add: a top-down approach (as suggested and described by the authors of the letter) certainly complements the bottom-up approach (described in our article).¹

Disclosure

The authors report no conflicts of interest in this communication.

Reference

1. Patel SJ, Kemper KJ, Kitzmiller JP. Physician perspectives on education, training, and implementation of complementary and alternative medicine. *Adv Med Educ Pract*. 2017;8:499–503.

Dove Medical Press encourages responsible, free and frank academic debate. The content of the *Advances in Medical Education and Practice* 'letters to the editor' section does not necessarily represent the views of Dove Medical Press, its officers, agents, employees, related entities or the *Advances in Medical Education and Practice* editors. While all reasonable steps have been taken to confirm the content of each letter, Dove Medical Press accepts no liability in respect of the content of any letter, nor is it responsible for the content and accuracy of any letter to the editor.

Advances in Medical Education and Practice

Publish your work in this journal

Advances in Medical Education and Practice is an international, peer-reviewed, open access journal that aims to present and publish research on Medical Education covering medical, dental, nursing and allied health care professional education. The journal covers undergraduate education, postgraduate training and continuing medical education

Submit your manuscript here: <http://www.dovepress.com/advances-in-medical-education-and-practice-journal>

Dovepress

including emerging trends and innovative models linking education, research, and health care services. The manuscript management system is completely online and includes a very quick and fair peer-review system. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.