Clinical examinations: a medical student's perspective

Arjun Menon
Rahul Menon
Vishnou Mourougavelou

Faculty of Medicine, Imperial College
London, London, UK

Dear editor

We read with great interest the research by Shields et al,¹ evaluating the most effective ways of teaching the clinical abdominal examination to medical students. As medical students ourselves, we too have noticed how variability in cohort size, teaching style, and levels of practice can affect competency when performing a clinical examination.

At Imperial College, London, students are taught to perform examinations on real and simulated patients from an early stage. It is natural that students would like to examine real patients with clinical signs as without this experience early on in their medical career, it would put them at a disadvantage when they are required to recognize pathology. A randomized experiment found that what students valued most was the “authenticity” of real patient encounters.² We do however acknowledge that simulated patients have their benefits, especially during the early learning stage. Furthermore, finding real patients who are willing to volunteer their time for the teaching of medical students can be challenging.¹

Another important factor to the successful teaching of the clinical examination is the size of the group. In a study of 48 medical students studying the musculoskeletal examination, it was found that through small-group interactive examination skills teaching, the students improved their skills immediately after the teaching but also maintained these acquired skills several months on.³ The controls on the other hand, who only carried out regular clerkship activities, such as hospital placements, were unable to improve their examination skills.³

At Imperial College London, peer-assisted learning has become a vital way of improving both the confidence and clinical skills of students. A study looking at peer-assisted learning used a visual analog scale to assess the efficacy of the teaching while recording comments and feedback from all 86 trainees.⁴ The outcome was generally very positive, with trainees finding the sessions both enjoyable and useful.⁴ Peer-assisted learning, therefore, could be another way to reinforce clinical examination skills.

We agree with the authors that small-group teaching is the best way to reinforce clinical skills but would suggest that the use of real patients would be preferable when possible. Peer-assisted learning has also been shown to improve clinical skills such as communication and examination.⁴ Perhaps there is some merit in the introduction of a peer-assisted learning program as an adjunct to the professional small-group teaching that students already receive as part of their curriculum.

Correspondence: Arjun Menon
55 Campana Road, SW64AT, London,
UK
Tel +44 7742 149 477
Email arjun.menon13@imperial.ac.uk

Disclosure

The authors report no conflicts of interest in this communication.

References

1. Shields HM, Fernandez-Becker NQ, Flier SN, et al. Volunteer patients and small groups contribute to abdominal examination's success. *Adv Med Educ Pract*. 2017;8:721–729.
2. Bokken L, Rethans JJ, Jobsis Q, Duvivier R, Scherpbier A, van der Vleuten C. Instructiveness of real patients and simulated patients in undergraduate medical education: a randomized experiment. *Acad Med*. 2010;85(1):148–154.
3. Perrig M, Berendonk C, Rogausch A, Beyeler C. Sustained impact of a short small group course with systematic feedback in addition to regular clinical clerkship activities on musculoskeletal examination skills – a controlled study. *BMC Med Educ*. 2016;16:35.
4. Field M, Burke JM, McAllister D, Lloyd DM. Peer-assisted learning: a novel approach to clinical skills learning for medical students. *Med Educ*. 2007;41(4):411–418.

Authors' reply

Helen M Shields¹

Nielsen Q Fernandez-Becker²

Sarah N Flier³

Byron P Vaughn⁴

Melissa H Tukey⁵

Stephen R Pelletier⁶

Douglas A Horst³

¹Department of Medicine, Brigham and Women's Hospital, Harvard Medical School, Boston, MA, USA; ²Department of Medicine, Stanford University School of Medicine, Stanford, CA, USA; ³Department of Medicine, Beth Israel Deaconess Medical Center, Harvard Medical School, Boston, MA, USA; ⁴Department of Medicine, University of Minnesota Medical Center, Minneapolis, MN, USA; ⁵Pulmonary and Critical Care, Kaiser Permanente, Oakland, CA, USA; ⁶Center for Evaluation, Harvard Medical School, Boston, MA, USA

Correspondence: Helen M Shields
Brigham and Women's Hospital, 75 Francis Street, Boston,
MA, 02115, USA
Email hms Shields@bwh.harvard.edu

Dear editor

We are happy to respond to the excellent comments in the Letter to the Editor by Arjun Menon, Rahul Menon, and Vishnou Mourougavelou, medical students at Imperial College, London, regarding our recently published article entitled "Volunteer Patients and Small Groups Contribute to Abdominal Examination's Success".¹

We completely agree with Imperial College London's routine practice of using "real patients" from the beginning of medical school for students to practice their physical examination skills. We would like to clarify and confirm that it is also our practice to use "real patients" for our Abdominal Examination Exercise. Our ability to recruit sufficient "real" volunteer patients each year for 43–46 small groups for the Abdominal Examination is the result of the popularity of this exercise with these patients.¹ We have not had the difficulty in recruiting patients as noted by Bokken et al² perhaps because all the patients came from the practices of the two Directors of the Abdominal Examination (HS and DH) who were committed to utilizing "real" patients. Volunteer patients frequently say it is gratifying and worthwhile to work with a small group of medical students and tell their medical histories after the students have tried to guess their diagnoses through examination of their abdomen.¹ All volunteer patients are given instructions before they participate

to maximize their understanding of the teaching exercise and their important role in it as both a mystery patient for the physical examination and a clear communicator of their medical problems for the students afterward. Thirty-nine percent of the "real patients" volunteered to be patients for the Abdominal Examination three to five times over the 5-year period.¹ Students rated having "real volunteer patients" as the best part of the Abdominal Examination Exercise.¹

Keeping the group size small (3–4 students per group) was the second most highly rated factor in our Abdominal Examination Exercise. Perrig et al³ used both small groups (4–7 students) as well as "real inpatients" for a group of students to practice the musculoskeletal examination. Compared to the control group, not exposed to these additional six one-hour targeted interactive teaching sessions, the intervention group did significantly better immediately following the learning sessions as well as a few months later.³

Finally, we agree with Field et al⁴ and Arjun Menon, Rahul Menon, and Vishnou Mourougavelou that there may be a definite advantage to establishing "peer-assisted" teaching tracks for interested and enthusiastic medical students to improve training of their peers' clinical and physical examination skills. In two of the five years of teaching the Abdominal Examination, we had a fourth-year student as a full-fledged teacher for a small group of second-year students. After the mandatory faculty development session, the two medical students, with an interest in medical education, did just as well as the faculty and fellows in teaching peers the Abdominal Examination.¹

Disclosure

The authors report no conflicts of interest in this communication.

References

1. Shields HM, Fernandez-Becker N, Flier S, et al. Volunteer patients and small groups contribute to abdominal examination's success. *Adv Med Educ Pract*. 2017;8:721–729.
2. Bokken L, Rethans JJ, Jobsis Q, Duvivier R, Scherpier A, van der Vleuten C. Instructiveness of real patients and simulated patients in undergraduate medical education: a randomized experiment. *Acad Med*. 2010;85(1):148–154.
3. Perrig M, Berendonk C, Rogausch A, Beyeler C. Sustained impact of a short small group course with systematic feedback in addition to regular clinical clerkship activities on musculoskeletal examination skills--a controlled study. *BMC Med Educ*. 2016;16:35–43.
4. Field M, Burke JM, McAllister D, Lloyd DM. Peer-assisted learning: a novel approach to clinical skills learning for medical students. *Med Educ*. 2007;41(4):411–418.

Dove Medical Press encourages responsible, free and frank academic debate. The content of the Advances in Medical Education and Practice 'letters to the editor' section does not necessarily represent the views of Dove Medical Press, its officers, agents, employees, related entities or the Advances in Medical Education and Practice editors. While all reasonable steps have been taken to confirm the content of each letter, Dove Medical Press accepts no liability in respect of the content of any letter, nor is it responsible for the content and accuracy of any letter to the editor.

Advances in Medical Education and Practice

Dovepress

Publish your work in this journal

Advances in Medical Education and Practice is an international, peer-reviewed, open access journal that aims to present and publish research on Medical Education covering medical, dental, nursing and allied health care professional education. The journal covers undergraduate education, postgraduate training and continuing medical education

including emerging trends and innovative models linking education, research, and health care services. The manuscript management system is completely online and includes a very quick and fair peer-review system. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <http://www.dovepress.com/advances-in-medical-education-and-practice-journal>