Awareness and attitudes toward corneal donation: challenges and opportunities

Andrew M Williams¹
Kelly W Muir^{2,3}

¹Department of Ophthalmology,
University of Pittsburgh Medical
Center, Pittsburgh, PA, USA;

²Department of Ophthalmology, Duke
University Medical Center, Durham,
NC, USA; ³Durham VA Medical
Center, Health Services Research and
Development, Durham, NC, USA

Abstract: There is a severe shortage of donor corneas available worldwide for transplantation, with the number of patients in need of transplant greatly exceeding the number of cornea tissues available. Understanding awareness and attitudes about corneal donation worldwide is a critical step toward addressing this shortage. In this review, awareness of corneal donation and reported willingness to donate are summarized from 55 published studies across 13 countries. In general, many more respondents indicated positive attitudes toward eye donation and willingness to donate their eyes than the number of respondents who have pledged their eyes for donation, suggesting an unrealized potential of additional donors. Specifically, of 38,851 respondents across all included studies, 52% endorsed a willingness to donate their eyes after death, yet only 5% reported being a pledged donor. The most commonly cited reason for not being a registered eye donor was lack of awareness about eye donation. The disconnection between the large number of people who expressed willingness to donate and the scarcity of individuals who have pledged their eyes for donation could be addressed through educational media campaigns, collaborations with medical personnel, partnerships with grief counselors and religious leaders, use of social media, and educational sessions with medical students and staff.

Keywords: eye donation, corneal transplantation, attitudes, eye bank, organ donation

Introduction

Blindness from corneal opacity is a significant public health burden that is estimated to affect 1.5 million persons and accounts for about 4% of cases of blindness worldwide.¹ A disproportionate share of corneal blindness falls on Asia, where estimates of corneal blindness in China have ranged from 10 to 15% of all blindness.^{2,3} Similarly, the Andhra Pradesh Eye Disease Study in India found the prevalence of corneal blindness to be 0.13%, which constituted 9% of all blindness.⁴

Corneal transplantation is an effective treatment option for many patients with corneal disease, with a high success rate in restoring sight. Unfortunately, a major limiting factor in performing corneal transplants is availability of donor tissue, especially in Asian nations.⁵ A recent global survey of eye banking and corneal transplantation quantified the drastic mismatch between supply and demand of donor corneas worldwide, finding only 1 cornea available for every 70 needed.⁶ The shortage of available corneal tissue highlights the importance of exploring limiting factors in corneal donation worldwide. The purpose of this review is to examine awareness and attitudes about corneal donation worldwide and to use this information to identify possible interventions to increase rates of cornea donation.

Correspondence: Kelly W Muir
Department of Ophthalmology,
Duke University Medical Center, Box
3802, 2351 Erwin Road, Durham,
NC, 27710, USA
Tel +1 919 684 3283
Fax +1 919 681 8267
Email kelly.muir@duke.edu

Methods

A nonlanguage-restricted search of the literature was conducted for publications from any date in the PubMed/MEDLINE and Google Scholar databases. Search terms included “eye donation,” “cornea donation,” “attitudes AND awareness AND eye donation,” “interventions AND eye OR cornea donation,” and “attitudes OR awareness OR interventions AND eye OR cornea OR organ donation.” Abstracts were reviewed for relevance. References of included papers were also reviewed for further sources. Out of 127,712 initial results from the literature search, 330 articles were screened for relevance based on title or abstract. In total, 55 articles were found to meet inclusion criteria for this review. See Figure 1 for a flow chart of article selection.

Awareness of corneal donation worldwide and willingness to donate

We identified 55 studies that have evaluated awareness of corneal donation across the world, with methods ranging from surveys to door-to-door interviews (Table 1). Over half of these studies come from India, where the shortage of cornea tissue for transplant is particularly severe.⁴ Nations represented in this review include Australia,⁷ China,^{8–10} Ethiopia,^{11–13} Ghana,¹⁴ India,^{15–45} Malaysia,^{46,47} Nepal,^{48,49} Nigeria,^{50–53} Pakistan,^{54,55} Saudi Arabia,^{56,57} Singapore,^{58,59} Turkey,⁶⁰ and the United States.⁶¹ Study populations include eye patients, family members of eye patients, general community populations, adolescents, university students, physicians,

and medical or health science students. In total, these studies have surveyed or interviewed a total of 38,851 people about awareness or willingness to donate their eyes after death.

While the methods vary widely between studies, particularly in survey design and question wording, general themes can be summarized. Awareness of corneal donation ranged from 8.4% among eye patients in Ghana to 100% among a sample of medical students in India,^{14,44} averaging 71% across all included studies. Willingness to donate ranged from 7.3% among surveyed urban Pakistanis to 90% of patients at a tertiary eye institute in the United States,^{55,61} averaging 52% across all studies. Of note, these figures may be artificially high as social desirability bias may lead some respondents to give an untruthful positive response. Even among studies with a large percentage expressing willingness to donate their eyes after death, the actual number who have pledged their eyes for donation ranged only from 0.1% to 11%,^{49,61} averaging 5% between all studies, indicating a disconnect between having an interest in eye donation and registering as an eye donor (Table 1).

Factors associated with awareness and willingness to donate

Several characteristics have been associated with willingness to donate eyes. One factor is race. Among a United States population, white race compared to black race was associated with higher rates of willingness to consider donation.⁶¹ Among Singaporean adults, ethnic Chinese were significantly

Figure 1 Flow chart of article selection.

Table I Awareness of corneal donation and willingness to donate across 55 included studies

Study	Country	Subjects	Method	Awareness (%)	Willingness to donate (%)	Pledged donors (%)	Comments
Lawlor et al ⁷	Australia	371 adults	Survey		59		
Chu et al ⁸	China	1,867 registered tissue donors and 1,796 resident controls	Survey	90.3 (registered tissue donors); 78.9 (resident controls)	82.2 (registered tissue donors); 45.1 (resident controls)		
Wang et al ⁹	China	430 adults in 12 randomly chosen communities in Guangzhou, southern China	Survey		40.7		
Zhao et al ¹⁰	China	1,072 residents of Chongqing, China	Survey		47.2	9.51	62.69% supported eye donation
Gelaw and Ambaw ¹¹	Ethiopia	403 health science students and academic university staff	Survey	81.8			
Gessese and Tilahun ¹²	Ethiopia	492 adults in sampled housing units	Interview	30.9	57.9		
Hussen et al ¹³	Ethiopia	774 community-dwelling adults	Interview	57	38		
Ackuaku-Dogbe and Abaidoo ¹⁴	Ghana	536 eye patients at a tertiary center	Survey	8.4	59.9		
Acharya et al ¹⁵	India	208 medical and nonmedical staff of a tertiary eye institute in New Delhi	Survey	65.9	84.6		
Ahirwar et al ¹⁶	India	467 medical students	Survey	81.4	61.9		
Amruth et al ¹⁷	India	251 adult patients and their attendants at a primary health center in south India	Survey	36.6	51		
Biswas et al ¹⁸	India	1,525 secondary school students	Survey	81			
Chacko et al ¹⁹	India	100 adolescents at a pre-university college	Survey	70.5			
Dandona et al ²⁰	India	2,522 urban adults of Hyderabad, India	Interview	73.8	44.9	1.9	
Dhaliwal ²¹	India	49 final-year medical students and 24 non-medical students of comparable age (controls)	Survey	79.6 (medical students), 87.5 (controls)	83.7 (medical students), 87.5 (controls)		
Duggal et al ²²	India	2,000 adult residents of northwest India	Interview	70.5	52		
Gupta et al ²³	India	188 first- and second-year nursing students in Bangalore	Survey	96.8	85.1		
Gupta et al ²⁴	India	365 students between seventh and tenth grade	Survey	87	36		72% supported or strongly supported cornea donation
Khan et al ²⁵	India	154 outpatients at a tertiary hospital	Survey	86	61		
Khandelwal and Katre ²⁶	India	300 healthcare providers at a tertiary care hospital	Survey	91	74.7		
Krishnaiah et al ²⁷	India	7,775 residents of rural Andhra Pradesh ages 15 or greater	Interview	28	32.9	0.5	
Kumar and Naik ²⁸	India	200 medical students	Survey	98.2	21.1		
Kumar et al ²⁹	India	400 medical, nursing, and paramedical students in Bhopal	Survey	98	46.75		

(Continued)

Table 1 (Continued)

Study	Country	Subjects	Method	Awareness (%)	Willingness to donate (%)	Pledged donors (%)	Comments
Lal et al ³⁰	India	340 health profession students	Survey	97.9	42.6		
Magdum et al ³¹	India	60 paramedical workers	Survey	75	77		
Nekar et al ³²	India	403 students from 8 colleges	Survey	96	78.1		
Panigrahi et al ³³	India	492 patients and their attendants awaiting an appointment at a tertiary ophthalmology department	Survey	57.9	54.6		
Panigrahi et al ³⁴	India	262 medical and nursing students	Survey	85.9	64.5		
Patil et al ³⁵	India	196 adults in rural India	Survey	80.6			
Patil et al ³⁶	India	1,014 shopkeepers in urban Pune	Interview	74.16	19.83		
Prabhu ³⁷	India	250 eye clinic patients	Survey	94.4	71.7	9.7	
Priyadarshini et al ³⁸	India	507 adults in southern India	Interview	50.7			
Ronanki et al ³⁹	India	355 stakeholders, defined as social services workers and kin of a cornea donor	Interview	93	82		
Singh et al ⁴⁰	India	180 first-year medical students in Delhi	Survey	99.4	87.2		
Tandon et al ⁴¹	India	159 next of kin of recently deceased potential donors who had not previously pledged to donate their corneas	Interview	55.4	41.5		
Tigga et al ⁴²	India	198 nursing and paramedical staff	Survey		21.71		39.39% scored adequately on knowledge of eye donation
Tiwari et al ⁴³	India	947 adults	Interview	62.3			
Vallinayagam et al ⁴⁴	India	679 medical and engineering students	Survey	100	84.8	3.8	
Vidusha and Manjunatha ⁴⁵	India	160 medical students in Bangalore	Survey	99.3		9	
Bhandary et al ⁴⁶	Malaysia	400 patients attending outpatient appointment	Survey	69	34.4		
Bharti et al ⁴⁷	Malaysia	400 university students studying health sciences	Survey	86	27		
Arya et al ⁴⁸	Nepal	395 medical and paramedical staff of a medical institute	Survey	80.5	65.4		
Joshi ⁴⁹	Nepal	1,775 rural Nepalis age 15 or older	Survey	30.7	32.9	0.1	
Abadom et al ⁵⁰	Nigeria	108 medical doctors in Nigeria	Survey	75.9	33.3		
Eze et al ⁵¹	Nigeria	107 medical students, 75 environmental science students (controls)	Survey	47.7 (medical students), 33.3 (controls)	13.1 (medical students), 16.0 (controls)		
Okoye et al ⁵²	Nigeria	131 final-year medical students at the University of Nigeria	Survey	79.4	33.6		
Waziri-Erameh et al ⁵³	Nigeria	160 ophthalmologists in Nigeria	Survey		21		
Ahmad et al ⁵⁴	Pakistan	200 medical students	Survey	75	70		
Parvez et al ⁵⁵	Pakistan	1,520 urban Pakistanis	Survey	65.3	7.3	1.3	

(Continued)

Table I (Continued)

Study	Country	Subjects	Method	Awareness (%)	Willingness to donate (%)	Pledged donors (%)	Comments
Bugis et al ⁵⁶	Saudi Arabia	374 residents of western Saudi Arabia	Survey	54.9	61.5		
Hameed and Jadidy ⁵⁷	Saudi Arabia	408 medical students	Survey	35.8	21.1		
Paraz et al ⁵⁸	Singapore	500 Singaporean youth ages 18 to 25	Survey	26.8	31.0 (46.8 undecided)		
Yew et al ⁵⁹	Singapore	544 Singaporean adults at randomly selected housing units	Interview	80.7	67		
Palamar et al ⁶⁰	Turkey	1,000 outpatients awaiting an appointment	Survey		54.7		
Williams et al ⁶¹	United States	207 patients awaiting an appointment at a tertiary eye center and 76 accompanying family members	Survey		90	11	
	Total subjects:	38,851	Average:	71%	52%	5%	

more likely to report being willing to donate compared to ethnic Malays.⁵⁹ In contrast, among outpatients in Malaysia, willingness was higher among those who identified as Indian race compared to those who identified as Chinese.⁴⁶

Although most studies found no association between gender and willingness to donate, male gender has been positively associated with willingness to donate corneas after death in some studies among Chinese and Indian residents.^{8,33,36} Older age has been inconsistently identified as a factor associated with increased willingness to donate.^{8,39,58} However, Dandona et al and Palamar et al found that older age was associated with decreased willingness to donate,^{20,60} and other studies found no association between age and willingness to donate.⁹

Regarding religion, atheists and non-Muslims had the highest rates of willingness to donate among Singaporean adults,^{58,59} and non-Muslim religion has been associated with increased willingness to donate among other global populations.^{11,20} Higher levels of education are also associated with increased willingness to donate.^{8,11,13,20,35,59–61} Not surprisingly, being a registered tissue donor was associated with higher levels of willingness to donate corneas after death among a Chinese population.⁸

One modifiable factor associated with increased willingness to donate is awareness about eye donation and knowledge about corneal transplantation, with higher knowledge scores correlating with increased willingness to donate in several studies across different communities in the world.^{9,11–13,58,59} Survey respondents who indicated that they have discussed

eye donation in the past were also more likely to donate.⁹ While surveys of medical professionals generally had higher reported rates of awareness of eye donation, there is room for improvement among this influential population.^{48,51,52}

Learning about eye donation

Most respondents reported learning about eye donation through television or other media, suggesting a possible outlet for future public health campaigns.^{13,23,27,30,33,35,36,39,40,46,56} Even among medical professionals in India and Nigeria, television and newspapers were the most common source of information about donation, outranking lectures and seminars.^{23,26,28,40,51} One survey of secondary school students was an exception, with the most common source of knowledge about corneal donation coming from family, friends, or medical staff followed by media.²⁴

Reasons cited for choosing to be an eye donor or not

The most common reasons for being willing to donate include the opportunity to help the blind,^{12,13,23,24} the feeling that eye donation is a noble act,^{13,23} and the thought that eyes are not required after death.²⁴

Commonly cited reasons for not being a registered donor or being unwilling to donate include not having had enough information about eye donation to decide or lack of awareness about eye donation,^{13,23,26,27,33,40,51,57,58,61} a desire to keep the body intact after death,^{12,22–24,39,40,48,58,59,61} concerns about family's support of the decision to donate,^{13,23,24,26,39–41,58,59,61} religious objections,^{13,22,39,48,51,61} refusal to discuss the issue,⁴¹

Table 2 Reasons cited for not being willing to donate or not being registered as an eye donor

Reasons	References
Modifiable reasons	
Lack of awareness about eye donation or need for more information	13, 23, 26, 27, 33, 40, 51, 57, 58, 61
Feeling that one is too old or unhealthy to donate	23, 40, 51, 61
Nonmodifiable reasons	
Desire to maintain body integrity after death	12, 22–24, 39, 40, 48, 58, 59, 61
Concerns about family's support of the decision to donate	13, 23, 24, 26, 39–41, 58, 59, 61
Religious objections	13, 22, 39, 48, 51, 61
Refusal to discuss the issue	41

and feeling that one is too old or unhealthy to donate (Table 2).^{23,40,51,61}

Characteristics of registered eye donors

Several studies have evaluated the characteristics of eye donors. Ranjan et al analyzed the demographic profile of registered eye donors in eastern India.⁶² During a 4-year period, 743 corneas were retrieved from 373 donors. The mean donor age was 52 years, there were twice as many male compared to female donors, and most common causes of death included cardiorespiratory failure and road traffic accident. Most of the consents to donate were given by sons or daughters of the deceased. Notably, the majority (86%) of donors were motivated to donate by eye donation counselors, whereas only 14% were voluntary without this prompting.⁶²

At another site in India, Ronanki et al interviewed 50 next of kin of deceased eye donors to understand the motivations of the donors.³⁹ They found that 82% donated without prior pledging and that the family took initiative for donation in 84% of cases. The reasons individuals elected to donate included feeling that donation is good work and finding satisfaction in giving sight to the blind.³⁹

In China, Liu et al evaluated the demographic characteristics of 918 voluntary donors who registered in Beijing Tongren Hospital Eye Bank over a 10-year period.⁶³ The authors found that age over 50, female gender, Han race, tertiary-level education, and white collar work were factors that were significantly associated with being a registered donor, which are generally consistent with factors associated with expressed willingness to donate. In a separate survey of registered tissue donors in Nanjing, China, Chu et al identified characteristics that differed between registered donors and control residents.⁸ Tissue donors had better knowledge about the donation process, had less misconception about disfigurement from corneal retrieval, and were significantly more likely to have discussed donation with their family.⁸

Eye donation for research

While the general emphasis of survey studies on attitudes about eye donation has focused on the need for corneal tissue for clinical transplantation, it is also notable that there is a tremendous unmet need for eye tissue for research.⁶⁴ Donor tissue is particularly critical for research on eye diseases that occur primarily in humans, such as age-related macular degeneration and open-angle glaucoma. Unfortunately, the availability of eye tissue for researchers has been declining.⁶⁵ Statistics compiled by the Eye Bank Association of America demonstrate a continued downward trend of both the proportion and the total number of eye tissues distributed for research in the United States. Specifically, in 2016, 12.5% of a total of 136,318 total whole eyes and corneas donated were distributed for research, which is down from 16.5% of 116,990 donor eyes in 2012.⁶⁶ Researchers have expressed concerns about the declining availability of human eye tissue to pursue their study of blinding diseases.⁶⁴

Efforts to ameliorate the critical shortage of tissue for research have included increasing communication with eye patients about the opportunity to donate for research and fostering collaborations with local eye banks. Eye tissue used for research generally does not qualify for corneal transplantation due to presence of disease or advanced age, allowing pursuit of parallel goals to recruit eye donors for transplant and research use. Pilot survey studies suggest support for eye donation for research among eye patients and eye care providers, including the appropriateness of bringing up the topic at clinic appointments.^{61,67} Among Australian patients with age-related macular degeneration, a 15-minute counseling session about eye donation led to a greater interest in donating for 68% of patients interviewed, particularly for the purpose of research on their disease.⁶⁸ Along the same lines, a proposed, prospective eye donation registry for research was generally well received among a population of ophthalmic patients, with 55% of those surveyed willing to consider joining the hypothetical donor list, suggesting unmet potential to recruit prospective donors.⁶¹ Additionally, collaborative programs between academic centers and eye banks have been proposed to ensure that individuals with a wish to donate for research would have their eyes procured despite not qualifying for clinical transplant use.⁶⁹ As interventions increase awareness about eye donation in general, more opportunities will arise to discuss the possibility of donating for research with patients who may have a wish to do so.

Interventions to increase donor rates

A common theme across the included studies is that few respondents were registered donors, but many had positive

views toward eye donation and expressed willingness to donate their eyes. For instance, Dandona et al found that 44.9% of urban Indian adults surveyed were willing to donate their eyes, but only 1.9% were registered.²⁰ Similar findings were noted in a survey of rural Indian adults, with 32.9% willing to donate but only 0.5% had pledged their eyes.²⁷ This same pattern was also noted among rural Nepalis and patients in the United States.^{49,61} The disconnect between having an interest in donating and being registered to donate suggests an unmet potential to recruit more eye donors.

Media campaigns

Informational media campaigns about eye donation and the process to register as a donor could be an effective intervention to increase donor rates, especially given that television and newspapers are the most commonly cited sources of information on donation. Knowledge about corneal donation is a factor positively associated with willingness to donate, and knowledge scores on the donation process have been generally low across several studies, even among health professionals.^{21,40,48,52} Further demonstrating the general lack of knowledge of corneal donation, only half (58%) of cornea recipients in Israel were aware that the graft came from a deceased person.⁷⁰ It is also notable that the majority of respondents in various surveys were unaware about how to become an eye donor,^{8,10,21} and needing more information was the most commonly cited reason for not being a registered donor across multiple studies. Increasing knowledge about eye donation and informing the public about the process of registering to pledge one's eyes after death through media campaigns could tap into the tremendous unmet potential of those who are willing to donate their eyes but are unaware of the process,⁷¹ as long as these interventions are carefully designed to communicate accurate information while minimizing bias.⁷²

Education initiatives for medical staff

Several interventions to increase eye donor rates have been published in the literature. At the University of Iowa, a retrospective review found that 12 of the last 50 consecutive deaths at the cardiovascular intensive care unit could have qualified as cornea donors, but only one donated eyes after death.⁷³ Nurses and house staff cited not thinking to ask as the most commonly cited obstacle to procurement. In order to increase rates of donation, a 30-minute in-service education session was held with nurses and house staff to review transplantation eligibility criteria and logistics of eye donation. The authors found that procurement of transplantable corneas doubled the year after the intervention to 42 compared to

average of 22 per year during the 3 years prior. This study highlights the benefits of collaborative efforts with intensive care staff in facilitating discussion of eye and organ donation at the end of life.

Involvement of grief counselors and religious leaders

Similarly, the use of grief counselors in intensive care units in India has been associated with a significant increase in eye donation. Counselors play a particularly important role in providing discussion about eye donation with next of kin, for whom lack of information on the topic leads to high rates of procurement refusal.^{74,75} Sharma et al conducted a prospective study in which grief counselors identified 554 critically ill patients and discussed the topic of eye donation with their families.⁷⁶ In a follow up survey, the grief counselors had the largest influence on the decision to donate. In a separate pilot intervention, counselors from a regional eye bank were notified of every hospital death and reached out to the next of kin to discuss the possibility of eye donation. This intervention resulted in a 68% increase in cornea donations compared to the pre-intervention phase.⁷⁷ Further highlighting the importance of grief counselors in promoting eye donation, a review of eye tissue donors in India found that grief counselors motivated a total of 86% of donors.⁶² The use of eye donation counselors, while resource intensive, can significantly increase the conversion rate for corneal donors.

Given the cultural sensitivity of pledging eyes at the end of life, the involvement of religious leaders has been demonstrated to increase willingness to donate eyes after death. Gogate et al enlisted the help of local priests to discuss the importance of giving and the opportunity of eye donation when giving the last rites to a dying family member.⁷⁸ The incorporation of the discussion of eye donation in the context of religious ritual increased the number of corneas collected from none in the year before implementation to 254 during the first year of the program.

Interventions from the organ donation literature

Inquiring about donation registration at government offices

Insights on interventions to increase donor rates can also be gleaned from the larger literature on organ and tissue donation. In the United States, nearly all registered organ and tissue donors joined the registry through their local Department of Motor Vehicles (DMV) office, which issues drivers' licenses.⁷⁹ Additional education and motivational sessions with clerks at these offices has yielded yet higher donor rates,⁷⁹⁻⁸¹ and the inclusion of an informative video about

organ donation at the time of DMV appointment has increased donor rates among minority groups.⁸² The incorporation of a prompt for organ, eye, and tissue donation at government offices may have similar success in other countries as long as varying cultural norms are adequately addressed.

Social media

The use of social media has been a recent development for communicating about one's intention to donate across a social network. Cameron et al describe the positive effects on organ donor registration following the decision by Facebook, a social media website, to allow users to designate "organ donor" as part of their user profile.⁸³ After making this designation, users in the United States are given a link to their state registry to complete the registration process, and their social media contacts are made aware of this status update. On the first day of this initiative, there was a 21-fold increase in new online organ and tissue donor registrations compared to baseline, where there was no increase in registrations at the DMV over this timeframe. In another Facebook initiative, Kumar et al collaborated with the social media company to design a mobile application (or app) as a platform for those awaiting organ transplant to communicate their personal story.⁸⁴ Compared to a control group, those who used the app were 6 times more likely to have a living donor come forward on their behalf. As more of the world becomes connected to the Internet, online registration and promotion through social media platforms is a promising opportunity to increase donor rates for solid organs and eye tissues alike.

Medical school coursework

Dedicating coursework for medical students about organ donation has led to increased knowledge about the organ donation process at two American universities.^{85,86} Although levels of awareness about eye donation are generally higher among medical professionals compared to the general population, knowledge scores were generally modest, suggesting an opportunity for education intervention among this influential group.^{48,51,52}

Limitations

There are several limitations to this review. First, research methods vary greatly between included studies, particularly regarding question wording and interview methods. In particular, differences in question wording, such as asking if one is willing to donate her eyes versus asking if she is willing to consider eye donation, could lead to substantial variation in responses. Along the same lines, there are major differences

between the three main outcome measures selected for this review: awareness about eye donation, willingness to donate, and self-reported status as a registered eye donor. Due to variation in study designs, all three outcomes were rarely reported in a given article, and few surveys inquired about self-reported status as a pledged donor. Furthermore, this review is unable to examine the exact relationship between awareness about eye donation and expressed willingness to donate due to variation in study designs. While this review aims to include a wide range of studies about attitudes on eye donation, the heterogeneity of study designs does limit direct comparisons between studies. Second, there is overrepresentation of a small number of countries among the included studies. In particular, a large body of the work reviewed in this paper was conducted in the developing world, with a disproportionate number conducted in India in particular, which may limit applicability of these findings elsewhere. For instance, attitudes about eye donation and potential interventions to increase donor rates may differ between areas of the world with a history of infrastructure for eye banking and organ donation compared to areas that are still growing these programs.

Conclusions

A large body of research has surveyed awareness of eye donation and willingness to donate eyes in various global populations. In general, respondents have favorable views toward eye donation, and many more have indicated a willingness to donate than have pledged to be donors. The most commonly cited reasons for not being a registered donor are lack of awareness about eye donation and not knowing how to pledge one's eyes for donation after death. These characteristics indicate tremendous potential for drastically increasing the number of registered eye donors worldwide through educational campaigns. Additionally, collaborations with medical personnel to identify potential donors and culturally sensitive interventions between grief counselors and next of kin have led to increased donor rates by informing decision-makers of the opportunity to donate eyes after death. Finally, successful interventions from the larger organ donation literature may also be incorporated to increase eye donation rates, including the integration of organ registration with local government offices, the use of social media platforms, and educational interventions for medical students. With the current severe shortage of one cornea available for every 70 needed worldwide,⁶ there is a strong impetus for further interventions and research to tap into the tremendous unmet potential of willing but unregistered eye donors.

Disclosure

The authors report no conflicts of interest in this work.

References

- Pascolini D, Mariotti SP. Global estimates of visual impairment. *Br J Ophthalmol*. 2012;96(5):614–618.
- Liang YB, Friedman DS, Wong TY, et al. Prevalence and causes of low vision and blindness in a rural Chinese adult population: the Handan Eye Study. *Ophthalmology*. 2008;115(11):1965–1972.
- Xu L, Wang Y, Li Y, et al. Causes of blindness and visual impairment in urban and rural areas in Beijing: the Beijing Eye Study. *Ophthalmology*. 2006;113(7):1134–1141.
- Dandona L, Dandona R, Srinivas M, et al. Blindness in the Indian state of Andhra Pradesh. *Invest Ophthalmol Vis Sci*. 2001;42(5):908–916.
- Hong J, Shi W, Liu Z, et al. Limitations of keratoplasty in China: a survey analysis. *PLoS One*. 2015;10(7):e0132268.
- Gain P, Jullienne R, He Z, et al. Global survey of corneal transplantation and eye banking. *JAMA Ophthalmol*. 2016;134(2):167–173.
- Lawlor M, Kerridge I, Ankeny R, Dobbins TA, Billson F. Specific unwillingness to donate eyes: the impact of disfigurement, knowledge and procurement on corneal donation. *Am J Transplant*. 2010;10(3):657–663.
- Chu T, Wang LN, Yu H, Zhang RY. Awareness of cornea donation of registered tissue donors in Nanjing. *Chin Med Sci J*. 2013;28(1):20–27.
- Wang X, Jin L, Wang J, et al. Attitudes and knowledge concerning corneal donation in a population-based sample of urban Chinese adults. *Cornea*. 2016;35(10):1362–1367.
- Zhao M, Li H, Yang J, Xu ZY, Peng JC, Wang GJ. 重庆市角膜捐献人群的现状分析 [An investigation of current situation of corneal donors action in Chongqing]. *Zhonghua Yan Ke Za Zhi*. 2003;39(7):422–426. Chinese [with English abstract].
- Gelaw Y, Ambaw F. Socio-demographic correlates of attitude towards corneal donation among health science students and academic staff of Jimma University. *Ethiop Med J*. 2010;48(1):41–47.
- Gessese GW, Tilahun Y. Willingness to donate eyes and associated factors among adults in a rural community in Central Ethiopia. *J Ophthalmol East Cen South Africa*. 2013;17(1):20–24.
- Hussen MS, Gebreselassie KL, Woredekal AT, Adimassu NF. Willingness to donate eyes and its associated factors among adults in Gondar town, North West Ethiopia. *BMC Ophthalmol*. 2017;17(1):178.
- Ackuaku-Dogbe EM, Abaidoo B. Eye donation: awareness and willingness among patients attending a tertiary eye center in Ghana. *West Afr J Med*. 2014;33(4):258–263.
- Acharya M, Chaku D, Dave A, Das A, Patel NV. Knowledge and attitude toward corneal donation among high school children in northern India. *Cornea*. 2018;37(1):e2–e3.
- Ahirwar RK, Shidhaye PR, Ekka IJ, Saxena DM. Study of knowledge and willingness regarding eye donation among medical students of a tertiary care teaching hospital of central India. *Int J Community Med Public Health*. 2016;3(9):2363–2368.
- Amruth M, Kulkarni AG, Kamble SV, Borker SA, Rekha R, Ismail IM. Awareness and perception regarding eye donation among adult patients and their attendants in a primary health centre, South India. *Int J Health Sci Res*. 2014;4(9):1–8.
- Biswas J, Bandyopadhyay S, Das D, Mondal KK, Saha I, Ray B. A study on awareness about eye health care and eye donation among secondary level students of North Kolkata, India. *Kathmandu Univ Med J (KUMJ)*. 2010;8(31):317–320.
- Chacko HM, Mathew J, Jose J, Dominic J. Knowledge and attitude regarding eye donation among the adolescents: a co-relational study. *Nitte Univ J Health Sci*. 2014;4(1):66–71.
- Dandona R, Dandona L, Naduvilath TJ, McCarty CA, Rao GN. Awareness of eye donation in an urban population in India. *Aust N Z J Ophthalmol*. 1999;27(3–4):166–169.
- Dhaliwal U. Enhancing eye donation rates. Training students to be motivators. *Indian J Ophthalmol*. 2002;50(3):209–212.
- Duggal M, Brar GS, Prasad VS, Gupta A. Public attitudes toward eye donation in Northwestern India. *Transplant Proc*. 2003;35(1):19–20.
- Gupta A, Jain S, Jain T, Gupta K. Awareness and perception regarding eye donation in students of a nursing college in Bangalore. *Indian J Community Med*. 2009;34(2):122–125.
- Gupta PC, Duggal M, Jamir L, et al. Knowledge and attitude toward corneal donation among high school children in northern India. *Cornea*. 2017;36(5):611–616.
- Khan N, Agrawal PC, Tigga M, Saini VK, Gupta S. Level of awareness regarding eye donation among patients attending eye OPD at tertiary hospital. *Natl J Community Med*. 2015;6(2):70–73.
- Khandelwal R, Katre P. Perception and awareness about eye donation in health-care providers in central India: challenges and solutions. *J Evid Based Med*. 2015;2(44):8066–8073.
- Krishnaiah S, Kovai V, Nutheti R, Shamanna BR, Thomas R, Rao GN. Awareness of eye donation in the rural population of India. *Indian J Ophthalmol*. 2004;52(1):73–78.
- Kumar MP, Naik BS. To assess the knowledge of the undergraduate medical students regarding eye donation. *Int J Res Health Sci*. 2013;1(3):244–247.
- Kumar S, Shukla US, Agarwal P. Awareness and knowledge on eye donation among students at Bhopal. *Natl J Community Med*. 2012;3(4):685–689.
- Lal B, Usgaonkar U, Narvekar H, Venugopal D. Awareness and knowledge on eye donation among allied health sciences, medical, and nursing students in Goa. *J Current Ophthalmol*. Epub 2018 Mar 7.
- Magdum R, Arun S, Mushtaq I, Sharma N. To study awareness and willingness of eye donation among paramedical workers. *J Clin Ophthalmol Res*. 2015;3(2):95–97.
- Nekar MS, Lokare L, Gokhale SA, Godbole M, Mulkipatil SY, MaHesh V. Awareness of eye donation among college students of Hubli City, Karnataka. *Int J Biomed Res*. 2012;3(4):201–204.
- Panigrahi S, Rath B, Sahu RK, Rath S, Sethi SK, Mahapatra K. Knowledge, attitude and willingness for eye donation in general population of Odisha in eastern India. *IOSR J Dent Med Sci*. 2017;16(7):1–6.
- Panigrahi S, Sahu RK, Rath B, Rath S, Padhi S, Mekup CK. Knowledge, attitude and willingness about eye donation among medical and nursing students in a medical college hospital of southern Odisha. *Sch J App Med Sci*. 2017;5(7A):2545–2551.
- Patil R, Prasath ER, Boratne A, Gupta SK, Datta SS. Status of eye donation awareness and its associated factors among adults in rural Pondicherry. *J Clin Diagn Res*. 2015;9(2):LC01–LC04.
- Patil R, Gothankar J, Bhat P, Saluja J, Sane S. Eye donation: awareness and willingness among shopkeepers. *Int J Community Med Public Health*. 2017;4(6):2056–2059.
- Prabhu PB. Concerns regarding eye donation among health seekers attending a reputed eye care institution in North Kerala. *Kerala J Ophthalmol*. 2016;28:43–47.
- Priyadarshini B, Srinivasan M, Padmavathi A, Selvam S, Saradha R, Nirmalan PK. Awareness of eye donation in an adult population of southern India. A pilot study. *Indian J Ophthalmol*. 2003;51(1):101–104.
- Ronanki VR, Sheeladevi S, Ramachandran BP, Jalbert I. Awareness regarding eye donation among stakeholders in Srikakulam district in South India. *BMC Ophthalmol*. 2014;14:25.
- Singh MM, Rahi M, Pagare D, Ingle GK. Medical students' perception on eye donation in Delhi. *Indian J Ophthalmol*. 2007;55(1):49–53.
- Tandon R, Verma K, Vanathi M, Pandey RM, Vajpayee RB. Factors affecting eye donation from postmortem cases in a tertiary care hospital. *Cornea*. 2004;23(6):597–601.
- Tigga MJ, Agarwal PC, Gupta S, et al. Level of awareness and attitude regarding eye donation amongst nursing and paramedical staff working in tertiary care centre. *J Evid Based Med*. 2016;3(44):2189–2193.
- Tiwari R, Diwakar A, Marskole P, Bhargo L, Anwar D. A study to assess awareness on eye donation and willingness to pledge eyes for donation in adult population in Gwalior district (MP), India. *J Res Med Sci*. 2014;2(2):662–666.

44. Vallinayagam M, Kumar PS, Krishnamoorthy J, Arumugam R. A study on eye donation awareness among medical and engineering students in Puducherry. *Dehli J Ophthalmol*. 2017;28:20–24.
45. Vidusha K, Manjunatha S. Awareness of eye donation among medical students of tertiary care hospital, Bangalore. *Asian Pac J Health Sci*. 2015;2(2):94–98.
46. Bhandary S, Khanna R, Rao KA, Rao LG, Lingam KD, Binu V. Eye donation-awareness and willingness among attendants of patients at various clinics in Melaka, Malaysia. *Indian J Ophthalmol*. 2011;59(1):41–45.
47. Bharti MK, Reddy SC, Tajunisah I, Ali NA. Awareness and knowledge on eye donation among university students. *Med J Malaysia*. 2009;64(1):41–45.
48. Arya SK, Gupta N, Malik A. Eye donation awareness among medical and paramedical staff in a medical institute. *Nepal J Ophthalmol*. 2014;6(2):177–184.
49. Joshi SD. Eye donation awareness among community people in Nepal. *Transplantation*. 2010;90:557. (Abstract).
50. Abadom EG, Otene CI, Eniywenae AO. Knowledge and willingness to donate eye among medical doctors in delta state. *IOSR J Dent Med Sci*. 2014;13(6):57–63.
51. Eze BI, Okoye O, Eze JN. Knowledge and attitudes regarding eye donation and corneal transplant: medical versus nonmedical university students in a developing country in Africa. *Exp Clin Transplant*. 2014;12(5):454–461.
52. Okoye O, Maduka-Okafor FC, Eze BI. What does the medical student know about eye donation/corneal transplant? The University of Nigeria scenario. *West Ind Med J*. 2010;59(1):41–44.
53. Waziri-Erameh JM, Ernest AO, Edema OT. Knowledge and attitude of Nigerian ophthalmologists towards cornea donation and corneal graft. *J Med Biomed Res*. 2007;6(1–2):26–34.
54. Ahmad S, Ali M, Afzal M. Knowledge and attitudes toward corneal donation amongst medical students in University of Lahore (a cross-sectional study). *Ophthalmology Update*. 2018;16(1):465.
55. Parvez MA, Alvi S, Mahida K, et al. Eye donation: awareness in urban population of Pakistan: an analysis. *APMC*. 2016;10(3):142–146.
56. Bugis A, Ali A, Almaghrabi A, et al. Knowledge and attitudes regarding eye donation and corneal transplants in Saudi Arabia: A cross-sectional study. *Int J Med Health Res*. 2018;4(2):6–9.
57. Hameed N, Jadidy E. Knowledge and attitude regarding eye donation and corneal transplantation among medical students of Taibah University in Medina, Saudi Arabia 2015. *Int J Acad Sci Res*. 2015;3(4):18–26.
58. Paraz CM, Truong HT, Sai DK, Cajucom-Uy HY, Chan CL, Kassim SM. Knowledge and attitudes toward corneal donation among Singaporean youth: a cross-sectional study. *Eye Vis*. 2016;3(1):17.
59. Yew YW, Saw SM, Pan JC, et al. Knowledge and beliefs on corneal donation in Singapore adults. *Br J Ophthalmol*. 2005;89(7):835–840.
60. Palamar M, Durusoy R, Egrilmez S, Salis O, Yagci A. Public opinion concerning corneal donation and transplant: a survey from Izmir, Turkey. *Exp Clin Transpl*. 2011;9(2):134–138.
61. Williams AM, Allingham RR, Beckwith HS, Liu PJ, Santiago-Turla C, Muir KW. Patient and family attitudes about an eye donation registry for research. *Curr Eye Res*. 2013;38(9):945–951.
62. Ranjan A, Das S, Sahu SK. Donor and tissue profile of a community eye bank in Eastern India. *Indian J Ophthalmol*. 2014;62(9):935–937.
63. Liu Y, Zhang YN, Zhang J, Li AP, Liang QF, Pan ZQ. Demographic characteristics of voluntary donors registered in Beijing Tongren Hospital Eye Bank of China: a retrospective study from 2007 to 2016. *Transplant Proc*. 2017;49(8):1712–1718.
64. Williams AM, Stamer WD, Allingham RR. Increasing the availability and quality of donor eyes for research. *JAMA Ophthalmol*. 2016;134(4):351–352.
65. Curcio CA, Research Tissue Acquisition Working Group. Declining availability of human eye tissues for research. *Invest Ophthalmol Vis Sci*. 2006;47(7):2747–2749.
66. Eye Bank Association of America. 2016 Eye Banking Statistical Report. 2017. Available from: http://restoresight.org/wp-content/uploads/2017/04/2016_Statistical_Report-Final-040717.pdf. Accessed March 25, 2018.
67. Williams AM, Allingham RR, Stamer WD, Muir KW. Eye care professionals' perspectives on eye donation and an eye donation registry for research: a single-institution, cross-sectional study. *Curr Eye Res*. 2016;41(6):867–871.
68. Zhu M, Syed A, Joachim ND, Luo K, Petsoglou C, Chang AA. Evaluation of a direct approach to eye donation in a population with retinal diseases. *Invest Ophthalmol Vis Sci*. 2014;55(13):681.
69. Williams AM, Perkumas KM, Perry I, et al. Successful implementation of a program for increasing donor eyes for research: the Duke-Miracles in Sight Program. *J Ocul Pharmacol Ther*. 2016;32(3):145–149.
70. Abuksis G, Orenstein S, Hershko A, et al. Cornea recipients: are their opinions and attitudes toward organ donation different from those of the general population? *Transplant Proc*. 2004;36(5):1249–1252.
71. Feeley TH, Tamburlin J, Vincent DE. An educational intervention on organ and tissue donation for first-year medical students. *Prog Transplant*. 2008;18(2):103–108.
72. Rady MY, McGregor JL, Verheijde JL. Mass media campaigns and organ donation: managing conflicting messages and interests. *Med Health Care and Philos*. 2012;15(2):229–241.
73. Mack RJ, Mason P, Mathers WD. Obstacles to donor eye procurement and their solutions at the University of Iowa. *Cornea*. 1995;14(3):249–252.
74. Prous M, Ponto M. Barriers to ocular tissue donation in acute clinical settings. *Prog Health Sci*. 2015;5(2):134–141.
75. Hermann KC, Pagnussato F, Franke CA, de Oliveira ML. Reasons for family refusal of ocular tissue donation. *Transplant Proc*. 2014;46(6):1669–1671.
76. Sharma B, Shrivastava U, Kumar K, Baghel R, Khan F, Kulkarni S. Eye donation awareness and conversion rate in hospital cornea retrieval programme in a tertiary hospital of central India. *J Clin Diagn Res*. 2017;11(8):NC12–NC15.
77. Pandey NU, Gupta AK, Jain AK, Koushal V, Bindra N, Minz C. Can eye donation rates be increased in hospitals: a pilot study in a tertiary care hospital in North India? *Public Health*. 2016;136:141–143.
78. Gogate B, Gogate P, Deshpande M. Eye donation programme through faith leaders. *Br J Ophthalmol*. 2008;92(6):867–868.
79. Rodrigue JR, Krouse J, Carroll C, Giery KM, Fraga Y, Edwards E. A Department of Motor Vehicles intervention yields moderate increases in donor designation rates. *Prog Transplant*. 2012;22(1):18–24.
80. Harrison TR, Morgan SE, Corcia MJ. Effects of information, education, and communication training about organ donation for gatekeepers: clerks at the Department of Motor Vehicles and organ donor registries. *Prog Transplant*. 2008;18(4):301–309.
81. Harrison TR, Morgan SE, King AJ, Williams EA. Saving lives branch by branch: the effectiveness of driver licensing bureau campaigns to promote organ donor registry sign-ups to African Americans in Michigan. *J Health Commun*. 2011;16(8):805–819.
82. Thornton JD, Alejandro-Rodriguez M, León JB, et al. Effect of an iPod video intervention on consent to donate organs: a randomized trial. *Ann Intern Med*. 2012;156(7):483–490.
83. Cameron AM, Massie AB, Alexander CE, et al. Social media and organ donor registration: the Facebook effect. *Am J Transplant*. 2013;13(8):2059–2065.
84. Kumar K, King EA, Muzaale AD, et al. A smartphone app for increasing live organ donation. *Am J Transplant*. 2016;16(12):3548–3553.
85. Feeley TH, Moon SI. A meta-analytic review of communication campaigns to promote organ donation. *Commun Rep*. 2009;22(2):63–73.
86. Essman CC, Lebovitz DJ. Donation education for medical students: enhancing the link between physicians and procurement professionals. *Prog Transplant*. 2005;15(2):124–128.

Clinical Ophthalmology**Dovepress****Publish your work in this journal**

Clinical Ophthalmology is an international, peer-reviewed journal covering all subspecialties within ophthalmology. Key topics include: Optometry; Visual science; Pharmacology and drug therapy in eye diseases; Basic Sciences; Primary and Secondary eye care; Patient Safety and Quality of Care Improvements. This journal is indexed on

Submit your manuscript here: <http://www.dovepress.com/clinical-ophthalmology-journal>

PubMed Central and CAS, and is the official journal of The Society of Clinical Ophthalmology (SCO). The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.