Molecular Epidemiology And Clinical Significance Of *Corynebacterium Striatum* Isolated From Clinical Specimens [Corrigendum]

Suh JW, Ju Y, Lee CK, et al. *Infect Drug Resist.* 2019;12:161–171.

On page 161, in “Abstract: Results” section, the text “Fifty-two (77.6%) isolates showed multidrug resistance, defined as resistance to ≥ 3 different antibiotic families” should read “Fifty-four (80.6%) isolates showed multidrug resistance, defined as resistance to ≥ 3 different antibiotic families.”

Page 164, in “Antimicrobial susceptibility” section, first sentence, “All strains were susceptible to erythromycin,

vancomycin, linezolid and daptomycin (Table 3).” should read “All strains were susceptible to vancomycin, linezolid, and daptomycin (Table 3).”

Page 165, in “Antimicrobial susceptibility” section, second sentence, “Therefore, the 67 strains may be considered multidrug resistant, defined as resistance to ≥ 3 classes of antibiotics” should read “Therefore, the 54 strains may be considered multidrug-resistant, defined as resistance to ≥ 3 classes of antibiotics.”

Page 165: Table 2 should be corrected as follows:

Original

Table 2 Microbiological Characteristics And Treatment Outcomes Of 67 Patients Whose Clinical Specimens Tested Positive For *Corynebacterium striatum*

Parameter	Total (n=67)	Treatment (n=20, 29.8%)	Observation (n=47, 70.1%)	P-value
Antibiotic susceptibility, n (%)				
Erythromycin	67 (100)	20 (100)	47 (100)	

Corrected

Table 2 Microbiological Characteristics And Treatment Outcomes Of 67 Patients Whose Clinical Specimens Tested Positive For *Corynebacterium striatum*

Parameter	Total (n=67)	Treatment (n=20, 29.8%)	Observation (n=47, 70.1%)	P-value
Antibiotic susceptibility, n (%)				
Erythromycin	13 (19.4)	3 (15.0)	10 (21.3)	0.552

Page 165: Table 3 should be corrected as follows:

Original

Table 3 MIC₅₀ And MIC₉₀ Values And Antimicrobial Susceptibility (%) Of Clinical Isolates Of *Corynebacterium striatum*

Antibiotics	MIC (mg/L)			Percentage (%) Of Susceptible Isolates
	MIC ₅₀	MIC ₉₀	Range	
Erythromycin	>0.5	>0.5	≤0.06 – >0.5	100

Corrected

Table 3 MIC₅₀ And MIC₉₀ Values And Antimicrobial Susceptibility (%) Of Clinical Isolates Of *Corynebacterium striatum*

Antibiotics	MIC (mg/L)			Percentage (%) Of Susceptible Isolates
	MIC ₅₀	MIC ₉₀	Range	
Erythromycin	>0.5	>0.5	≤0.06 – >0.5	19.4

Page 166, in “Discussion” section, second paragraph, second sentence, “However, presently, most strains (95.5%) display a multidrugresistant phenotype, although all strains are susceptible to erythromycin, vancomycin, linezolid, and daptomycin.” Should read “However, presently, most strains (80.6%) display a multidrug-resistant phenotype, although all strains are susceptible to vancomycin, linezolid, and daptomycin.”

Following a review of our data post-publication, we then realized errors in our raw data analysis. These corrections have no impact to the findings of this study. The authors apologize for these errors.

Infection and Drug Resistance

Dovepress

Publish your work in this journal

Infection and Drug Resistance is an international, peer-reviewed open-access journal that focuses on the optimal treatment of infection (bacterial, fungal and viral) and the development and institution of preventive strategies to minimize the development and spread of resistance. The journal is specifically concerned with the epidemiology of

antibiotic resistance and the mechanisms of resistance development and diffusion in both hospitals and the community. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/infection-and-drug-resistance-journal>