The Response of Human Osteoblasts, Epithelial Cells, Fibroblasts, Macrophages and Oral Bacteria to Nanostructured Titanium Surfaces: A Systematic Study [Corrigendum]

Miao X, Wang D, Xu L, et al. *Int J Nanomedicine*. 2017;12:1415–1430.

does not alter or affect the statistical measurements made in the figure or any conclusions of the original article. The correct Figure 4E is shown below.

The authors have advised that there is an error in Figure 4 on page 1423. Figure 4E, showing representative images of DAPI staining of human gingival fibroblasts grown at three different titanium surfaces at different culture days, contained an accidental image duplication. This correction

The authors apologize for this error.

International Journal of Nanomedicine**Dovepress****Publish your work in this journal**

The International Journal of Nanomedicine is an international, peer-reviewed journal focusing on the application of nanotechnology in diagnostics, therapeutics, and drug delivery systems throughout the biomedical field. This journal is indexed on PubMed Central, MedLine, CAS, SciSearch®, Current Contents®/Clinical Medicine,

Journal Citation Reports/Science Edition, EMBase, Scopus and the Elsevier Bibliographic databases. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/international-journal-of-nanomedicine-journal>