Ophthalmology and Social Media: An In-Depth Investigation of Ophthalmologic Content on Instagram

Andy S Huang¹, Ali Adel Ne'ma Abdullah², Kelsey Chen³, Dagny Zhu⁴

¹Medical College of Georgia, Augusta, GA, USA; ²St Helier Hospital, Sutton, London, UK; ³Midwestern University, Glendale, AZ, USA; ⁴Hyperspeed LASIK/NVISION Eye Centers, Rowland Heights, CA, USA

Correspondence: Andy S Huang, Tel +1 678 314 0208, Email andyhopkinshuang@gmail.com

Purpose: Social media has become a popular source of health information for patients. This study aimed to characterize the top-performing ophthalmologic posts on a large social media platform to better understand the spread of ophthalmic information via social media.

Materials and Methods: This was a web-based study that searched for ophthalmology-related posts on Instagram, with subjects being users who posted ophthalmic content. A list of 36 ophthalmology-related hashtags, including the most common diagnoses and procedures identified from the IRIS Registry, was queried. For each hashtag, data were collected for “Top 9 posts” (as ranked by Instagram’s engagement-based algorithm) at three different time points. Posts were analyzed for the poster’s background, credentials, post format, content, caption length, and engagement level.

Results: Of the top-performing posts analyzed (n = 972), the most frequent post format was a photo (82.2%), followed by video (8.8%) and graphic (8.4%). Ophthalmologists (35.8%) authored the highest number of posts, followed by patients (27.1%), optometrists (20.1%), and organizations (12.7%). The highest average engagement level ratios (ELRs) belonged to ophthalmologists-in-training (0.096), followed by patients (0.084), optometrists (0.070), all ophthalmologists (0.067) and organizations (0.051); $p < 0.001$. The most engaging type of content was self-promotional (0.118) and personal experience-related (0.091); educational content was the least engaging (0.059) even though it comprised the majority of posts (56%); ($p < 0.001$). Characteristics that predicted the highest ELRs (reaching 80th percentile) were captions and/or images that featured personal experiences (3.335 OR), whitecoats (3.259), and those authored by ophthalmologist trainees (3.172); ($p < 0.01$). The least engaging were those featuring fundus photos (0.281), educational content (0.359), and authored by organizations (0.428); ($p < 0.05$).

Conclusion: The majority of ophthalmologic content on Instagram is authored by non-ophthalmologists, with educational content being the least engaging. Practicing ophthalmologists have an opportunity to reach more patients through social media by incorporating specific features known to drive post engagement and reach.

Precis: Social media has become a popular source of health information for patients. Our study demonstrates that the majority of ophthalmology content on Instagram is authored by non- ophthalmologists, with educational content being the least engaging. Practicing ophthalmologists have an opportunity to reach a wider audience through social media by incorporating specific features known to drive post engagement and reach.

Keywords: ophthalmology, social media, Instagram, education, engagement, content, optometrist, ophthalmologist, patient, hashtag, engagement level ratio

Introduction

Never before in history has health information been disseminated at such a rapid rate as through the modern usage of the internet and social media. Social media encompasses various internet-based networks that allow individual patients, providers, and organizations to interact with each other in a multitude of ways.¹ Social media platforms such as Facebook, Twitter, TikTok, and Instagram, have become one of the primary means of exchanging information with

4.2 billion active global social media users worldwide as of Feb 25, 2021.² Social media users have doubled within the last four years, with a significant boost due to the recent COVID pandemic.

In recent years, social media has become of ever-increasing importance for the field of healthcare, particularly with the public fear and desire to learn more about COVID-19.³ A study in 2020 demonstrated that the internet was the most frequently used source of health information, with the percentage of the population who used the internet first for their most recent search increasing from 61.2% in 2008 to 74.4% in 2017.⁴ An earlier study from the Pew Research Center's Internet and American Life Project found that 73% of American adults seek medical information from the internet; this figure will only increase as new technologies provide access to health information in unprecedented ways.⁵ During their search for medical information, individuals are also more likely to come across pages and profiles of medical professionals, organizations, and academic programs who are expanding their social media usage with each passing year.⁶

Ophthalmology is a highly visual specialty, allowing eye-related discussions to be more easily shared on image-based public platforms such as Instagram, which is being used by 40% of the US adult population.⁷ It is therefore unsurprising that Instagram contains a wide breadth of ophthalmic information and features the growing presence of professional organizations such as the American Academy of Ophthalmology (AAO), with over 30,000 followers and 256 posts. The purpose of this study was to characterize ophthalmology-related content on Instagram and to identify features associated with the top-performing ophthalmologic posts.

Materials and Methods

Study Design and Study Population

A list of 37 ophthalmology-related hashtags was queried on Instagram. Hashtags are keywords used to label individual posts. The terms were collected from the American Academy of Ophthalmology Intelligent Research in Sight (IRIS) Registry by most common ophthalmic conditions and procedures distributed across all subspecialties. General laymen's terms for ophthalmology were also included to find eye-related content. Hashtag terms that yielded few or irrelevant posts were excluded. One example was PinkEye, which yielded an overwhelming majority of makeup-related posts and was removed from the analysis, leaving a total of 36 hashtags. The full list of hashtag terms queried along with the total number posts associated with each are shown in [Table 1](#).

For each hashtag, data were collected for the "Top 9 posts" ranked by Instagram at three time points from September 2020 to March 2021 as determined by Instagram's engagement level-based algorithm (n = total 27 posts per hashtag). The Instagram algorithm prioritizes and ranks posts based on the number of likes and comments over a span of time, giving high-ranking posts greater reach. Duplicate posts, content unrelated to ophthalmology, and ophthalmic veterinary posts were excluded. A detailed methodology diagram is shown in [Figure 1](#).

Each post was analyzed for the poster's background (eg, ophthalmologist, optometrist, patient, or organization), credentials (eg, ophthalmologist trainee, board-certified, non-board certified or international) as well as the post format (eg, photo, graphic, or video), content (eg, education, self-promotion, or personal experience), caption length, and engagement level ratios (ELR). ELRs were calculated as a ratio of number of post likes to account followers to aid in the comparison of posts. "Likes" refers to the number of accounts that "liked" the post, and "followers" refers to the number of accounts subscribed to the profile to receive regular updates on their feed.

Educational content was identified as posts focused primarily on teaching and/or increasing public awareness about specific ophthalmologic conditions or procedures. Examples included question/answer posts, slit lamp photos, fundus images, or videos of specific ophthalmic procedures. Self-promotional posts were those that primarily made references to the author's practice and/or advertised the procedures their practice could perform. Personal experience-related content encompassed posts that included subjective or historical narratives specific to the individual. Two examples are as follows: 1) a physician that shares their experiences with treating a specific ophthalmic condition and his/her challenges, 2) a patient that shares his/her perspective and/or journey with living with an ophthalmic condition (eg, strabismus, glaucoma, or retinal detachments). When considering caption length, the posts were separated into three groups: short (1–8 lines), medium (9–19 lines), and long (≥ 20 lines).

Table I List of Hashtag Terms Queried

Hashtag Terms Queried	Total Posts
#Ophthalmology	1,078,100
#Glaucoma	697,000
#Blepharoplasty	674,400
#LASIK	5,57,900
#Ophthalmologist	442,600
#EyeSurgery	367,100
#Cataract	303,200
#CataractSurgery	180,500
#LASIKSurgery	177,800
#Myopia	169,800
#DryEyes	146,600
#DryEye	112,800
#Oculoplastics	97,000
#LaserEyeSurgery	95,000
#Ptosis	71,900
#MacularDegeneration	69,300
#StrabismusSurgery	69,000
#Strabismus	64,600
#Conjunctivitis	56,800
#EyeDisease	50,300
#DiabeticRetinopathy	39,700
#Pterygium	33,200
#DryEyeSyndrome	28,200
#PterygiumSurgery	23,300
#RetinalDetachment	22,526
#CornealTransplant	21,500
#Vitreotomy	16,900
#CornealUlcer	15,500
#CornealAbrasion	15,000
#Chalazion	11,000
#GlaucomaSurgery	7000
#RetinaSurgery	7000
#Keratitis	4800

(Continued)

Table 1 (Continued).

Hashtag Terms Queried	Total Posts
#ARMD	3000
#PRKSurgery	3000
#Trabeculoplasty	1500
#OrbitalCellulitis	300

Notes: Total posts captured is listed for each keyword. Hashtags are based on AAO's IRIS registry and general laymen's terms to broadly identify ophthalmic content.

Abbreviations: AAO, American Academy of Ophthalmology; IRIS, Intelligent Research in Sight.

Statistical Analysis

One-way ANOVA analyses were performed to compare and identify statistically significant differences of mean ELRs between different groups (eg, content, credentials, backgrounds, and caption lengths). The significance level α was set at 0.05. Odds Ratio (OR) and 95% confidence interval (CI) were calculated to predict the likelihood of posts with specific features (eg, slit lamp, fundus, “selfie”, whitecoat, scrubs, and/or presence of ophthalmologist or optometrist within the picture) to reach the top 20% engagement levels ($\geq$ 80th percentile ELR) of all posts within our inclusion criteria.

The American Board of Medical Specialties website (certificationmatters.org) was used to determine the board-certification status of the ophthalmologists that had posted and were selected from our inclusion criteria. As Instagram data is publicly accessible, this study was exempt from the Institutional Review Board (IRB). This research adhered to the tenets of the Declaration of Helsinki.

Figure 1 Methodology diagram for extraction of posts.

Notes: A search of 36 ophthalmic hashtags resulted in 5,735,126 posts. IG's “Top 9 posts” for each hashtag were extracted from each of the three different time points for a total of 27 posts per hashtag. A total of 972 posts were analyzed.

Abbreviation: IG, Instagram.

Results

A total of over 5.7 million Instagram posts were tagged using the 36 hashtags queried, of which 972 met the inclusion criteria for further analysis.

Ophthalmologists, optometrists, organizations, and patients constituted the majority of post authors (95.6%, 929 of 972). Ophthalmologists (35.8%) authored the highest number of posts, followed by patients (27.1%), optometrists (20.1%), organizations (12.7%), and others (4.4%) (Figure 2). Ophthalmologists comprised of US/EU board-certified physicians (50.9%), international/non-board-certified physicians (33.6%), and trainees (13.5%). The most frequent post format was a photo (82.2%), followed by video (8.8%) and graphic (8.4%). In terms of content, educational posts (56.3%) made up the majority of posts, followed by personal experience-related (34.0%) and self-promotional (9.3%).

When analyzing ELRs by the post author (Figure 3), the highest average engagement ratio belonged to ophthalmologists-in-training (0.096), followed by patients (0.084), optometrists (0.070), all ophthalmologists (0.067), and organizations (0.051); $p < 0.001$. International and non-board-certified ophthalmologists had an ELR of 0.062 despite constituting 33.6% of all posts analyzed.

In regards to content, the highest ELR belonged to posts related to self-promotion (0.118) and personal experiences (0.091); educational content garnered the lowest engagement levels (0.059); ($p < 0.001$). When analyzing by post format, videos yielded significantly higher engagement levels (ELR 0.110) compared to photos (ELR 0.073) and graphics (ELR 0.063) ($p = 0.036$).

Table 2 shows the odds ratio (OR) of specific post features associated with ranking in the top ≥ 80 th percentile or top 200 posts for engagement levels. The highest ORs belonged to posts exhibiting personal experiences (OR 3.335),

Figure 2 Breakdown of authors of ophthalmology-related content.

Note: Of all posters, all ophthalmologists consisted of 35.8%, US/EU board-certified consisted of 18.2%, international/non-board-certified ophthalmologists consisted of 12.0% and ophthalmic trainees consisted of 4.8%.

Figure 3 Engagement level ratio of author, post format, and content.

Notes: Authors of ophthalmology-related content Instagram, post format, and content and their impact on their average engagement level ratios (number of likes % number of followers). Standard error of mean represented in gray. Note: * $p < 0.05$; *** $p < 0.001$.

whitecoats (3.259), trainee authors (3.172), and “selfies” (2.815); ($p < 0.01$). The lowest ORs belonged to posts displaying fundus images (0.281), educational content (0.359), organization authors (0.428), and board-certified ophthalmologist authors (0.4825); ($p < 0.05$). “Selfie” posts, defined as a close-up photo of one or several individuals, made up most of the specific visuals analyzed (24.2%). Of the selfies analyzed, 71.4% of them showcased the patient, with the remainder belonging to ophthalmologists, optometrists, or other individuals. When analyzing caption length, the posts with the highest ORs were short (1.551, $p < 0.01$), with long captions coming in last (0.700, $p < 0.05$).

Discussion

Social media platforms such as Instagram contain a wide breadth of ophthalmic information and continue to grow rapidly. This new avenue allows ophthalmologists to engage with audiences in an unprecedented manner, allowing for communication with potentially hundreds of thousands of individuals on a more rapid and profound scale than was ever possible with traditional methods. This is mainly seen as a positive change, as communication between patients and healthcare professionals on Instagram can allow for a more harmonious relationship through patient empowerment, equalized and reciprocal communication, and improved self-management, all of which can lead to better clinical decision-making.⁸

Table 2 Odds Ratio Analysis of Factors in Ophthalmic Instagram Posts

	Factors of Ophthalmic IG Posts	OR for 80th Percentile	Lower 95% CI	Upper 95% CI
Author of post	Trainee	3.172***	1.444	6.97
	Patient	2.104***	1.516	2.921
	Optometrist	0.926	0.627	1.366
	Ophthalmologist	0.737	0.529	1.028
	Non-board Certified	0.637	0.375	1.081
	Board Certified	0.483**	0.262	0.9
	Organization	0.428**	0.24	0.765
Post Format	Photo	3.157***	1.807	5.516
	Graphics	0.651	0.352	1.204
	Video	0.442*	0.224	0.872
Post Content	Personal Experience	3.335***	2.408	4.621
	Self-Promotion	1.077	0.632	1.835
	Educational	0.359***	0.259	0.498
Specific Visuals	White Coat	3.259**	1.456	7.294
	Selfie	2.815***	2.021	3.202
	Optometrist in content	2.452*	1.213	4.958
	Scrubs	2.281*	1.036	5.021
	Ophthalmologist in content	1.238	0.801	1.913
	Slit Lamp	0.538*	0.311	0.932
	Fundus	0.281*	0.086	0.918
Caption Length	Short	1.551**	1.124	2.141
	Medium	1.066	0.765	1.485
	Long	0.700*	0.492	0.995

Notes: Odds Ratio Analysis to measure the association between various factors of ophthalmic Instagram posts and the outcome of the post being in the ≥ 80 th percentile (or top 200 posts for ELR). For example, the odds of being in the top 20% of all ophthalmic Instagram within our analysis are 3.17 times higher in posts with white coats than posts that did not include white coats; ($p < 0.01$). Note: * $p < 0.05$; ** $p < 0.01$; *** $p < 0.001$.

Abbreviations: IG, Instagram; OR, Odds ratio; CI, Confidence interval.

There have been similar studies in other specialties, including plastic surgery, dermatology, and obstetrics/gynecology, that have attempted to characterize social media post authors and content as well as analyze degrees of various interests (eg, types of surgeries or treatments plans), the prevalence of disease, and what is trending within a specialty.^{9–17} To our knowledge, this study is the first to have conducted such a broad analysis of ophthalmology content on Instagram.

Related Studies of Social Media Within Ophthalmology

There is a tremendous increase in the popularity of social media use by ophthalmologists for educating and disseminating eye health initiatives with patients, colleagues, and the academic community.¹⁸ In a recent survey, 72% and nearly 40% of ophthalmologists reported using social media for personal and professional purposes, respectively.¹⁹ With this rise, several studies have analyzed social media usage amongst patients and healthcare professionals. Clarke et al analyzed patient social media usage during the LASIK surgery perioperative period.²⁰ Park et al analyzed the most and least

successful Instagram posts of oculoplastic surgeons and demonstrated that engagement increased when featuring the posing doctor smiling and wearing a white coat, whereas posts depicting procedures had less engagement.²¹ These findings were similar to our study's results demonstrating higher engagement levels amongst "selfies" and posts showcasing the physician wearing a white coat. McGregor et al evaluated social media use by glaucoma patients and demonstrated commonly discussed topics including treatments, care experiences, and support.²² They also highlighted an opportunity for ophthalmologists to promote therapies and treatments with more established evidence to combat misinformation.²² Micieli and Tsui (2015) evaluated ophthalmology organization involvement on Facebook, Twitter, and LinkedIn and concluded that there is an opportunity for these organizations to increase their presence and involvement on social media.²³ Micieli and Micieli (2012) reached a similar conclusion when analyzing ophthalmologist usage of Twitter.²⁴ Johnson et al assessed the content, intent, and authorship of the vision therapy-related Instagram hashtags within pediatric ophthalmology and found that the majority of posts were self-promotional and advertisements, and that of 1766 posts analyzed, surprisingly only 14 (0.8%) were made by physicians.²⁵ These studies illustrate a need for greater content creation by practicing ophthalmologists on social media. While our study findings revealed a relatively high proportion of ophthalmologist-authored posts and educational content, these posts were overall low-performing and demonstrate the need for the creation of more engaging content in order to reach a greater number of patients.

Highlights and Implications of Study Findings

To our knowledge, our study is the first to conduct a broad and comprehensive analysis of ophthalmology content on Instagram by utilizing a wide range of ophthalmology-related hashtag terms across multiple sub-specialties. A particularly unique aspect was analyzing specific post features and characteristics to assess its impact on engagement levels and overall post-performance and reach. Our results show that the performance of posts varies drastically based on the post author, format, content, visuals, and caption length.

While ophthalmologists represented the largest group of post creators, the majority of ophthalmology content on Instagram was created by non-ophthalmologists. This is in accordance with studies in other fields (dermatology, plastic surgery, and urogynecology) that have shown that the majority of top social media content is created by individuals without formal board-certified training.^{10,13,14,25}

In addition, post authorship by a board-certified ophthalmologist was more likely to be associated with lower engagement levels (the 5th lowest of the 23 specific factors studied). Thus, there is an opportunity for practicing ophthalmologists to create more engaging content when compared to ophthalmologists-in-training, optometrists, and patients. Similarly, while educational content was the most abundant of all content types, posts containing educational material achieved the lowest engagement levels, far behind self-promotion and personal experiences. Traditional slit-lamp photos, fundus photos, videos on surgical techniques, and infographics performed with the lowest engagement levels. While such educational content is important to share, low-performing posts are often hidden and buried by engagement-based algorithms used by social media platforms and are thus seen by a much smaller audience. Again, there is a clear opportunity for ophthalmologists, particularly board-certified ophthalmologists, to reach a broader audience by producing more engaging educational content, perhaps by incorporating some factors that were demonstrated to be positively associated with higher engagement in our study (eg, shorter captions, "selfie" photos, scrubs or whitecoat attire, etc.). In addition, because personal experience-related content performed better, ophthalmologists may consider adding a more personal touch to their educational content by sharing unique perspectives, experiences, and/or reflections in order to increase post engagement and reach.

Limitations

There are several limitations to our study. Firstly, the high levels of engagement for self-promotional posts may have been skewed by paid advertising promotions through Instagram artificially increasing likes. However, all advertisement posts are labeled as such, and very few were found in this study. Additionally, there are two discrepancies between the ANOVA ELR analysis and OR analysis for ≥ 80 th percentile. Although self-promotional posts and videos performed best in ELR averages, they scored lower than expected in the OR analysis. This may have been due to the volume of low-

performing non-videos and personal experience posts that skewed the overall mean downward. Therefore, the OR data was prioritized in our interpretation of our data. Finally, social media is fluid, and the ranking of posts due to modifications of engagement-based algorithms is constantly changing. Our study captures only a specific snapshot in time and may not accurately represent social media ophthalmology content in the future.

In this modern digital age, social media has become an exciting and invaluable tool for sharing health information for medical professionals and patients alike. However, as social media content is not regulated nor always evidence-based, online health information needs to be shared responsibly and evaluated with utmost caution. As such, practicing ophthalmologists have an exciting opportunity and responsibility to contribute accurate, relevant, and engaging ophthalmologic content in today's growing digital era.

Funding

There is no funding to report.

Disclosure

The authors declare that they have no conflicts of interest in this work.

References

1. Carr CT, Hayes RA. Social media: defining, developing, and divining. *Atl J Commun*. 2015;23(1):46–65. doi:10.1080/15456870.2015.972282
2. Statista Research Department. Social media - statistics & facts [Internet]. *Statista*. 2021. Available from: <https://www.statista.com/topics/1164/social-networks/>.
3. Li C, Chen LJ, Chen X, Zhang M, Pang CP, Chen H. Retrospective analysis of the possibility of predicting the COVID-19 outbreak from Internet searches and social media data, China, 2020. *Euro Surveill*. 2020;25(10):2000199. doi:10.2807/1560-7917.ES.2020.25.10.2000199
4. Finney Rutten LJ, Blake KD, Greenberg-Worisek AJ, Allen SV, Moser RP, Hesse BW. Online health information seeking among US adults: measuring progress toward a healthy people 2020 objective. *Public Health Rep*. 2019;134(6):617–625. doi:10.1177/0033354919874074
5. Lenhart A, Purcell K, Smith A, Zickuhr K. Social media and young adults [Internet]. *Pew Research Center*. 2010. Available from: <https://www.pewresearch.org/internet/2010/02/03/social-media-and-young-adults/>.
6. Tsui E, Rao RC. Navigating social media. *Ophthalmology*. 2019;126(6):779–782. doi:10.1016/j.ophtha.2019.02.015
7. Auxier B, Anderson M. Social media use in 2021 [Internet]. *Pew Research Center*. 2021. Available from: <https://www.pewresearch.org/internet/2021/04/07/social-media-use-in-2021/>.
8. Smailhodzic E, Hooijsma W, Boonstra A, Langley DJ. Social media use in healthcare: a systematic review of effects on patients and on their relationship with healthcare professionals. *BMC Health Serv Res*. 2016;16(1):442. doi:10.1186/s12913-016-1691-0
9. Braun SE, O'Connor MK, Hornick MM, Cullom ME, Butterworth JA. Global trends in plastic surgery on social media: analysis of 2 million posts. *Aesthet Surg J*. 2021;41(11):1323–1332. doi:10.1093/asj/sjab185
10. Dorfman RG, Vaca EE, Mahmood E, Fine NA, Schierle CF. Plastic surgery-related hashtag utilization on Instagram: implications for education and marketing. *Aesthet Surg J*. 2018;38(3):332–338. doi:10.1093/asj/sjx120
11. Mullens CL, Hardy KM, Hernandez JA, et al. Plastic Surgery: a comparative deep dive analysis into social media and plastic surgery. *Plast Reconstr Surg*. 2020;146(2):413–422. doi:10.1097/PRS.00000000000007001
12. Braunberger T, Mounessa J, Rudningen K, Dunnick CA, Dellavalle RP. Global skin diseases on Instagram hashtags. *Dermatol Online J*. 2017;23(5):13030/qt7sk410j3. doi:10.5070/D3235034925
13. Ranpariya V, Chu B, Fathy R, Lipoff JB. Dermatology without dermatologists? Analyzing Instagram influencers with dermatology-related hashtags. *J Am Acad Dermatol*. 2020;83(6):1840–1842. doi:10.1016/j.jaad.2020.05.039
14. Qin LA, El-Neemany D, Winkler H, Shalom D. Urogyn: what's trending on Instagram? A cross-sectional observational study. *Female Pelvic Med Reconstr Surg*. 2020;26(5):283–286. doi:10.1097/SPV.0000000000000869
15. Peyser A, Goldstein L, Mullin C, Goldman RH. Fertility education: what's trending on Instagram. *Fertil Res Pract*. 2021;18(7):3. doi:10.1186/s40738-021-00095-6
16. Sinha R, Shibata R, Patel A, Sternchos JA. Social media in minimally invasive gynecologic surgery: what is trending on Instagram? *J Minim Invasive Gynecol*. 2021;28(10):1730–1734. doi:10.1016/j.jmig.2021.02.011
17. Park SSE, Akella SS, Moon J-Y, et al. Building your brand: analysis of successful oculoplastic surgeons on social media. *Ophthalmic Plast Reconstr Surg*. 2020;36(6):582–589. doi:10.1097/IOP.0000000000001654
18. Men M, Fung SSM, Tsui E. What's trending: a review of social media in ophthalmology. *Curr Opin Ophthalmol*. 2021;32(4):324–330. doi:10.1097/ICU.0000000000000772
19. Al-kharsan H, Lazzarini TA, Fan KC, et al. Social media in ophthalmology: an analysis of use in the professional sphere. *Health Informatics J*. 2020;26(4):2967–2975. doi:10.1177/1460458220954610
20. Clarke C, Smith E, Khan M, Al-Mohtaseb Z. Social media and ophthalmology: perspectives of patients and ophthalmologists. *J Med Syst*. 2018;42(12):258. doi:10.1007/s10916-018-1079-2
21. Park JH, Christman MP, Linos E, Rieder EA. Dermatology on Instagram: an analysis of hashtags. *J Drugs Dermatol*. 2018;17(4):482–484.
22. McGregor F, Somner JEA, Bourne RR, Munn-Giddings C, Shah P, Cross V. Social media use by patients with glaucoma: what can we learn? *Ophthalmic Physiol Opt*. 2014;34(1):46–52. doi:10.1111/opo.12093

23. Micieli JA, Tsui E. Ophthalmology on social networking sites: an observational study of Facebook, Twitter, and LinkedIn. *Clin Ophthalmol*. 2015;10(9):285–290.
24. Micieli R, Micieli JA. Twitter as a tool for ophthalmologists. *Can J Ophthalmol*. 2012;47(5):410–413. doi:10.1016/j.jcjo.2012.05.005
25. Johnson A, Khan S, Koo EB. Social media and vision therapy: perspectives of providers and patients on Instagram. *J AAPOS*. 2021;25(3):166.e1–166.e5. doi:10.1016/j.jaapos.2020.11.023

Clinical Ophthalmology

Dovepress

Publish your work in this journal

Clinical Ophthalmology is an international, peer-reviewed journal covering all subspecialties within ophthalmology. Key topics include: Optometry; Visual science; Pharmacology and drug therapy in eye diseases; Basic Sciences; Primary and Secondary eye care; Patient Safety and Quality of Care Improvements. This journal is indexed on PubMed Central and CAS, and is the official journal of The Society of Clinical Ophthalmology (SCO). The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/clinical-ophthalmology-journal>