



Anaphylaxis Following Contrast-Enhanced CT with Iodixanol: A Case Report and Literature Review [Corrigendum]

Qiu L, Cui Q, Gong X, Zhou H. *J Asthma Allergy*. 2023;16:195-200.

The authors have advised that the manufacturer for iodixanol on page 196, Case Report section, second paragraph, line 3, should be changed from Visipaque 320, GE Healthcare, Cork, Ireland to Jiangsu Hengrui Medicine Co., Ltd

The sentence should read from

“For this procedure, the patient received a total of 70 mL of iodixanol intravenously (Visipaque 320, GE Healthcare, Cork, Ireland).”

to

“For this procedure, the patient received a total of 70 mL of iodixanol intravenously (Jiangsu Hengrui Medicine Co., Ltd).”

The authors apologize for this error.

Publish your work in this journal

The Journal of Asthma and Allergy is an international, peer-reviewed open-access journal publishing original research, reports, editorials and commentaries on the following topics: Asthma; Pulmonary physiology; Asthma related clinical health; Clinical immunology and the immunological basis of disease; Pharmacological interventions and new therapies. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/journal-of-asthma-and-allergy-journal>

<https://doi.org/10.2147/JAA.S410451>

