Erratum

Schuelert N, Russell FA, McDougall JJ. Topical diclofenac in the treatment of osteoarthritis of the knee. *Orthopedic Research and Reviews*. 2011;3:1–8.

An error in the indication for Solaraze Gel was published in this work. The sentence under the heading “The rationale for topical NSAIDs” that states “At present, four products containing diclofenac for topical application have been approved by the US Food and Drug Administration for the treatment of OA” should in fact read as “At present, four products containing diclofenac for topical application have been approved by the US Food and Drug Administration.”

Solaraze Gel is only indicated for actinic keratosis and Flector Patch is indicated for the topical treatment of acute pain due to minor strains, sprains and contusions. Though clinical trials with Flector for patients with knee OA have been published, it is not officially approved for use in OA.

Currently only Pennsaid and Voltaren are indicated for OA by the US Food and Drug Administration.

Orthopedic Research and Reviews

Dovepress

Publish your work in this journal

Orthopedic Research and Reviews is an international, peer-reviewed, open access journal focusing on the patho-physiology of the musculoskeletal system, trauma, surgery and other corrective interventions to restore mobility and function. Advances in new technologies, materials, techniques and pharmacological agents are particularly welcome. The journal welcomes

original research, clinical studies, reviews & evaluations, expert opinion and commentary, case reports and extended reports. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <http://www.dovepress.com/orthopedic-research-and-reviews-journal>