

# Thoughts about “Oral Health Knowledge, Attitude, and Behavior Among Health Professions’ Students at Kabul University of Medical Sciences” [Letter]

Sabrina Shahid , Mahdi Sadeghi 

Medical Education, King’s College London, London, UK

Correspondence: Sabrina Shahid, Email [sabrina.shahid@kcl.ac.uk](mailto:sabrina.shahid@kcl.ac.uk)

## Dear editor

We congratulate Ehsan et al<sup>1</sup> on their insightful study on oral health knowledge, attitude and behaviour among healthcare students at Kabul University in Afghanistan. We commend them for their invaluable contribution, and as medical students, we would like to offer our perspectives on the findings of this study.

Firstly, the study showed the disparity between healthcare students who may have a higher level of knowledge about oral hygiene (such as dental students) than other students. Showcasing the need to educate the global population about the importance of oral hygiene through interventions such as workshops. The findings suggested that healthcare students with more education and awareness in the field of oral health had a better understanding of oral health. From this study, the conclusion showed a difference in the findings between dental and non-dental students, which could be due to factors such as dental students answering based on what is expected to be done. Additionally, dental students should not have participated in this study as they may have seen it as an exam rather than a study, which raises concerns about bias and authenticity of self-reported behaviours, as they may feel judged or self-conscious.

Another limitation of this research is that students younger than 18 could not participate in this study. If they are healthcare students, it would be essential to allow them to participate as results may have differed and enabled a better representation of the student population.

In addition, the study showed that female students were more concerned about their oral health. This aligns with other research suggesting that women demonstrated better oral hygiene habits than males;<sup>2</sup> however, in this study, this could be due to the more significant number of females (64%)<sup>1</sup> participating in the research. Therefore, there is a greater need for further research expanding this population’s sample to allow generalisable results. This could be achieved through involving students from other institutions.<sup>3</sup>

The questionnaire’s focus on oral health risk factors was narrow, mainly focussing on sweets and fizzy drinks, but it should have taken into consideration other factors that contribute towards oral health. WHO recognises that risk factors for oral diseases should also include tobacco use, alcohol consumption and unhealthy diet.<sup>4</sup> To account for this, it may be useful to use an international screening tool to give a holistic and standardised view of students’ perception of oral health. Additionally, it allows for the reproducibility of the results for future studies. It would be beneficial if the study were held at multiple institutions, which would aid with identifying national trends rather than the attitude towards dental health at Kabul University.

We commend Ehsan et al for their pioneering research and suggest these areas for enhancements, including carrying out a physical finding assessment similar to the tool used by the American Academy of Paediatrics,<sup>5</sup> as this can give a better understanding to the researchers about individuals’ oral health.

## Disclosure

The authors report no conflicts of interest in this communication.

## References

1. Ehsan H, Ahmadzai N, Orfani Z, Rezayee B, Wally M, Daftani S. Oral Health Knowledge, attitude, and behavior among Health Professions' students at Kabul University of Medical Sciences. *Clin Cosmetic Invest Dentistry*. 2023;15:349–358. doi:10.2147/ccide.s444093
2. Lipsky MS, Su S, Crespo CJ, Hung M. Men and Oral Health: a review of sex and gender differences. *Am J Men's Health*. 2021;15(3):155798832110163. doi:10.1177/15579883211016361
3. Harden M, Friede T. Sample size calculation in multi-centre clinical trials. *BMC Med Res Method*. 2018;18(1). doi:10.1186/s12874-018-0602-y
4. Oral Health. World Health Organization. Available from: <https://www.who.int/news-room/fact-sheets/detail/oral-health#:~:text=Most%20oral%20diseases%20and%20conditions,chronic%20respiratory%20disease%20and%20diabetes>. Accessed February 11, 2024.
5. American Academy of Pediatrics Oral Health Risk. Available from: [https://downloads.aap.org/AAP/PDF/oralhealth\\_RiskAssessmentTool.pdf](https://downloads.aap.org/AAP/PDF/oralhealth_RiskAssessmentTool.pdf). Accessed February 11, 2024.

Dove Medical Press encourages responsible, free and frank academic debate. The content of the Clinical, Cosmetic and Investigational Dentistry 'letters to the editor' section does not necessarily represent the views of Dove Medical Press, its officers, agents, employees, related entities or the Clinical, Cosmetic and Investigational Dentistry editors. While all reasonable steps have been taken to confirm the content of each letter, Dove Medical Press accepts no liability in respect of the content of any letter, nor is it responsible for the content and accuracy of any letter to the editor.

Clinical, Cosmetic and Investigational Dentistry

Dovepress

**Publish your work in this journal**

Clinical, Cosmetic and Investigational Dentistry is an international, peer-reviewed, open access, online journal focusing on the latest clinical and experimental research in dentistry with specific emphasis on cosmetic interventions. Innovative developments in dental materials, techniques and devices that improve outcomes and patient satisfaction and preference will be highlighted. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/clinical-cosmetic-and-investigational-dentistry-journal>

<https://doi.org/10.2147/CCIDE.S463950>