Antimicrobial Resistance: Implications and Costs

This article was published in the following Dove Press journal:
Infection and Drug Resistance

Porooshat Dadgostar

Milken Institute of Public Health, George
Washington University, Washington,
DC, USA

Abstract: Antimicrobial resistance (AMR) has developed as one of the major urgent threats to public health causing serious issues to successful prevention and treatment of persistent diseases. In spite of different actions taken in recent decades to tackle this issue, the trends of global AMR demonstrate no signs of slowing down. Misusing and overusing different antibacterial agents in the health care setting as well as in the agricultural industry are considered the major reasons behind the emergence of antimicrobial resistance. In addition, the spontaneous evolution, mutation of bacteria, and passing the resistant genes through horizontal gene transfer are significant contributors to antimicrobial resistance. Many studies have demonstrated the disastrous financial consequences of AMR including extremely high healthcare costs due to an increase in hospital admissions and drug usage. The literature review, which included articles published after the year 2012, was performed using Scopus, PubMed and Google Scholar with the utilization of keyword searches. Results indicated that the multifactorial threat of antimicrobial resistance has resulted in different complex issues affecting countries across the globe. These impacts found in the sources are categorized into three different levels: patient, healthcare, and economic. Although gaps in knowledge about AMR and areas for improvement are obvious, there is not any clearly understood progress to put an end to the persistent trends of antimicrobial resistance.

Keywords: antimicrobial resistance, AMR, implications, cost

Background

Antimicrobial Resistance (AMR) occurs when microorganisms including bacteria, viruses, fungi, and parasites become able to adapt and grow in the presence of medications that once impacted them.^{1,2} AMR is considered a significant threat to the public health systems not just in developing countries but throughout the world.^{1,3} The fact that infectious diseases can no longer be treated with antibiotics depicts an unknown future in health care.⁴ Infection with AMR leads to serious illnesses and prolonged hospital admissions, increases in healthcare costs, higher costs in second-line drugs, and treatment failures.^{3,5,6} For instance, just in Europe, it has been estimated that antimicrobial resistance has been correlated with more than nine billion euros per year.^{3,7} Furthermore, according to the Centers for Disease Control and Prevention (CDC), antimicrobial resistance adds a 20 billion dollar surplus in direct healthcare costs in the United States, which is exclusive of about 35 billion dollars in loss of productivity annually.⁸

The daunting threat of antimicrobial resistance is of particular importance in the category of antibiotic resistance in bacteria.³ According to the CDC, more than two million people in the United States become ill with antibiotic-resistant diseases every year, resulting in a minimum of 23,000 deaths.⁸ Antibiotic resistance compromises a human immune system's capacity to fight infectious diseases and also

Correspondence: Porooshat Dadgostar
Milken Institute of Public Health, George
Washington University, Washington, DC,
USA
Tel +1-206-696-6474
Email porsh_d@gmail.gwu.edu

contributes to different complications in vulnerable patients undergoing chemotherapy, dialysis, surgery, and joint replacement.⁸ Furthermore, people with chronic conditions like diabetes, asthma, and rheumatoid arthritis will be heavily impacted by antibiotic resistance.² Since the effectiveness of antibiotics will be reduced due to persistence in trends of AMR, physicians should use last-resort classes of medicine such as carbapenems and polymyxins, which are not necessarily readily available in developing countries, have a high cost, and have many different side-effects.⁹

One of the most well-known cases of AMR, Methicillin resistance in *Staphylococcus aureus* (MRSA), has been associated with high mortality rates every year across the globe.¹ In addition, multi-drug resistant gram-negative bacteria (MDR-GNB) has made the treatment of different infections like pneumonia and urinary tract infections more challenging.^{10–12} Furthermore, drug resistance to tuberculosis, gonorrhea, and typhoid fever are increasing every year and substantially contribute to the high costs of individuals' health as well as the health care systems around the world, particularly in developing countries.⁷ Currently, 4.1% of new tuberculosis cases are considered to be multi-drug resistant.¹³ In countries like India, the Philippines, Russia, and South Africa, which have always had a high number of TB cases compared to other parts of the world, multi-drug resistant TB is anticipated to escalate significantly by 2040.¹⁴

Factors Accelerating the Rate of AMR Misuse and Overuse of Antibiotics

From early days of discovery of antibiotics in the 1940s, Sir Alexander Fleming warned the public about the high demand for antibiotics in the future which could lead to their overuse.^{15–17} Different surveys across the globe indicate that many patients firmly believe antibacterial agents would help with viral diseases like the common cold or flu.⁹ Furthermore, in many developing countries where there are deficiencies in proper diagnostic tools, patient management is predominantly contingent upon the prescription of medicine, particularly antibiotics.¹⁸ Administering antibiotics when they are actually not needed for the treatment is another example of common misuse of them.^{4,18} Moreover, many antibiotics are of poor quality and sold over the counter in the developing countries.⁴ For instance, in India and Vietnam, where there is insufficient enforcement of regulatory policies on prescribing medicine, over-the-counter antibiotics are

prevalent.^{4,19} Such availability makes it accessible for patients to do self-treatment for diseases that do not necessarily need antibiotics for treatment.^{4,15}

Moreover, antibacterial resistance can develop because physicians unnecessarily prescribe lengthy courses of antibiotics.²⁰ Financial incentives play an important factor in overprescribing antibiotics. For example, Chinese hospitals incentivize physicians to prescribe antibiotics; as a result, they will receive more money from pharmaceutical companies.^{21,22} Another factor contributing to overprescribing antibiotics by providers is patients' expectations from them.²³ Studies have implicated that clinicians consider the perceived patient request for antibiotics as one of the major barriers to adhere to standard guidelines for antibiotic prescriptions.^{23,24} Providers try to avoid the dissatisfaction of their patients by meeting their demand for prescribing antibiotics.²³

Agricultural Use of Antibiotics

Agricultural use of antibiotics is another prominent contributor to the antimicrobial resistance in humans.^{25,26} For instance, just in the United States, approximately 80% of the antibiotics sold are applied to food that animals eat.²⁷ In 2010, 63,200 tons of antibiotics were used in livestock production worldwide which is significantly more than human consumption.²⁸ In addition to the utilization of antibiotics to treat sick animals, antibiotics are largely added to healthy animal feed and drinking water in order to prevent sickness (prophylaxis) among animals to a large extent, to further grow herds at subtherapeutic levels, and to elevate feed efficiency.^{9,27,29,30} For instance, one of the widely used antibiotics in animal farming worldwide to further promote the growth of livestock, particularly pigs, is colistin, a critical last-line antibiotic to treat severe infections in humans.^{31–33}

Increase in Income Levels

According to Klein et al, between 2000 and 2015, global antibiotic use elevated by 65%.³⁴ This significant rise in global antibiotic use is predominantly because of overconsumption of antibiotics in developing countries which is the direct result of rising incomes.^{18,34} In other words, the rise in Growth Domestic Product (GDP) as well as living standards in low and middle-income countries (LMICs) have shown to be positively correlated with antibiotic consumption.^{34,35} Moreover, an increase in income levels in developing countries has led to an

increase in animal protein consumption which may require more antibiotics to be added to the food animals eat.³⁶

There has been a stark change in the pattern of antibacterial consumption across the globe within the past decade.^{34,37} In 2000, the highest antibiotic consumption rate was in the United States, France, Spain, New Zealand, and Hong Kong; however, in 2015, four of the countries with the highest rate of antibiotic consumption were low-middle income countries such as Turkey, Tunisia, Algeria, and Romania.³⁴ Rate of antibiotics in LMICs is still lower than the rate in high-income countries, due to continuous increase in income level and living standards; however, it is highly likely that in a few years this rate might eventually converge or even surpass the antibiotic consumption rate in developed countries.^{34,35}

Easy Travel Routes

Studies have suggested that the modern and easy traveling routes for people, animals, and goods have also substantially contributed to the dissemination of antimicrobial resistance across the globe.^{2,38} By being exposed to resistant pathogens, human travelers are highly likely to return colonized and infected to their country.³⁹ For instance, Ruppe et al have shown that European tourists traveling to India who had absolutely no contact with the Indian health care system still tested positive for carbapenemase-producing Enterobacteriaceae (CPE) after they came back from their trip.⁴⁰

Biological Factors

Antibiotic resistance may happen spontaneously through mutation and bacterial evolution.⁴¹ Furthermore, plasmids, small circular fragments of DNA in bacteria, can obtain a great variety of resistance genes through transposons and insertion sequences.^{42–44} These plasmids can be transferred to bacteria from other species and spread the antibacterial resistance in the bacterial population.⁴⁵ In addition, exchanging resistance genetic factors between bacteria through horizontal gene transfer further accelerates the spread of antibiotic resistance.^{25,45,46}

Gaps in Knowledge

The numerous gaps in knowledge about antibiotic resistance contribute to the continuing trends of AMR since the statistics and particulars about the use of different antibiotics in both the health care setting and in animal production are not systematically gathered worldwide.^{26,47} For instance, currently, just 42 countries in the world systematically gather data regarding the use of antibiotics in livestock.²⁶ High-

quality global surveillance systems are critical for determining and providing warning bells of problems associated with changes in antimicrobial exposure.⁴⁷ They also help with observing the efficacy of the interventions implemented to standardize the usage of antibacterial agents in order to address the issue of AMR.⁴⁸ Thus, the existing gap in knowledge about antibiotic usage worldwide highlights the great importance of a successful approach in engaging cooperative efforts among different international sectors such as human and veterinary medicine, agriculture, animal production, and of course, informed consumers.⁹ Furthermore, there is a gap in awareness of people regarding the proper use and the potential hazard of antibiotics.^{49,50} For instance, results of national questionnaires in different developed and developing countries, including Japan, Australia, the United States, Sri Lanka, and Gulf Cooperation Council countries demonstrate that most people generally have limited knowledge about the correct use of antibiotics.^{50–53}

Methods

Search Strategy

With a thorough literature review, crucial information was compiled, assessed, and used to understand the implications and costs of AMR across the globe. Google, Google Scholar, PubMed, Microsoft Academic, Scopus, Medline, Global Health, and searches within the CDC, WHO, and comparable health organizations and websites were utilized to obtain information. The review solely included published articles written in English. Search terms including “AMR and cost,” “Antimicrobial resistance implications” and “AMR and disease burden” were utilized in order to gather information. Moreover, searches within these databases concentrated on literature that dates back no further than 2012.

The search yielded 200 articles. The titles and abstracts of these articles were reviewed in order to screen for publications that addressed the drivers of AMR and different implications and cost of AMR. After removing the duplicates and opinion articles, 78 articles were identified as relevant and met the inclusion criteria for this critical analysis project. The study flow diagram is illustrated in Figure 1.

Findings

The literature review findings demonstrates that the cost of AMR can be categorized into three different levels: Patient level, Healthcare level, and Economic level.⁶

Figure 1 A flow diagram of articles included in the review.

Patient Perspective

Morbidity and mortality are important consequences of AMR affecting patients.^{1,6} Compared to non-resistant forms, resistant bacteria will double the chances of developing a serious health issue and triple the chances of death.⁵⁴ Of course, these negative outcomes will be more pronounced with elevation of the severity of the resistant infections and the susceptibility of the host.⁵⁵ Table 1 shows the comparison between mortality rates due to AMR and major causes of mortality worldwide by 2050. Currently, across the globe, approximately 700,000 individuals lose their lives because of the drug-resistant infections each year.⁵⁶ Table 2 indicates the mortality rates due to AMR by 2050 in different regions of the world. In the

Table 1 Mortality Rates by 2050 by Condition⁶⁶

Cancer	8.2 Million
Cholera	100,000–120,000
Diabetes	1.5 Million
Diarrheal Disease	1.4 Million
Measles	130,000
Road Traffic Accidents	1.2 Million
Tetanus	60,000
Antimicrobial Resistance	10 Million

Notes: Adapted from *Antimicrobial resistance: tackling a crisis for the health and wealth of nations*. 2014. Available from: https://amr-review.org/sites/default/files/AMR_Review_Paper_-_Tackling_a_crisis_for_the_health_and_wealth_of_nations_1.pdf. Accessed September 17, 2019. Creative Commons Attribution 4.0 International Public License (<https://creativecommons.org/licenses/by/4.0/legalcode>).⁶⁶

Table 2 Mortality Rates by 2050 Due to AMR in Different Regions⁶⁶

Asia	4,730,000
Africa	4,150,000
Europe	390,000
Latin America	392,000
North America	317,000
Oceania	22,000

Notes: Adapted from *Antimicrobial resistance: tackling a crisis for the health and wealth of nations*. 2014. Available from: https://amr-review.org/sites/default/files/AMR_Review_Paper_-_Tackling_a_crisis_for_the_health_and_wealth_of_nations_1.pdf. Accessed September 17, 2019. Creative Commons Attribution 4.0 International Public License (<https://creativecommons.org/licenses/by/4.0/legalcode>).⁶⁶

United States, 2 million people are affected every year by AMR and about 23,000 deaths occur as a result.⁵⁷ This number is roughly the same as the European Union which has an annual mortality rate of 25,000.^{5,58} Despite the difficulty of obtaining precise mortality rates, official reports have estimated that about 10 million people will die across the world by 2050 if strong and effective action against AMR is not taken.^{4,59}

Antimicrobial resistance also sabotages decades of global fights against many infectious diseases like tuberculosis, HIV, and malaria.⁵⁶ The number of HIV cases resistant to medicine are on the rise, particularly in Sub-Saharan Africa where 60% of patients with HIV have developed resistance to HIV medicine.^{60,61} Unsurprisingly, patients with resistance to HIV drugs have a higher risk of dying from HIV.⁶² According to the HIV drug resistance report in 2017, such continuous trends in resistance to HIV medicine threaten the global goal of putting an end to AIDS by 2030.⁶³ In addition to tuberculosis and HIV, in the past 50 years, *Plasmodium falciparum*, the causative agent of malaria, has become resistant to anti-malarial medicines and this trend is predominantly seen in southeast Asia.⁶⁴ The increase in resistance to malaria drugs obstructs malaria control which attempts to decrease the average 445,000 deaths that take place annually due to this deadly disease.⁶⁵

Healthcare Perspective

AMR has disastrous impacts on healthcare costs.⁶ According to the CDC, in the United States alone, antibiotic resistance could add about \$1,400 to the hospital bill for treating patients with any bacterial infections.^{8,67} This additional cost could go up significantly to more than \$2 billion every year.⁸ According to different studies, it

is projected that AMR could cost from \$300 billion to more than \$1 trillion annually by 2050 worldwide.^{4,28} High costs associated with expensive and intensive treatments and escalation in resource utilization are the direct monetary effects of AMR on health care.^{3,4} Treating patients with resistant infections by using a combination of regimens may be ineffective; as a result, compared to other patients, they may need longer hospitalization stays as well as more intensive care units (ICUs) and isolation beds in order to prevent the spread of the infection.⁵⁵ Also, nosocomial outbreaks with resistant pathogens may result in the closure of a wing of a hospital and the cancellation of elective surgeries, costing the hospital money.⁵⁵

In addition to direct monetary effects, AMR generates a burden on the health care system through secondary effects.⁶⁸ These effects happen when the procedures that utilize antibiotics, which are essential to decrease the risk of any infection after surgery, cannot be successfully carried out due to the prevalence of antimicrobial resistance.⁶⁸ Furthermore, AMR will challenge performing organ transplants because they expose the patients to different infections.^{66,69} For instance, Santoro-Lopes and de Gouvea performed a comprehensive review on different multi-resistant infections that may occur after liver transplantation.⁷⁰ In their work, they have discussed that multi-drug resistant pathogens can increase the likelihood of transplant failure and death.⁷⁰ Another secondary effect of antimicrobial resistance will be on cancer treatments.⁶⁶ Due to AMR, chemotherapy cannot be performed on patients with cancer.⁷¹ Chemotherapy impairs the immune system and makes patients with cancer vulnerable to different infections.⁵⁹ Thus, the prevalence of AMR prohibits physicians from administering antibiotics to patients with cancer.^{3,66,68} There is limited data on the exact cost of different secondary effects of AMR which limits our understanding regarding what we might stand to lose.⁶⁶

Economic Perspective

The literature review findings indicate that the cost of AMR across the globe is extremely high and different in each country.^{66,72} The CDC estimated that the cost of antimicrobial resistance is \$55 billion every year in the United States, \$20 billion for health care and about \$35 billion for loss of productivity.^{3,8} Recent research by the World Bank indicates that antimicrobial resistance would elevate the rate of poverty and impact low-income countries compared to the rest of the world.²⁸ Studies show that annual global GDP could decrease by

approximately 1% and there would be a 5–7% loss in developing countries by 2050.^{71,72} This percentage ultimately translates into \$100–210 trillion.^{28,66} Multidrug-resistant TB alone could cost the world \$16.7 trillion by 2050.^{73,74}

Furthermore, due to AMR, the gap between the developing countries and the developed countries will become more pronounced; as a result, inequity will substantially increase.²⁸ Most of the people who are pushed into extreme poverty as a result of AMR will be specifically from low-income countries.²⁸ This highlights the fact that the underprivileged population of the world will eventually be affected the most because these countries are more contingent on labor income which will be reduced if there is a high prevalence of infectious diseases.²⁸

In addition to the direct impact on GDP, antimicrobial resistance has a major influence on labor through the loss of productivity caused by sickness and premature death.⁶⁸ Deaths because of antimicrobial resistance decrease the workforce, which in turn negatively impacts the size of the population as well as the quality of the country's human capital.^{68,75} Taylor et al have created a theoretical model in order to estimate the economic impacts of AMR on the labor force in the future. In their work, they have compared a baseline (absence of AMR) with the current trend in AMR as well as worse alternatives that might happen if appropriate measures are not taken. According to their results, if there is no change in the current pattern of AMR, in ten years, the world working-age population will decrease by two years. This change will be more pronounced in Eurasia compared to the rest of the world.⁷⁵ In addition, in terms of annual GDP loss, if there is no change in the trends of AMR, the world will lose about \$28 billion in ten years. According to this model, with a \$20 billion loss in GDP, the European Union and The Organization for Economic Cooperation and Development (OECD) countries stand to lose more than the rest of the world.⁷⁵

The global trade will also be heavily affected by antimicrobial resistance if the continuous trends in AMR still persist.³² The World Bank report demonstrates that global exports might decrease significantly by 2050 due to the effects of antimicrobial resistance on labor-intensive sectors.²⁸ Thus, it can be concluded that the undesirable outcomes of AMR on the global economy are projected to be even more severe than the global financial recession due to its long-term impacts on the economy.²⁸

Impacts of AMR on livestock output will also be significant.³⁰ Just like humans, the effect of AMR on

animals will be due to mortality and morbidity. The increase in resistance to antimicrobials will make treatments on animals ineffective and cause the infections to become more severe.²⁶ Ultimately, this will lead to decreased production and trade of livestock, resulting in elevated prices of protein due to the decrease in protein sources such as milk, egg, and meat.^{26,28} Shortage of protein will be a major concern, considering that the demand for animal proteins is on the rise worldwide.³⁶ According to the World Bank, AMR will have drastic impacts on livestock production in low-middle income countries.³² Estimates have indicated that if the persistent trends in AMR do not slow down, there will be an 11% loss in livestock production by 2050.²⁸ Such a substantial loss in animal production will lead to a decline in income generation which will exacerbate the economic situation.²⁶

Conclusion

Antimicrobials are the pillars of modern medicine and have substantially contributed to the progress of health care during the last half-century.⁷⁶ Thus, the persistent trends in AMR should be stopped or it will set us back to the dark ages of medicine.⁴⁸ Antibiotic resistance is a naturally occurring mechanism that can be slowed down gradually but not stopped completely because resistance is an inevitable consequence of the drug selective pressure.^{8,21} Thus, combating AMR requires collective action, political momentum, and robust multisectoral collaboration and partnerships between all stakeholders worldwide including governmental and non-governmental agencies, researchers, providers, public health practitioners, pharmaceutical companies, hospital administrations, policymakers, agriculture industry leaders, and patients.^{71,77} The main goal of this partnership should be decelerating the continuous trends in AMR so that the adverse impacts on society and the economy can be controlled. This will be achieved by establishing a governance mechanism in order to bring harmony to strategic and operational planning.⁷¹ Although the cost of abiding by the guidelines and frameworks can be high, it is well established that the return on such investment will unquestionably have significant positive outcomes.⁷⁸ It also provides hope that the adverse impacts of antimicrobial resistance can be mitigated and may not lead to irreversible results for society as a whole.

Disclosure

The author reports no conflicts of interest in this work.

References

1. Founou RC, Founou LL, Essack SY. Clinical and economic impact of antibiotic resistance in developing countries: a systematic review and meta-analysis. *PLoS One*. 2017;12:e0189621. doi:10.1371/journal.pone.0189621
2. Antibiotic resistance: a global threat | features | CDC. <https://www.cdc.gov/features/antibiotic-resistance-global/index.html>. Accessed September 15, 2019.
3. Prestinaci F, Pezzotti P, Pantosti A. Antimicrobial resistance: a global multifaceted phenomenon. *Pathog Glob Health*. 2015;109(7):309. doi:10.1179/2047773215Y.0000000030
4. Chokshi A, Sifri Z, Cennimo D, Horng H. Global Contributors to Antibiotic Resistance. *J Glob Infect Dis*. 2019;11(1):36–42. doi:10.4103/jgid.jgid_110_18
5. ECDC. Surveillance of Antimicrobial Resistance in Europe. 2017. Available from: <https://www.ecdc.europa.eu/sites/default/files/documents/EARS-Net-report-2017-update-jan-2019.pdf>. Accessed September 16, 2019.
6. Shrestha P, Cooper BS, Coast J, et al. Enumerating the economic cost of antimicrobial resistance per antibiotic consumed to inform the evaluation of interventions affecting their use. *Antimicrob Resist Infect Control*. 2018;7(1):98. doi:10.1186/s13756-018-0384-3
7. Llor C, Bjerrum L. Antimicrobial resistance: risk associated with antibiotic overuse and initiatives to reduce the problem. *Ther Adv Drug Saf*. 2014;5(6):229–241. doi:10.1177/2042098614554919
8. Antibiotic resistance threats in the United States; 2013. <https://www.cdc.gov/drugresistance/pdf/ar-threats-2013-508.pdf>. Accessed September 16, 2019.
9. WHO library cataloguing-in-publication data global action plan on antimicrobial resistance; 2015. www.paprika-annecy.com. Accessed September 16, 2019.
10. Bassetti M, Peghin M, Vena A, Giacobbe DR. Treatment of infections due to MDR gram-negative bacteria. *Front Med*. 2019;6:74. doi:10.3389/fmed.2019.00074
11. Ramírez-Castillo FY, Moreno-Flores AC, Avelar-González FJ, Márquez-Díaz F, Harel J, Guerrero-Barrera AL. An evaluation of multidrug-resistant *Escherichia coli* isolates in urinary tract infections from Aguascalientes, Mexico: cross-sectional study. *Ann Clin Microbiol Antimicrob*. 2018;17(1):34. doi:10.1186/s12941-018-0286-5
12. Annavajhala MK, Gomez-Simmonds A, Uhlemann A-C. Multidrug-resistant enterobacter cloacae complex emerging as a global, diversifying threat. *Front Microbiol*. 2019;10:44. doi:10.3389/fmicb.2019.00044
13. Chatterjee S, Poonawala H, Jain Y. Drug-resistant tuberculosis: is India ready for the challenge? Commentary. *BMJ Glob Heal*. 2018;3:971. doi:10.1136/bmjgh-2018-000971
14. Friedrich MJ. Drug-resistant tuberculosis predicted to increase in high-burden countries. *JAMA*. 2017;318(3):231. doi:10.1001/jama.2017.9086
15. Bin ZS, Hussain MA, Nye R, Mehta V, Mamun KT, Hossain N. A review on antibiotic resistance: alarm bells are ringing. *Cureus*. 2017;9(6):e1403. doi:10.7759/cureus.1403
16. Langford BJ, Morris AM. Is it time to stop counselling patients to “finish the course of antibiotics”? *Can Pharm J (Ott)*. 2017;150(6):349–350. doi:10.1177/1715163517735549
17. Ventola CL. The antibiotic resistance crisis: part 1: causes and threats. *P T*. 2015;40(4):277–283.
18. Chaw PS, Höpner J, Mikolajczyk R. The knowledge, attitude and practice of health practitioners towards antibiotic prescribing and resistance in developing countries—A systematic review. *J Clin Pharm Ther*. 2018;43(5):606–613. doi:10.1111/jcpt.12730
19. Van Nguyen K, Do NT T, Chandna A, et al. Antibiotic use and resistance in emerging economies: a situation analysis for Viet Nam. *BMC Public Health*. 2013;13:1158. doi:10.1186/1471-2458-13-1158

20. Spellberg B. The maturing antibiotic mantra: "Shorter is still better". *J Hosp Med*. 2018;13(5):361–362. doi:10.12788/jhm.2904
21. Laxminarayan R. Antibiotic effectiveness: balancing conservation against innovation. *Science*. 2014;345(6202):1299–1301. doi:10.1126/science.1254163
22. Tang Q, Song P, Li J, Kong F, Sun L, Xu L. Control of antibiotic resistance in China must not be delayed: the current state of resistance and policy suggestions for the government, medical facilities, and patients. *Biosci Trends*. 2016;10(1):1–6. doi:10.5582/bst.2016.01034
23. Fletcher-Lartey S, Yee M, Gaarslev C, Khan R. Why do general practitioners prescribe antibiotics for upper respiratory tract infections to meet patient expectations: a mixed methods study. *BMJ Open*. 2016;6(10):e012244. doi:10.1136/bmjopen-2016-012244
24. Dempsey PP, Businger AC, Whaley LE, Gagne JJ, Linder JA. Primary care clinicians' perceptions about antibiotic prescribing for acute bronchitis: a qualitative study. *BMC Fam Pract*. 2014;15(1):194. doi:10.1186/s12875-014-0194-5
25. Chang Q, Wang W, Regev-Yochay G, Lipsitch M, Hanage WP. Antibiotics in agriculture and the risk to human health: how worried should we be? *Evol Appl*. 2015;8(3):240–247. doi:10.1111/eva.12185
26. Animal production | antimicrobial resistance | food and agriculture organization of the United Nations. <http://www.fao.org/antimicrobial-resistance/key-sectors/animal-production/en/>. Accessed September 16, 2019.
27. Bartlett JG, Gilbert DN, Spellberg B. Seven ways to preserve the miracle of antibiotics. *Clin Infect Dis*. 2013;56(10):1445–1450. doi:10.1093/cid/cit070
28. Drug-resistant infections a threat to our economic future; 2017. Available from: www.worldbank.org. Accessed September 16, 2019.
29. Blaser MJ. Antibiotic use and its consequences for the normal microbiome. *Science*. 2016;352(6285):544–545. doi:10.1126/science.aad9358
30. Hao H, Cheng G, Iqbal Z, et al. Benefits and risks of antimicrobial use in food-producing animals. *Front Microbiol*. 2014;5:288. doi:10.3389/fmicb.2014.00288
31. United Nations meeting on antimicrobial resistance. *Bull World Health Organ*. 2016;94(9):638–639. doi:10.2471/BLT.16.020916
32. Lekagul A, Tangcharoensathien V, Yeung S. Patterns of antibiotic use in global pig production: a systematic review. *Vet Anim Sci*. 2019;7:100058. doi:10.1016/J.VAS.2019.100058
33. Rhouma M, Beaudry F, Thériault W, Letellier A. Colistin in pig production: chemistry, mechanism of antibacterial action, microbial resistance emergence, and one health perspectives. *Front Microbiol*. 2016;7:1789. doi:10.3389/fmicb.2016.01789
34. Klein EY, Van Boeckel TP, Martinez EM, et al. Global increase and geographic convergence in antibiotic consumption between 2000 and 2015. *Proc Natl Acad Sci U S A*. 2018;115(15):E3463–E3470. doi:10.1073/pnas.1717295115
35. Dall C. Global antibiotic use rises, fueled by economic growth | CIDRAP. Available from: <http://www.cidrap.umn.edu/news-perspective/2018/03/global-antibiotic-use-rises-fueled-economic-growth>. Accessed September 16, 2019.
36. Van Boeckel TP, Brower C, Gilbert M, et al. Global trends in antimicrobial use in food animals. *Proc Natl Acad Sci*. 2015;112(18):5649–5654. doi:10.1073/pnas.1503141112
37. Robertson J, Iwamoto K, Hoxha I, et al. Antimicrobial medicines consumption in Eastern Europe and Central Asia – an updated cross-national study and assessment of quantitative metrics for policy action. *Front Pharmacol*. 2019;9:1156. doi:10.3389/fphar.2018.01156
38. Castro-Sánchez E, Moore LSP, Husson F, Holmes AH. What are the factors driving antimicrobial resistance? Perspectives from a public event in London, England. *BMC Infect Dis*. 2016;16(1):465. doi:10.1186/s12879-016-1810-x
39. Frost I, Van Boeckel TP, Pires J, Craig J, Laxminarayan R. Global geographic trends in antimicrobial resistance: the role of international travel. *J Travel Med*. 2019. doi:10.1093/jtm/taz036
40. Ruppé E, Armand-Lefèvre L, Estellat C, et al. Acquisition of carbapenemase-producing Enterobacteriaceae by healthy travellers to India, France, February 2012 to March 2013. *Eurosurveillance*. 2014;19(14):20768. doi:10.2807/1560-7917.ES2014.19.14.20768
41. Read AF, Woods RJ. Antibiotic resistance management. *Evol Med Public Heal*. 2014;2014(1):147. doi:10.1093/emph/eou024
42. Li Q, Chang W, Zhang H, Hu D, Wang X. The role of plasmids in the multiple antibiotic resistance transfer in ESBLs-producing *Escherichia coli* isolated from wastewater treatment plants. *Front Microbiol*. 2019;10:633. doi:10.3389/fmicb.2019.00633
43. Rozwandowicz M, Brouwer MSM, Fischer J, et al. Plasmids carrying antimicrobial resistance genes in Enterobacteriaceae. *J Antimicrob Chemother*. 2018;73(5):1121–1137. doi:10.1093/jac/dkx488
44. San Millan A. Evolution of plasmid-mediated antibiotic resistance in the clinical context. *Trends Microbiol*. 2018;26(12):978–985. doi:10.1016/j.tim.2018.06.007
45. Sun D, Jeannot K, Xiao Y, Knapp CW. Editorial: horizontal gene transfer mediated bacterial antibiotic resistance. *Front Microbiol*. 2019;10. doi:10.3389/fmicb.2019.01933
46. Paterson IK, Hoyle A, Ochoa G, Baker-Austin C, Taylor NGH. Optimising antibiotic usage to treat bacterial infections. *Sci Rep*. 2016;6(1):37853. doi:10.1038/srep37853
47. Antibiotic resistance: a global threat | features | CDC. Available from: <https://www.cdc.gov/features/antibiotic-resistance-global/index.html>. Accessed September 16, 2019.
48. AMR in the WHO European Region. September 2019. Available from: <http://www.euro.who.int/en/health-topics/disease-prevention/antimicrobial-resistance/about-amr/amr-in-the-who-european-region>. Accessed September 16, 2019.
49. Aslam B, Wang W, Arshad MI, et al. Antibiotic resistance: a rundown of a global crisis. *Infect Drug Resist*. 2018;11:1645–1658. doi:10.2147/IDR.S173867
50. Carter RR, Sun J, Jump RLP. A survey and analysis of the american public's perceptions and knowledge about antibiotic resistance. *Open Forum Infect Dis*. 2016;3(3):ofw112. doi:10.1093/ofid/ofw112
51. Atif M, Asghar S, Mushtaq I, et al. What drives inappropriate use of antibiotics? A mixed methods study from Bahawalpur, Pakistan. *Infect Drug Resist*. 2019;12:687–699. doi:10.2147/IDR.S189114
52. Almohammed RA, Bird EL. Public knowledge and behaviours relating to antibiotic use in gulf cooperation council countries: a systematic review. *J Infect Public Health*. 2019;12(2):159–166. doi:10.1016/j.jiph.2018.09.002
53. Kamata K, Tokuda Y, Gu Y, Ohmagari N, Yanagihara K. Public knowledge and perception about antimicrobials and antimicrobial resistance in Japan: a national questionnaire survey in 2017. Angelillo IF, ed. *PLoS One*. 2018;13(11):e0207017. doi:10.1371/journal.pone.0207017
54. Cecchini M, Langer J, Slawomirski L. Antimicrobial Resistance In G7 Countries And Beyond: economic issues, policies and options for action; 2015. Available from: <https://www.oecd.org/els/health-systems/Antimicrobial-Resistance-in-G7-Countries-and-Beyond.pdf>. Accessed September 16, 2019.
55. Friedman ND, Temkin E, Carmeli Y. The negative impact of antibiotic resistance. *Clin Microbiol Infect*. 2016;22(5):416–422. doi:10.1016/j.cmi.2015.12.002
56. Tackling drug-resistant infections globally: final report and recommendations the review on antimicrobial resistance chaired by JIM O'NEILL; 2016. Available from: [https://amr-review.org/sites/default/files/160518_Final paper_with cover.pdf](https://amr-review.org/sites/default/files/160518_Final%20paper_with%20cover.pdf). Accessed September 16, 2019.
57. Davis M, Liu T-L, Taylor Y, et al. Exploring patient awareness and perceptions of the appropriate use of antibiotics: a mixed-methods study. *Antibiotics*. 2017;6(4):23. doi:10.3390/antibiotics6040023
58. WHO report on surveillance of antibiotic consumption; 2016. https://www.who.int/medicines/areas/rational_use/who-amr-amc-report-20181109.pdf. Accessed September 17, 2019.

59. Laxminarayan R, Duse A, Wattal C, et al. Antibiotic resistance—the need for global solutions. *Lancet Infect Dis*. 2013;13(12):1057–1098. doi:10.1016/S1473-3099(13)70318-9
60. Jasovský D, Littmann J, Zorzet A, Cars O. Antimicrobial resistance—a threat to the world's sustainable development. *Ups J Med Sci*. 2016;121(3):159–164. doi:10.1080/03009734.2016.1195900
61. Llibre JM. Time to get serious with HIV-1 resistance in sub-Saharan Africa. *Lancet Infect Dis*. 2017;17(3):241–243. doi:10.1016/S1473-3099(16)30447-9
62. Pinoges L, Schramm B, Poulet E, et al. Risk factors and mortality associated with resistance to first-line antiretroviral therapy. *JAIDS J Acquir Immune Defic Syndr*. 2015;68(5):527–535. doi:10.1097/QAI.0000000000000513
63. HIV drug resistance report 2017 trends quality action. Available from: <https://apps.who.int/iris/bitstream/handle/10665/255896/9789241512831-eng.pdf?sequence=1>. Accessed September 17, 2019.
64. Phyto AP, Nosten F. The artemisinin resistance in Southeast Asia: an imminent global threat to malaria elimination. 2016. doi:10.5772/intechopen.76519
65. World malaria report 2018 ISBN 978 92 4 156565 3. Available from: www.who.int/malaria. Accessed September 17, 2019.
66. Antimicrobial resistance: tackling a crisis for the health and wealth of nations. 2014. Available from: [https://amr-review.org/sites/default/files/AMR Review Paper - Tackling a crisis for the health and wealth of nations_1.pdf](https://amr-review.org/sites/default/files/AMR%20Review%20Paper%20-%20Tackling%20a%20crisis%20for%20the%20health%20and%20wealth%20of%20nations_1.pdf). Accessed September 17, 2019.
67. Thorpe KE, Joski P, Johnston KJ. Antibiotic-resistant infection treatment costs have doubled since 2002, now exceeding \$2 billion annually. *Health Aff*. 2018;37(4):662–669. doi:10.1377/hlthaff.2017.1153
68. Naylor NR, Atun R, Zhu N, et al. Estimating the burden of antimicrobial resistance: a systematic literature review. *Antimicrob Resist Infect Control*. 2018;7(1):58. doi:10.1186/s13756-018-0336-y
69. Li B, Webster TJ. Bacteria antibiotic resistance: new challenges and opportunities for implant-associated orthopedic infections. *J Orthop Res*. 2018;36(1):22–32. doi:10.1002/jor.23656
70. Santoro-Lopes G, de Gouvêa EF. Multidrug-resistant bacterial infections after liver transplantation: an ever-growing challenge. *World J Gastroenterol*. 2014;20(20):6201. doi:10.3748/wjg.v20.i20.6201
71. Anderson M, Clift C, Schulze K, et al. Health systems and policy analysis - Averting the AMR crisis : what are the avenues for policy. *Eur Obs Heal Syst Policies*. 2019.
72. Utt E, Wells C. The global response to the threat of antimicrobial resistance and the important role of vaccines. *Pharm Policy Law*. 2016;18:179–197. doi:10.3233/PPL-160442
73. Drug-resistant tuberculosis: worth the investment why drug-resistant tuberculosis? Available from: <https://www.eiu.com/graphics/market-ing/pdf/Drug-resistant-tuberculosis-Article.pdf>. Accessed September 17, 2019.
74. Global pandemic | TB alliance. Available from: <https://www.tballiance.org/why-new-tb-drugs/global-pandemic>. Accessed September 17, 2019.
75. Taylor J, Hafner M, Yerushalmi E, et al. Estimating the economic costs of antimicrobial resistance: model and Results. 2005.
76. Maddocks SE. Novel targets of antimicrobial therapies. *Microbiol Spectr*. 2016;4(2). doi:10.1128/microbiolspec.VMBF-0018-2015
77. CDC. National action plan for combating antibiotic-resistant bacteria; 2015. Available from: https://www.cdc.gov/drugresistance/pdf/national_action_plan_for_combating_antibiotic-resistant_bacteria.pdf. Accessed September 30, 2019.
78. Renwick MJ, Simpkin V, Mossialos E. *Targeting Innovation in Antibiotic Drug Discovery and Development*. European Observatory on Health Systems and Policies; 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/28806044>. Accessed September 17, 2019.

Infection and Drug Resistance

Dovepress

Publish your work in this journal

Infection and Drug Resistance is an international, peer-reviewed open-access journal that focuses on the optimal treatment of infection (bacterial, fungal and viral) and the development and institution of preventive strategies to minimize the development and spread of resistance. The journal is specifically concerned with the epidemiology of

antibiotic resistance and the mechanisms of resistance development and diffusion in both hospitals and the community. The manuscript management system is completely online and includes a very quick and fair peer-review system, which is all easy to use. Visit <http://www.dovepress.com/testimonials.php> to read real quotes from published authors.

Submit your manuscript here: <https://www.dovepress.com/infection-and-drug-resistance-journal>